



Message Implementation Guideline

DSV IFTSTA D10B In

based on

IFTSTA

International multimodal status report message

UN D.10B S4

Version: v1.6
Issue date: 2026-08-26
Author: DSV A/S, EDI

1 Change Log	2
2 Message Structure	4
3 Branching Diagram	8
4 Segments	12
5 Example	154

Changes Log

No	Description of Changes	
01	Date (YYYY-MM-DD) 2025-03-04 Author DSV A/S, EDI SRQ Number v1.5 Location SG14 / FTX / . Change Description Added FTX+ZRN for Reason notes. Use to be agreed.	
02	Date (YYYY-MM-DD) 2025-03-04 Author DSV A/S, EDI SRQ Number v1.5 Location SG14 / FTX / . Change Description Added FTX+ZPT for PassThrough function and added FTX+ZDD and ZDP. Use to be agreed.	
03	Date (YYYY-MM-DD) 2022-06-14 Author DSV A/S, EDI SRQ Number v1.2 Location SG17 / TDT / C222 . 8212 Change Description Enabled for /ShipmentStatusMessage/ShipmentStatuses/ShipmentStatus/TransportDetail/MeansOfTransport/Name	
04	Date (YYYY-MM-DD) 2022-05-30 Author DSV A/S, EDI SRQ Number v1.2 Location SG17 / TDT / C040 . 3126 Change Description Enabled for /ShipmentStatusMessage/ShipmentStatuses/ShipmentStatus/TransportDetail/Carrier/Name	
05	Date (YYYY-MM-DD) 2022-05-30 Author DSV A/S, EDI SRQ Number v1.2 Location SG17 / TDT / C040 . 3127 Change Description Enabled for /ShipmentStatusMessage/ShipmentStatuses/ShipmentStatus/TransportDetail/Carrier/Code	
06	Date (YYYY-MM-DD) 2022-05-30 Author DSV A/S, EDI SRQ Number v1.2 Location SG17 / TDT / C001 . 8178 Change Description Enabled for /ShipmentStatusMessage/ShipmentStatuses/ShipmentStatus/TransportDetail/MeansOfTransport/Id	
07	Date (YYYY-MM-DD) 2022-04-06 Author DSV A/S, EDI SRQ Number v1.4 Location SG17 / TDT / . Change Description TDT SG14 is mandatory and IFTSTA files without this segment will fail in translation.	
08	Date (YYYY-MM-DD) 2022-02-04 Author DSV A/S, EDI SRQ Number v1.4 Location SG14 / STS / C555 . 4404 Change Description Enabled STS/C555.4404 for Event description.	
09	Date (YYYY-MM-DD) 2022-02-04 Author DSV A/S, EDI SRQ Number v1.2 Location SG14 / STS / C601 . 1131 Change Description Enabled STS/C601.1131 for Status level.	

No = Consecutive segment number

DSV public

No	Description of Changes	
10	Date (YYYY-MM-DD) 2022-01-24 Author DSV A/S, EDI SRQ Number V1.3 Location SG14 / STS / C556 . 9013 Change Description Added user code "ZTJ" for Traffic Jam - Force Majeure, will be used for 4PL.	
11	Date (YYYY-MM-DD) 2021-08-25 Author DSV A/S, EDI SRQ Number v1.3 Location SG13 / CNI / C503 . 1056 Change Description Enabled CNI SG13/C503.1056 for ShipmentId/@Qualifier.	
12	Date (YYYY-MM-DD) 2021-04-22 Author DSV A/S, EDI SRQ Number v1.2 Location SG14 / FTX / . Change Description Added FTX+ZEP for Event Parameters.	
13	Date (YYYY-MM-DD) 2021-04-22 Author DSV A/S, EDI SRQ Number v1.2 Location SG14 / FTX / . Change Description Added FTX+ZEP for Event Parameters.	
14	Date (YYYY-MM-DD) 2021-03-26 Author DSV EDI Standard map team SRQ Number V1.2 Location SG13 / CNI / . Change Description SG13 CNI/C503.1366 enable to handle "MasterBill" and "TransportMaster"	
15	Date (YYYY-MM-DD) 2020-05-29 Author DSV A/S, EDI SRQ Number v1.2 Location SG14 / RFF / C506 . 1156 Change Description SG14 RFF+ABT added for CustomsEntryNumber for Air&Sea shipmentstatuses. Enabled SG14 RFF/C506.1156 to handle Identifier for CustomsEntryNumber.	
16	Date (YYYY-MM-DD) 2020-05-29 Author DSV A/S, EDI SRQ Number v1.2 Location SG14 / RFF / C506 . 1153 Change Description SG14 RFF+ABT added for CustomsEntryNumber for Air&Sea shipmentstatuses. Enabled SG14 RFF/C506.1156 to handle Identifier for CustomsEntryNumber.	
17	Date (YYYY-MM-DD) 2020-05-29 Author DSV A/S, EDI SRQ Number v1.2 Location SG14 / RFF / C506 . 1156 Change Description SG14 RFF+ABT added for CustomsEntryNumber for Air&Sea shipmentstatuses. Enabled SG14 RFF/C506.1156 to handle Identifier for CustomsEntryNumber.	
18	Date (YYYY-MM-DD) 2020-05-29 Author DSV A/S, EDI SRQ Number v1.2 Location SG14 / RFF / C506 . 1153 Change Description SG14 RFF+ABT added for CustomsEntryNumber for Air&Sea shipmentstatuses. Enabled SG14 RFF/C506.1156 to handle Identifier for CustomsEntryNumber.	

No = Consecutive segment number

DSV public

Structure / Table of Contents

Counter	No	Tag	St	MaxOcc	Level	Content
0000	1	UNB	M	1	0	INTERCHANGE HEADER
0010	2	UNH	M	1	0	Message header
0020	3	BGM	M	1	0	Beginning of message
0030	4	DTM	R	9	1	Date/time/period
0040	5	TSR	R	1	0	Transport service requirements
0050		SG1	C	9	1	NAD-SG2
0060	6	NAD	M	1	1	Name and address
0070		SG2	C	9	2	CTA-COM
0080	7	CTA	M	1	2	Contact information
0090	8	COM	C	9	3	Communication contact
0090	9	COM	C	9	3	Communication contact
0090	10	COM	C	9	3	Communication contact
0100		SG3	C	9	1	RFF-DTM
0110	26	RFF	M	1	1	Reference
0120	27	DTM	C	1	2	Date/time/period
0100		SG3	C	9	1	RFF
0110	28	RFF	M	1	1	Reference
0100		SG3	C	9	1	RFF
0110	29	RFF	M	1	1	Reference
0130	30	LOC	R	9	1	Place/location identification
0500		SG13	C	99999	1	CNI-SG14
0510	31	CNI	M	1	1	Consignment information
0540		SG14	M	99	2	STS-RFF-DTM-FTX-SG15-LOC-SG17-SG23
0550	32	STS	M	1	2	Status
0560	33	RFF	C	999	3	Reference
0560	34	RFF	C	999	3	Reference
0560	35	RFF	C	999	3	Reference
0560	36	RFF	C	999	3	Reference
0560	37	RFF	C	999	3	Reference
0560	38	RFF	C	999	3	Reference
0560	39	RFF	C	999	3	Reference
0560	40	RFF	C	999	3	Reference
0560	41	RFF	C	999	3	Reference
0560	42	RFF	C	999	3	Reference
0560	43	RFF	C	999	3	Reference
0560	44	RFF	C	999	3	Reference
0560	45	RFF	C	999	3	Reference
0560	46	RFF	C	999	3	Reference

Counter = Counter of segment/group within the standard
 No = Consecutive segment number
 MaxOcc = Maximum occurrence of the segment/group

DSV public
 Status
 EDIFACT: M=Mandatory, C=Conditional
 User specific: R=Required, O=Optional, D=Dependent,
 A=Advised, N=Not used

Counter	No	Tag	St	MaxOcc	Level	Content
0560	47	RFF	C	999	3	Reference
0560	48	RFF	C	999	3	Reference
0560	49	RFF	C	999	3	Reference
0560	50	RFF	C	999	3	Reference
0570	51	DTM	C	9	3	Date/time/period
0570	52	DTM	C	9	3	Date/time/period
0590	53	FTX	C	9	3	Free text
0590	54	FTX	C	99	3	Free text
0590	55	FTX	C	9	3	Free text
0590	56	FTX	C	9	3	Free text
0590	57	FTX	C	9	3	Free text
0590	58	FTX	C	9	3	Free text
0590	59	FTX	C	9	3	Free text
0600		SG15	C	9	3	NAD-SG16
0610	60	NAD	M	1	3	Name and address
0620		SG16	C	9	4	CTA-COM
0630	61	CTA	M	1	4	Contact information
0640	62	COM	C	9	5	Communication contact
0650	63	LOC	C	1	3	Place/location identification
0650	64	LOC	C	1	3	Place/location identification
0650	65	LOC	C	1	3	Place/location identification
0650	66	LOC	C	1	3	Place/location identification
0670		SG17	C	99	3	TDT
0680	67	TDT	M	1	3	Transport information
0910		SG23	C	99	3	GID-SG24-SG25-SG26
0920	68	GID	M	1	3	Goods item details
1000		SG24	C	99	4	MEA
1010	69	MEA	M	1	4	Measurements
1030		SG25	C	99	4	DIM
1040	70	DIM	M	1	4	DIMENSIONS
1060		SG26	C	99	4	PCI-GIN
1070	71	PCI	M	1	4	PACKAGE IDENTIFICATION
1080	72	GIN	C	9999	5	Goods identity number
1060		SG26	C	99	4	PCI-GIN
1070	73	PCI	M	1	4	PACKAGE IDENTIFICATION
1080	74	GIN	C	9999	5	Goods identity number
0500		SG13	C	99999	1	CNI-SG14
0510	75	CNI	M	1	1	Consignment information
0540		SG14	M	99	2	STS-RFF-DTM-FTX-SG15-LOC-SG17-SG23

Counter = Counter of segment/group within the standard
 No = Consecutive segment number
 MaxOcc = Maximum occurrence of the segment/group

DSV public
 Status
 EDIFACT: M=Mandatory, C=Conditional
 User specific: R=Required, O=Optional, D=Dependent,
 A=Advised, N=Not used



Counter	No	Tag	St	MaxOcc	Level	Content
0550	76	STS	M	1	2	Status
0560	77	RFF	C	999	3	Reference
0560	78	RFF	C	999	3	Reference
0560	79	RFF	C	999	3	Reference
0560	80	RFF	C	999	3	Reference
0560	81	RFF	C	999	3	Reference
0560	82	RFF	C	999	3	Reference
0560	83	RFF	C	999	3	Reference
0560	84	RFF	C	999	3	Reference
0560	85	RFF	C	999	3	Reference
0560	86	RFF	C	999	3	Reference
0560	87	RFF	C	999	3	Reference
0560	88	RFF	C	999	3	Reference
0560	89	RFF	C	999	3	Reference
0560	90	RFF	C	999	3	Reference
0560	91	RFF	C	999	3	Reference
0560	92	RFF	C	999	3	Reference
0560	93	RFF	C	999	3	Reference
0570	94	DTM	C	9	3	Date/time/period
0570	95	DTM	C	9	3	Date/time/period
0590	96	FTX	C	9	3	Free text
0590	97	FTX	C	9	3	Free text
0590	98	FTX	C	9	3	Free text
0590	99	FTX	C	9	3	Free text
0600		SG15	C	9	3	NAD-SG16
0610	100	NAD	M	1	3	Name and address
0620		SG16	C	9	4	CTA-COM
0630	101	CTA	M	1	4	Contact information
0640	102	COM	C	9	5	Communication contact
0650	103	LOC	C	1	3	Place/location identification
0650	104	LOC	C	1	3	Place/location identification
0650	105	LOC	C	1	3	Place/location identification
0650	106	LOC	C	1	3	Place/location identification
0670		SG17	C	99	3	TDT
0680	107	TDT	M	1	3	Transport information
0910		SG23	C	99	3	GID-SG24-SG25-SG26
0920	108	GID	M	1	3	Goods item details
1000		SG24	C	99	4	MEA
1010	109	MEA	M	1	4	Measurements
1030		SG25	C	99	4	DIM

Counter = Counter of segment/group within the standard
 No = Consecutive segment number
 MaxOcc = Maximum occurrence of the segment/group

DSV public
 Status
 EDIFACT: M=Mandatory, C=Conditional
 User specific: R=Required, O=Optional, D=Dependent,
 A=Advised, N=Not used




Counter	No	Tag	St	MaxOcc	Level	Content
1040	110	DIM	M	1	4	DIMENSIONS
1060		SG26	C	99	4	PCI-GIN
1070	111	PCI	M	1	4	PACKAGE IDENTIFICATION
1080	112	GIN	C	9999	5	Goods identity number
1060		SG26	C	99	4	PCI-GIN
1070	113	PCI	M	1	4	PACKAGE IDENTIFICATION
1080	114	GIN	C	9999	5	Goods identity number
1120	115	UNT	M	1	0	Message trailer
0000	116	UNZ	M	1	0	Interchange trailer

Counter = Counter of segment/group within the standard
No = Consecutive segment number
MaxOcc = Maximum occurrence of the segment/group

DSV public
Status
EDIFACT: M=Mandatory, C=Conditional
User specific: R=Required, O=Optional, D=Dependent,
A=Advised, N=Not used


Branching Diagram of Used Segments/Groups



DSV public

Tag
St MaxOcc
No
Counter


Tag = Segment/Group Tag
St = Status (M=Mandatory, C=Conditional, R=Required, O=Optional, A=Advised, D=Dependent)
MaxOcc = Maximum occurrence of the segment/group
No = Consecutive segment number
Counter = Counter of segment/group within the standard



DSV public

Tag
St MaxOcc
No
Counter


Tag = Segment/Group Tag
St = Status (M=Mandatory, C=Conditional, R=Required, O=Optional, A=Advised, D=Dependent)
MaxOcc = Maximum occurrence of the segment/group
No = Consecutive segment number
Counter = Counter of segment/group within the standard



DSV public

Tag
St MaxOcc
No
Counter

Tag = Segment/Group Tag
St = Status (M=Mandatory, C=Conditional, R=Required, O=Optional, A=Advised, D=Dependent)
MaxOcc = Maximum occurrence of the segment/group
No = Consecutive segment number
Counter = Counter of segment/group within the standard



DSV public

Tag
St MaxOcc
No
Counter

Tag = Segment/Group Tag
St = Status (M=Mandatory, C=Conditional, R=Required, O=Optional, A=Advised, D=Dependent)
MaxOcc = Maximum occurrence of the segment/group
No = Consecutive segment number
Counter = Counter of segment/group within the standard

Segments

Counter	No	Tag	St	MaxOcc	Level	Name
---------	----	-----	----	--------	-------	------

0000	1	UNB	M	1	0	INTERCHANGE HEADER
------	---	------------	---	---	---	--------------------

Standard			Implementation	
Tag	Name	St Format	St Format	Usage / Remark
UNB				
S001	Syntax identifier	M	M	
0001	Syntax identifier	M a4	M a4	General Notes From http://www.gefeg.com/jswg/cl/v4x/40200/cl1.htm : "UN/ECE level C As defined in ISO/IEC 8859-1: Information technology - Part 1: Latin alphabet No. 1." Basically, this means uppercase and lower case characters (A-Z, a-z) and western European special characters. List of valid codes UNOC UN/ECE level C
0002	Syntax version number	M an1	M an1	List of valid codes 4 Version 4
0080	Service code list directory version number	C an..6	N	
0133	Character encoding, coded	C an..3	N	
0076	Syntax release number	C an2	N	
S002	Interchange sender	M	M	
0004	Interchange sender identification	M an..35	M an..35	General Notes Sender identification
0007	Identification code qualifier	C an..4	O an..4	List of valid codes 14 GS1 ZZ
0008	Interchange sender internal identification	C an..35	N	
0042	Interchange sender internal sub-identification	C an..35	N	
S003	Interchange recipient	M	M	
0010	Interchange recipient identification	M an..35	M an..35	General Notes DSV recipient ID is 5790000110018
0007	Identification code qualifier	C an..4	M an..4	List of valid codes 14 GS1
0014	Interchange recipient internal identification	C an..35	N	
0046	Interchange recipient	C an..35	N	

No = Consecutive segment number
 MaxOcc = Maximum occurrence of the segment/group
 Counter = Counter of segment/group within the standard

DSV public
 Status
 EDIFACT: M=Mandatory, C=Conditional
 User specific: R=Required, O=Optional, D=Dependent,
 A=Advised, N=Not used

Standard			Implementation	
Tag	Name	St Format	St Format	Usage / Remark
	internal sub-identification			
S004	Date and time of preparation	M	M	
0017	Date	M n8	M n8	
0019	Time	M n4	M n4	
0020	Interchange control reference	M an..14	M an..14	
S005	Recipient reference/ password details	C	N	
0022	Recipient reference/ password	M an..14	N	
0025	Recipient reference/ password qualifier	C an2	N	
0026	Application reference	C an..14	N	
0029	Processing priority code	C a1	N	
0031	Acknowledgement request	C n1	N	
0032	Interchange agreement identifier	C an..35	N	
0035	Test indicator	C n1	C n1	General Notes The feature with test indicator can be used. It will not identify that the file is sent to different systems. It will be used as a unique setup requirement. List of valid codes 1 Interchange is a test

Segment Remarks:**Example:**

UNB+UNOC:4+5912345678901:14+5790000110018:14+00230224:1147+859532+++++1'

No = Consecutive segment number
 MaxOcc = Maximum occurrence of the segment/group
 Counter = Counter of segment/group within the standard

DSV public
 Status
 EDIFACT: M=Mandatory, C=Conditional
 User specific: R=Required, O=Optional, D=Dependent,
 A=Advised, N=Not used

Counter	No	Tag	St	MaxOcc	Level	Name
---------	----	-----	----	--------	-------	------

0010	2	UNH	M	1	0	Message header
------	---	------------	---	---	---	----------------

Standard			Implementation	
Tag	Name	St Format	St Format	Usage / Remark
UNH				
0062	Message reference number	M an..14	M an..14	
S009	Message identifier	M	M	
0065	Message type	M an..6	M an..6	List of valid codes IFTSTA International multimodal status report message
0052	Message version number	M an..3	M an..3	List of valid codes D Draft version/UN/EDIFACT Directory
0054	Message release number	M an..3	M an..3	List of valid codes 10B Release 2010 - B
0051	Controlling agency, coded	M an..3	M an..3	List of valid codes UN UN/CEFACT
0057	Association assigned code	C an..6	N	
0110	Code list directory version number	C an..6	N	
0113	Message type sub-function identification	C an..6	N	
0068	Common access reference	C an..35	N	
S010	Status of the transfer	C	N	
0070	Sequence of transfers	M n..2	N	
0073	First and last transfer	C a1	N	
S016	Message subset identification	C	N	
0115	Message subset identification	M an..14	N	
0116	Message subset version number	C an..3	N	
0118	Message subset release number	C an..3	N	
0051	Controlling agency, coded	C an..3	N	
S017	Message implementation guideline identification	C	N	
0121	Message implementation guideline identification	M an..14	N	
0122	Message implementation guideline version number	C an..3	N	
0124	Message implementation guideline release number	C an..3	N	
0051	Controlling agency, coded	C an..3	N	
S018	Scenario identification	C	N	
0127	Scenario identification	M an..14	N	

No = Consecutive segment number
 MaxOcc = Maximum occurrence of the segment/group
 Counter = Counter of segment/group within the standard

DSV public
 Status
 EDIFACT: M=Mandatory, C=Conditional
 User specific: R=Required, O=Optional, D=Dependent,
 A=Advised, N=Not used



Standard			Implementation	
Tag	Name	St Format	St Format	Usage / Remark
0128	Scenario version number	C an..3	N	
0130	Scenario release number	C an..3	N	
0051	Controlling agency, coded	C an..3	N	

Segment Remarks:

Example:

UNH+123456789+IFTSTA:D:10B:UN'

No = Consecutive segment number
MaxOcc = Maximum occurrence of the segment/group
Counter = Counter of segment/group within the standard

DSV public
EDIFACT: M=Mandatory, C=Conditional
User specific: R=Required, O=Optional, D=Dependent,
A=Advised, N=Not used



Counter	No	Tag	St	MaxOcc	Level	Name
0020	3	BGM	M	1	0	Beginning of message

Standard			Implementation	
Tag	Name	St Format	St Format	Usage / Remark
BGM				
C002	Document/message name	C	C	
1001	Document name code	C an..3	M an..3	List of valid codes 77 Consignment status report
1131	Code list identification code	C an..17	N	
3055	Code list responsible agency code	C an..3	N	
1000	Document name	C an..35	N	
C106	Document/message identification	C	C	
1004	Document identifier	C an..70	M an..70	General Notes DSV reference for the status message. Transport number, shipment/consignment number/SSCC barcode
1056	Version identifier	C an..9	N	
1060	Revision identifier	C an..6	N	
1225	Message function code	C an..3	M an..3	List of valid codes 1 Cancellation 5 Replace 9 Original
4343	Response type code	C an..3	N	

Segment Remarks:**Example:**

BGM+77+DKSER-12345+9'

No = Consecutive segment number
 MaxOcc = Maximum occurrence of the segment/group
 Counter = Counter of segment/group within the standard

DSV public
 Status
 EDIFACT: M=Mandatory, C=Conditional
 User specific: R=Required, O=Optional, D=Dependent,
 A=Advised, N=Not used



Counter	No	Tag	St	MaxOcc	Level	Name
---------	----	-----	----	--------	-------	------

0030 4 **DTM** R 9 1 Date/time/period

Standard			Implementation	
Tag	Name	St Format	St Format	Usage / Remark
DTM				
C507	Date/time/period	M	M	
2005	Date or time or period function code qualifier	M an..3	M an..3	List of valid codes 137 Document issue date time
2380	Date or time or period text	C an..35	R an..35	
2379	Date or time or period format code	C an..3	R an..3	General Notes Possible to use either qualifier "203" or "204" List of valid codes 203 CCYYMMDDHHMM 204 CCYYMMDDHHMMSS

Segment Remarks:

Example:

DTM+137:202202101200:203'

No = Consecutive segment number
MaxOcc = Maximum occurrence of the segment/group
Counter = Counter of segment/group within the standard

DSV public
EDIFACT: M=Mandatory, C=Conditional
User specific: R=Required, O=Optional, D=Dependent,
A=Advised, N=Not used

Counter	No	Tag	St	MaxOcc	Level	Name
---------	----	-----	----	--------	-------	------

0040 5 **TSR** R 1 0 Transport service requirements

Standard			Implementation	
Tag	Name	St Format	St Format	Usage / Remark
TSR				
C536	Contract and carriage condition	C	N	
4065	Contract and carriage condition code	M an..3	N	
1131	Code list identification code	C an..17	N	
3055	Code list responsible agency code	C an..3	N	
C233	Service	C	C	
7273	Service requirement code	M an..3	M an..3	List of valid codes 1 Carrier loads 2 Full loads 3 Less than full loads
1131	Code list identification code	C an..17	N	
3055	Code list responsible agency code	C an..3	N	
7273	Service requirement code	C an..3	N	
1131	Code list identification code	C an..17	N	
3055	Code list responsible agency code	C an..3	N	
C537	Transport priority	C	C	
4219	Transport service priority code	M an..3	M an..3	List of valid codes 1 Express 2 High speed 3 Normal speed
1131	Code list identification code	C an..17	N	
3055	Code list responsible agency code	C an..3	N	
C703	Nature of cargo	C	N	
7085	Cargo type classification code	M an..3	N	
1131	Code list identification code	C an..17	N	
3055	Code list responsible agency code	C an..3	N	

Segment Remarks:

General Notes

DSV product is determined in combination with values used in TDT segment indicating Road, Air, Sea and Courier divisions.

Message examples:

TSR++3+3'

TSR++1+3'

TSR++2+1'

TSR++3+1'

No = Consecutive segment number
MaxOcc = Maximum occurrence of the segment/group
Counter = Counter of segment/group within the standard

DSV public
Status
EDIFACT: M=Mandatory, C=Conditional
User specific: R=Required, O=Optional, D=Dependent,
A=Advised, N=Not used



Note: this segment is required.

Example:

TSR++3+3 '

No = Consecutive segment number
MaxOcc = Maximum occurrence of the segment/group
Counter = Counter of segment/group within the standard

DSV public
Status
EDIFACT: M=Mandatory, C=Conditional
User specific: R=Required, O=Optional, D=Dependent,
A=Advised, N=Not used

Counter	No	Tag	St	MaxOcc	Level	Name
0050		SG1	C	9	1	NAD-SG2
0060	6	NAD	M	1	1	Name and address

Standard			Implementation	
Tag	Name	St Format	St Format	Usage / Remark
NAD				
3035	Party function code qualifier	M an..3	M an..3	List of valid codes DR Driver HA Party which delivers consignments to the terminal ZDE Department (ZDE is a DSV defined code for Road) ZPL Attention (PL is a DSV defined code for Road)
C082	Party identification details	C	C	
3039	Party identifier	M an..35	M an..35	General Notes NAD+DR= Driver id. NAD+HA = Haulier id. NAD+ZDE= Department Id. NAD+ZPL = Attention party Id.
1131	Code list identification code	C an..17	N	
3055	Code list responsible agency code	C an..3	C an..3	List of valid codes 9 GS1 87 Assigned by carrier 91 Assigned by seller or seller's agent
C058	Name and address	C	N	
3124	Name and address description	M an..35	N	
3124	Name and address description	C an..35	N	
3124	Name and address description	C an..35	N	
3124	Name and address description	C an..35	N	
3124	Name and address description	C an..35	N	
C080	Party name	C	N	
3036	Party name	M an..70	N	
3036	Party name	C an..70	N	
3036	Party name	C an..70	N	
3036	Party name	C an..70	N	
3036	Party name	C an..70	N	
3045	Party name format code	C an..3	N	
C059	Street	C	N	
3042	Street and number or post office box identifier	M an..35	N	
3042	Street and number or post	C an..35	N	

No = Consecutive segment number
MaxOcc = Maximum occurrence of the segment/group
Counter = Counter of segment/group within the standard

DSV public
Status
EDIFACT: M=Mandatory, C=Conditional
User specific: R=Required, O=Optional, D=Dependent,
A=Advised, N=Not used

Standard			Implementation	
Tag	Name	St Format	St Format	Usage / Remark
3042	office box identifier	C an..35	N	
3042	Street and number or post office box identifier	C an..35	N	
3164	City name	C an..35	N	
C819	Country subdivision details	C	N	
3229	Country subdivision identifier	C an..9	N	
1131	Code list identification code	C an..17	N	
3055	Code list responsible agency code	C an..3	N	
3228	Country subdivision name	C an..70	N	
3251	Postal identification code	C an..17	N	
3207	Country identifier	C an..3	N	

Segment Remarks:**General Notes**

Contact information for Driver ex:

NAD+DR+5703459'

CTA+IC+:Driver name'

COM+040-11223344:TE'

COM+GREEN@MAIL.COM:EM'

COM+040-11223344:AL'

Contact information for Haulier ex:

NAD+HA+2014714::87'

CTA+ZHA+:Haulier name'

COM+010-410998833:TE'

COM+contact@name.com:EM'

COM+010-480229933:AL'

Contact information for DSV department contact, ex:

NAD+ZDE+2014714::91'

CTA+ZDE+:Department'

COM+010-410998833:TE'

COM+department@mail.com:EM'

COM+010-480229933:AL'

Contact information for Attention, ex

NAD+ZPL+2125020::9'

CTA+ZPL+:Mister Green'

COM+010-410998833:TE'

COM+contact@name.com:EM'

COM+010-480229933:AL'

Example:

NAD+DR+5703459::91'

No = Consecutive segment number
 MaxOcc = Maximum occurrence of the segment/group
 Counter = Counter of segment/group within the standard

DSV public
 Status
 EDIFACT: M=Mandatory, C=Conditional
 User specific: R=Required, O=Optional, D=Dependent,
 A=Advised, N=Not used

Counter	No	Tag	St	MaxOcc	Level	Name
0070		SG2	C	9	2	CTA-COM
0080	7	CTA	M	1	2	Contact information

Standard			Implementation	
Tag	Name	St Format	St Format	Usage / Remark
CTA				
3139	Contact function code	C an..3	C an..3	General Notes NAD+DR' CTA+IC+:Donald Duck' COM+040-11223344:TE' NAD+ZDE+2014714::91' CTA+ZDE+:Minnie Mouse' COM+DKSER:EM' NAD+HA+2014714::87' CTA+ZHA+:Daisy Duck' COM+040-11223344:AL' NAD+ZPL+2125020::9' CTA+ZPL+:Mister Green' COM+GREEN@MAIL.COM:EM'
				List of valid codes IC Information contact
C056	Contact details	C	C	
3413	Contact identifier	C an..17	N	
3412	Contact name	C an..256	C an..256	

Segment Remarks:**General Notes**

Contact information for Driver ex:

NAD+DR+5703459'

CTA+IC+:Driver name'

COM+040-11223344:TE'

Haulier contact information ex:

NAD+HA+2014714::87'

CTA+ZHA+:Haulier name'

COM+010-410998833:AL'

Contact information for DSV department contact, ex:

NAD+ZDE+2014714::91'

CTA+ZDE+:Department'

COM+010-410998833:TE'

COM+department@mail.com:EM'

COM+010-480229933:AL'

Contact information for Attention, ex

NAD+ZPL+2125020::9'

CTA+ZPL+:Mister Green'

COM+010-410998833:TE'

COM+contact@name.com:EM'

COM+010-480229933:AL'

Example:

CTA+IC+:Driver name'

No = Consecutive segment number
 MaxOcc = Maximum occurrence of the segment/group
 Counter = Counter of segment/group within the standard

DSV public
 Status
 EDIFACT: M=Mandatory, C=Conditional
 User specific: R=Required, O=Optional, D=Dependent,
 A=Advised, N=Not used



Counter	No	Tag	St	MaxOcc	Level	Name
0070		SG2	C	9	2	CTA-COM
0090	8	COM	C	9	3	Communication contact

Standard			Implementation	
Tag	Name	St Format	St Format	Usage / Remark
COM				
C076	Communication contact	M	M	
3148	Communication address identifier	M an..512	M an..512	
3155	Communication means type code	M an..3	M an..3	

Segment Remarks:

General Notes

Contact information ex for Telephone:
NAD+DR+5703459'
CTA+IC+:Driver name'
COM+010-410998833:TE'
Haulier contact information ex:
NAD+HA+2014714::87'
CTA+ZHA+:Haulier name'
COM+010-410998833:TE'
Contact information for DSV department contact, Telephone number ex:
NAD+ZDE+2014714::91'
COM+010-410998833:TE'
COM+040-11223344:TE'
Contact information for Attention, ex for Telephone:
NAD+ZPL+2125020::9'
CTA+ZPL+:Mister Green'
COM+010-410998833:TE'

Example:

COM+010-410998833:TE'

No = Consecutive segment number
MaxOcc = Maximum occurrence of the segment/group
Counter = Counter of segment/group within the standard

DSV public
Status
EDIFACT: M=Mandatory, C=Conditional
User specific: R=Required, O=Optional, D=Dependent,
A=Advised, N=Not used

Counter	No	Tag	St	MaxOcc	Level	Name
0070		SG2	C	9	2	CTA-COM
0090	9	COM	C	9	3	Communication contact

Standard			Implementation	
Tag	Name	St Format	St Format	Usage / Remark
COM				
C076	Communication contact	M	M	
3148	Communication address identifier	M an..512	M an..512	
3155	Communication means type code	M an..3	M an..3	

Segment Remarks:**General Notes**

Contact information ex for Email:

NAD+DR+5703459'

CTA+IC+:Driver name'

COM+contact@name.COM:EM'

Haulier contact information ex:

NAD+HA+2014714::87'

CTA+ZHA+:Haulier name'

COM+contact@name.com:EM'

Contact information for DSV department contact, email ex:

NAD+ZDE+2014714::91'

CTA+ZDE+:Department'

COM+department@mail.com:EM'

Contact information for Attention, ex for email:

NAD+ZPL+2125020::9'

CTA+ZPL+:Mister Green'

COM+contact@name.com:EM'

Example:

COM+contact@name.com:EM'

No = Consecutive segment number
 MaxOcc = Maximum occurrence of the segment/group
 Counter = Counter of segment/group within the standard

DSV public
 Status
 EDIFACT: M=Mandatory, C=Conditional
 User specific: R=Required, O=Optional, D=Dependent,
 A=Advised, N=Not used



Counter	No	Tag	St	MaxOcc	Level	Name
0070		SG2	C	9	2	CTA-COM
0090	10	COM	C	9	3	Communication contact

Standard			Implementation	
Tag	Name	St Format	St Format	Usage / Remark
COM				
C076	Communication contact	M	M	
3148	Communication address identifier	M an..512	M an..512	
3155	Communication means type code	M an..3	M an..3	
				List of valid codes AL Cellular phone TE Telephone EM Electronic mail

Segment Remarks:**General Notes**

Contact information ex for Cellular phone number:

NAD+DR+5703459'

CTA+IC+:Driver name'

COM+010-480229933:AL'

Haulier contact information ex:

NAD+HA+2014714::87'

CTA+ZHA+:Haulier name'

COM+010-480229933:AL'

Contact information for DSV department contact, Cellular phone ex:

NAD+ZDE+2014714::91'

CTA+ZDE+:Department'

COM+010-480229933:AL'

Contact information for Attention, ex for Cellular phone:

NAD+ZPL+2125020::9'

CTA+ZPL+:Mister Green'

COM+010-480229933:AL'

Example:

COM+010-480229933:AL'

No = Consecutive segment number
 MaxOcc = Maximum occurrence of the segment/group
 Counter = Counter of segment/group within the standard

DSV public
 Status
 EDIFACT: M=Mandatory, C=Conditional
 User specific: R=Required, O=Optional, D=Dependent,
 A=Advised, N=Not used

Counter	No	Tag	St	MaxOcc	Level	Name
0100		SG3	C	9	1	RFF-DTM
0110	11	RFF	M	1	1	Reference

Standard			Implementation	
Tag	Name	St Format	St Format	Usage / Remark
RFF				
C506	Reference	M	M	
1153	Reference code qualifier	M an..3	M an..3	List of valid codes VT Motor vehicle identification number
1154	Reference identifier	C an..70	R an..70	General Notes License plate number.
1156	Document line identifier	C an..6	C an..6	General Notes Country code for registration/license plate number
1056	Version identifier	C an..9	N	
1060	Revision identifier	C an..6	N	

Segment Remarks:**General Notes**

SG3/RFF+VT is used for Vehicle id and should be used in combination with SG3/DTM+145 for the pickup date and time.

Example:

RFF+VT:VY91262:DK'

No = Consecutive segment number
MaxOcc = Maximum occurrence of the segment/group
Counter = Counter of segment/group within the standard

DSV public
Status
EDIFACT: M=Mandatory, C=Conditional
User specific: R=Required, O=Optional, D=Dependent,
A=Advised, N=Not used



Counter	No	Tag	St	MaxOcc	Level	Name
0100		SG3	C	9	1	RFF-DTM
0120	12	DTM	C	1	2	Date/time/period

Standard			Implementation	
Tag	Name	St Format	St Format	Usage / Remark
DTM				
C507	Date/time/period	M	M	
2005	Date or time or period function code qualifier	M an..3	M an..3	List of valid codes 145 Event date
2380	Date or time or period text	C an..35	C an..35	
2379	Date or time or period format code	C an..3	C an..3	List of valid codes 203 CCYYMMDDHHMM 204 CCYYMMDDHHMMSS

Segment Remarks:
Courier Notes

General Notes

SG3/RFF+VT must be followed by SG3/DTM+145 with the pickup date and time.

Example:

DTM+145:202203071200:203'

No = Consecutive segment number
MaxOcc = Maximum occurrence of the segment/group
Counter = Counter of segment/group within the standard

DSV public
Status
EDIFACT: M=Mandatory, C=Conditional
User specific: R=Required, O=Optional, D=Dependent,
A=Advised, N=Not used



Counter	No	Tag	St	MaxOcc	Level	Name
0100		SG3	C	9	1	RFF
0110	13	RFF	M	1	1	Reference

Standard			Implementation	
Tag	Name	St Format	St Format	Usage / Remark
RFF				
C506	Reference	M	M	
1153	Reference code qualifier	M an..3	M an..3	List of valid codes AFB Cargo manifest number
1154	Reference identifier	C an..70	R an..70	
1156	Document line identifier	C an..6	N	
1056	Version identifier	C an..9	N	
1060	Revision identifier	C an..6	N	

Segment Remarks:

Example:

RFF+AFB:FLUGNX-0392 '

No = Consecutive segment number
MaxOcc = Maximum occurrence of the segment/group
Counter = Counter of segment/group within the standard

DSV public
Status
EDIFACT: M=Mandatory, C=Conditional
User specific: R=Required, O=Optional, D=Dependent,
A=Advised, N=Not used



Counter	No	Tag	St	MaxOcc	Level	Name
0100		SG3	C	9	1	RFF
0110	14	RFF	M	1	1	Reference

Standard			Implementation	
Tag	Name	St Format	St Format	Usage / Remark
RFF				
C506	Reference	M	M	
1153	Reference code qualifier	M an..3	M an..3	List of valid codes ALL Message batch number
1154	Reference identifier	C an..70	R an..70	
1156	Document line identifier	C an..6	N	
1056	Version identifier	C an..9	N	
1060	Revision identifier	C an..6	N	

Segment Remarks:

Example:

RFF+ALL:170307'

No = Consecutive segment number
MaxOcc = Maximum occurrence of the segment/group
Counter = Counter of segment/group within the standard

DSV public
St Status
EDIFACT: M=Mandatory, C=Conditional
User specific: R=Required, O=Optional, D=Dependent,
A=Advised, N=Not used

Counter	No	Tag	St	MaxOcc	Level	Name
---------	----	-----	----	--------	-------	------

0130 15 **LOC** R 9 1 Place/location identification

Standard			Implementation	
Tag	Name	St Format	St Format	Usage / Remark
LOC				
3227	Location function code qualifier	M an..3	M an..3	List of valid codes 193 Branch location
C517	Location identification	C	R	
3225	Location identifier	C an..35	R an..35	
1131	Code list identification code	C an..17	C an..17	List of valid codes 162 CEC (Commission of the European Communities), DG/XIII-D-5
3055	Code list responsible agency code	C an..3	N	
3224	Location name	C an..256	N	
C519	Related location one identification	C	N	
3223	First related location identifier	C an..35	N	
1131	Code list identification code	C an..17	N	
3055	Code list responsible agency code	C an..3	N	
3222	First related location name	C an..70	N	
C553	Related location two identification	C	N	
3233	Second related location identifier	C an..35	N	
1131	Code list identification code	C an..17	N	
3055	Code list responsible agency code	C an..3	N	
3232	Second related location name	C an..70	N	
5479	Relation code	C an..3	N	

Segment Remarks:

General Notes

LOC+193 is required in which Country code for Branch location should be found in SG3 LOC/C517.3225

Example:

LOC+193+DK:162 '

No = Consecutive segment number
 MaxOcc = Maximum occurrence of the segment/group
 Counter = Counter of segment/group within the standard

DSV public
 Status
 EDIFACT: M=Mandatory, C=Conditional
 User specific: R=Required, O=Optional, D=Dependent,
 A=Advised, N=Not used

Counter	No	Tag	St	MaxOcc	Level	Name
---------	----	-----	----	--------	-------	------

0500 **SG13** C 99999 1 **CNI-SG14**

General Notes

CNI group to be used for status on shipment/consignment level. There must be one SG13 CNI group per shipment/consignment.

0510 16 **CNI** M 1 1 **Consignment information**

Standard			Implementation	
Tag	Name	St Format	St Format	Usage / Remark
CNI				
1490	Consolidation item number	C n..5	R n..5	General Notes For statuses at the shipment/consignment level, increment SG13/CNI/1490 by one for each shipment/consignment/SG13.
C503	Document/message details	C	C	
1004	Document identifier	C an..70	C an..70	General Notes Shipment/consignment number, transport number.
1373	Document status code	C an..3	N	
1366	Document source description	C an..70	C O an..70	Air Notes Used for ShipmentId@Type. Road Notes Not used. Sea Notes Used for ShipmentId@Type. List of valid codes Carriers Carriers Booking Number Booking MasterBi MasterBill II OrderNu Order Number mber Shipmen Shipment Reference (Qualifier to be provided in tReferen C503:1056) ce Transport Transport Booking Number tBooking Transport TransportMaster tMaster INV Invoice Number SID Source/Application SSN EDI Reference STP Source/Enterprise
3453	Language name code	C an..3	N	
1056	Version identifier	C an..9	C O	Air Notes Used for ShipmentId@Qualifier. Use to be agreed. Road Notes Not used. Sea Notes

No = Consecutive segment number
MaxOcc = Maximum occurrence of the segment/group
Counter = Counter of segment/group within the standard

DSV public
Status
EDIFACT: M=Mandatory, C=Conditional
User specific: R=Required, O=Optional, D=Dependent,
A=Advised, N=Not used



Standard			Implementation	
Tag	Name	St Format	St Format	Usage / Remark
				Used for ShipmentId@Qualifier. Use to be agreed. General Notes Required when CNI\C503.1366 = "ShipmentReference"
1060	Revision identifier	C an..6	N	
1312	Consignment load sequence identifier	C n..4	N	

Segment Remarks:

General Notes

The value in element 1490 must increment for each shipment if message contains multiple shipments (one per SG13 group).
Item level status information belonging to a shipment must be placed in the same CNI group as the shipment level status they belong to, but grouped by event, reasons & date in separate STS segment groups (see STS segment).

(For messages containing only item level (SSCC barcode) statuses there must be only one CNI group (with element 1490 equal to 1) and one STS group (with element 9015 equal to ZGI). See SG13[2], below.)

Example:

CNI+1+00370716487163671311::MasterBill::XYZ'

No = Consecutive segment number
MaxOcc = Maximum occurrence of the segment/group
Counter = Counter of segment/group within the standard

DSV public
Status
EDIFACT: M=Mandatory, C=Conditional
User specific: R=Required, O=Optional, D=Dependent,
A=Advised, N=Not used



Counter	No	Tag	St	MaxOcc	Level	Name
0540		SG14	M	99	2	STS-RFF-DTM-FTX-SG15-LOC-SG17-SG23
0550	17	STS	M	1	2	Status

Standard			Implementation	
Tag	Name	St Format	St Format	Usage / Remark
STS				
C601	Status category	C	C	
9015	Status category code	M an..3	M an..3	General Notes ZCN for Consignment level List of valid codes ZCN Consignment level
1131	Code list identification code	C an..17	C an..17	List of valid codes Container Container (DSV code - Sea Shipping Container) Booking Booking (DSV code - Order Management) LoadPlan LoadPlan (DSV code - Order Management)
3055	Code list responsible agency code	C an..3	N	
C555	Status	C	R	
4405	Status description code	M an..3	M an..3	List of valid codes 1 To be done 13 3 days available 14 Uncollected funds 21 Temporary 24 Deducted 25 Included 27 Subject to bilaterally agreed condition 29 Debit 48 Live version 54 Impacted tooth 55 Extracted 56 Estimated 90 Disputed 113 Incomplete data 127 Measured 152 Fumigation operations 151 Sanitary operations 153 Disinfestation operations 154 Deratization operations 155 Degasation operations 156 Crew recruitment operation 157 Training operations 158 Salvage operations 349 Handed over ARV Arrived (DSV A&S defined code)

No = Consecutive segment number
MaxOcc = Maximum occurrence of the segment/group
Counter = Counter of segment/group within the standard

DSV public
Status
EDIFACT: M=Mandatory, C=Conditional
User specific: R=Required, O=Optional, D=Dependent,
A=Advised, N=Not used

Standard			Implementation	
Tag	Name	St Format	St Format	Usage / Remark
				CAE Cargo Available For Export Pickup (DSV A&S defined code) CAV Cargo Available (DSV A&S defined code) CCC Customs Commenced (DSV A&S defined code) CLR Customs Cleared (DSV A&S defined code) CVD Cargo Available At Consolidator (DSV A&S defined code) DCF Delivery Cartage Finalised (DSV A&S defined code) DDV Arrival Notice Sending Date (DSV A&S defined code) DLV Actual Delivery (DSV A&S defined code) ECC Export Customs Cleared (DSV A&S defined code) ECM Export Customs Commenced (DSV A&S defined code) EXW Ex Works (DSV A&S defined code) GIN Gate In (DSV A&S defined code) GOU Gate Out (DSV A&S defined code) IRP Interim Receipt (DSV A&S defined code) MSF Manifest Submitted To Forwarder (DSV A&S defined code) PCF Pickup Cartage Finalised (DSV A&S defined code) PKC Packing Completed (DSV A&S defined code) PUP Actual Pickup (DSV A&S defined code) WHR Warehouse Receipt (DSV A&S defined code) Z70 Handover Responsibility (DSV A&S defined code) Z73 Handover Cargo (DSV A&S defined code) Z74 Handover Documents (DSV A&S defined code) Z84 Origin CFS Departure (DSV A&S defined code) ZDD Delivery to DSV (DSV A&S defined code) ZPD Pickup from DSV (DSV A&S defined code)
1131	Code list identification code	C an..17	N	
3055	Code list responsible agency code	C an..3	N	
4404	Status description	C an..35	C an..35	
C556	Status reason	C	C	
9013	Status reason description code	M an..3	M an..3	Air Notes Not used Sea Notes Not used General Notes Status Reason codes mainly used for Road business. List of valid codes 5 Appointment scheduled 6 Attempt unsuccessful 7 Business closed 8 Changed schedule 12 Customer arrangements 14 Damaged 19 Discrepancy

No = Consecutive segment number
MaxOcc = Maximum occurrence of the segment/group
Counter = Counter of segment/group within the standard

DSV public
Status
EDIFACT: M=Mandatory, C=Conditional
User specific: R=Required, O=Optional, D=Dependent,
A=Advised, N=Not used

Standard			Implementation	
Tag	Name	St Format	St Format	Usage / Remark
				17 Departure delay 20 Dock strike 30 Incorrect address 34 Means of transport damaged 35 Mechanical breakdown 37 Missing and/or incorrect documents 38 New delivery arrangements 41 Not loaded 43 Package not ready 44 Package tracking number unknown 45 Partly missing 47 Payment refused 49 Refused without reason given 57 Tracking information unavailable 60 Unacceptable condition 62 Unknown 63 Weather conditions 66 Stolen 69 Undefined incident attributed to carrier 80 Entry point assessment of Data Maintenance Request (DMR) latest comment 82 International assessment group reporting on Data Maintenance Request (DMR) 87 Error 107 Article identification not found in computer system 108 Goods not barcoded 0 Z (In conformity - DSV defined code) 109 NH (Nobody at home - DSV defined code) 112 43 (In warehouse:wait customer - DSV defined code) 114 44 (Delivered with claim - DSV defined code) 115 45 (Difference against information - DSV defined code) 117 M (Missing package - DSV defined code) 120 TD (Unknown - DSV defined code) 126 46 (Customer clearance in progress - DSV defined code) 201 Z1 (Without signature - DSV defined code) 202 Z2 (Handled without scanning item - DSV defined code) 203 CQ (Queue at customers - DSV defined code) 204 AN (Authorized Site-Id not scanned - DSV defined code) 205 Z3 (In Conformity - Consolidate Transport Item - DSV defined code) 209 47 (Delivery scheduled - DSV defined code) 213 48 (Address not complete - DSV defined code) 218 DP (Damaged packaging - DSV defined code) 219 24 (Fixed delivery date - DSV defined code) 234 WA (Wrong address - DSV defined code) 241 49 (Missing document - DSV defined code) 242 NY (Notified to customer - DSV defined code) 251 RC (Refused . Cash on delivery - DSV defined code) 253 R (Refused . no reason - DSV defined code) 265 RD (Not delivered . return to depo - DSV defined

No = Consecutive segment number
MaxOcc = Maximum occurrence of the segment/group
Counter = Counter of segment/group within the standard

DSV public
Status
EDIFACT: M=Mandatory, C=Conditional
User specific: R=Required, O=Optional, D=Dependent,
A=Advised, N=Not used

Standard			Implementation	
Tag	Name	St Format	St Format	Usage / Remark
				code)
			269	NH (Nobody at home - DSV defined code)
			284	RP (Refused . no part orders - DSV defined code)
			286	RR (Refused . spoiled state - DSV defined code)
			288	MP (Missing papers - DSV defined code)
			291	50 (Refused . spoiled state - DSV defined code)
			292	RK (Refused . no payment COD - DSV defined code)
			309	51 (Package open - DSV defined code)
			310	Z (In Conformity - DSV defined code)
			311	52 (Claim open - DSV defined code)
			330	53 (Partial missing - DSV defined code)
			331	54 (Destroyed - DSV defined code)
			338	55 (Company closed - DSV defined code)
			341	Z1 (Delivered without signature - DSV defined code)
			771	UR (Undefined reason - DSV defined code)
			772	NY (Notified to customer - DSV defined code)
			773	DP (Damaged packaging - DSV defined code)
			3117	M (Missing package - DSV defined code)
			3157	X (In transit . external - DSV defined code)
			5618	RS (Refused . missing package - DSV defined code)
			20241	MP (Missing papers - DSV defined code)
			56117	RM (Refused . missing package - DSV defined code)
			91001	M (Missing package - DSV defined code)
			91002	DY (Dirty - DSV defined code)
			91004	NZ (Not in conformity - DSV defined code)
			91005	NB (NFL booking not complete - DSV defined code)
			91006	NZ (Not in conformity - DSV defined code)
			91007	NZ (Not in conformity - DSV defined code)
			91008	NZ (Not in conformity - DSV defined code)
			91009	WA (Wrong address - DSV defined code)
			91010	NZ (Not in conformity - DSV defined code)
			91011	R (Refused . no reason - DSV defined code)
			91012	WA (Wrong address - DSV defined code)
			91013	NZ (Not in conformity - DSV defined code)
			91014	SX (Scanning cancelled - DSV defined code)
			91015	D (Damaged - DSV defined code)
			CFM	Z (In Conformity - DSV defined code)
			DIL	BA (Booking accepted - DSV defined code)
			others	NZ (Not in conformity - DSV defined code)
			PRE	NY (Notified to customer - DSV defined code)
			Z1	Delivered without signature (DSV defined code)
			Z2	Handled by driver without scanner (DSV defined code)
			Z3	Queue at customer/Congestion (DSV defined code)
			Z4	Authorized site - ID not scanned (DSV defined code)
			Z5	Photo taken (DSV defined code)
			Z14	Damaged packaging (DSV defined code)
			ZTJ	Traffic Jam (DSV defined code)

No = Consecutive segment number
 MaxOcc = Maximum occurrence of the segment/group
 Counter = Counter of segment/group within the standard

DSV public
 Status
 EDIFACT: M=Mandatory, C=Conditional
 User specific: R=Required, O=Optional, D=Dependent,
 A=Advised, N=Not used

Standard			Implementation	
Tag	Name	St Format	St Format	Usage / Remark
1131	Code list identification code	C an..17	N	
3055	Code list responsible agency code	C an..3	N	
9012	Status reason description	C an..256	N	
C556	Status reason	C	C	
9013	Status reason description code	M an..3	M an..3	Air Notes Not used Sea Notes Not used General Notes Status Reason codes mainly used for Road business. List of valid codes 5 Appointment scheduled 6 Attempt unsuccessful 7 Business closed 8 Changed schedule 12 Customer arrangements 14 Damaged 19 Discrepancy 17 Departure delay 20 Dock strike 30 Incorrect address 34 Means of transport damaged 35 Mechanical breakdown 37 Missing and/or incorrect documents 38 New delivery arrangements 41 Not loaded 43 Package not ready 44 Package tracking number unknown 45 Partly missing 47 Payment refused 49 Refused without reason given 57 Tracking information unavailable 60 Unacceptable condition 62 Unknown 63 Weather conditions 66 Stolen 69 Undefined incident attributed to carrier 80 Entry point assessment of Data Maintenance Request (DMR) latest comment 82 International assessment group reporting on Data Maintenance Request (DMR) 87 Error 107 Article identification not found in computer system 108 Goods not barcoded 0 Z (In conformity - DSV defined code) 109 NH (Nobody at home - DSV defined code) 112 43 (In warehouse:wait customer - DSV defined code) 114 44 (Delivered with claim - DSV defined code) 115 45 (Difference against information - DSV defined code)

No = Consecutive segment number
MaxOcc = Maximum occurrence of the segment/group
Counter = Counter of segment/group within the standard

DSV public
Status
EDIFACT: M=Mandatory, C=Conditional
User specific: R=Required, O=Optional, D=Dependent,
A=Advised, N=Not used

Standard			Implementation	
Tag	Name	St Format	St Format	Usage / Remark
				117 M (Missing package - DSV defined code) 120 TD (Unknown - DSV defined code) 126 46 (Customer clearance in progress - DSV defined code) 201 Z1 (Without signature - DSV defined code) 202 Z2 (Handled without scanning item - DSV defined code) 203 CQ (Queue at customers - DSV defined code) 204 AN (Authorized Site-Id not scanned - DSV defined code) 205 Z3 (In Conformity - Consolidate Transport Item - DSV defined code) 209 47 (Delivery scheduled - DSV defined code) 213 48 (Address not complete - DSV defined code) 218 DP (Damaged packaging - DSV defined code) 219 24 (Fixed delivery date - DSV defined code) 234 WA (Wrong address - DSV defined code) 241 49 (Missing document - DSV defined code) 242 NY (Notified to customer - DSV defined code) 251 RC (Refused . Cash on delivery - DSV defined code) 253 R (Refused . no reason - DSV defined code) 265 RD (Not delivered . return to depo - DSV defined code) 269 NH (Nobody at home - DSV defined code) 284 RP (Refused . no part orders - DSV defined code) 286 RR (Refused . spoiled state - DSV defined code) 288 MP (Missing papers - DSV defined code) 291 50 (Refused . spoiled state - DSV defined code) 292 RK (Refused . no payment COD - DSV defined code) 309 51 (Package open - DSV defined code) 310 Z (In Conformity - DSV defined code) 311 52 (Claim open - DSV defined code) 330 53 (Partial missing - DSV defined code) 331 54 (Destroyed - DSV defined code) 338 55 (Company closed - DSV defined code) 341 Z1 (Delivered without signature - DSV defined code) 771 UR (Undefined reason - DSV defined code) 772 NY (Notified to customer - DSV defined code) 773 DP (Damaged packaging - DSV defined code) 3117 M (Missing package - DSV defined code) 3157 X (In transit . external - DSV defined code) 5618 RS (Refused . missing package - DSV defined code) 20241 MP (Missing papers - DSV defined code) 56117 RM (Refused . missing package - DSV defined code) 91001 M (Missing package - DSV defined code) 91002 DY (Dirty - DSV defined code) 91004 NZ (Not in conformity - DSV defined code) 91005 NB (NFL booking not complete - DSV defined code) 91006 NZ (Not in conformity - DSV defined code) 91007 NZ (Not in conformity - DSV defined code)

No = Consecutive segment number
MaxOcc = Maximum occurrence of the segment/group
Counter = Counter of segment/group within the standard

DSV public
Status
EDIFACT: M=Mandatory, C=Conditional
User specific: R=Required, O=Optional, D=Dependent,
A=Advised, N=Not used

Standard			Implementation	
Tag	Name	St Format	St Format	Usage / Remark
				91008 NZ (Not in conformity - DSV defined code) 91009 WA (Wrong address - DSV defined code) 91010 NZ (Not in conformity - DSV defined code) 91011 R (Refused . no reason - DSV defined code) 91012 WA (Wrong address - DSV defined code) 91013 NZ (Not in conformity - DSV defined code) 91014 SX (Scanning cancelled - DSV defined code) 91015 D (Damaged - DSV defined code) CFM Z (In Conformity - DSV defined code) DIL BA (Booking accepted - DSV defined code) others NZ (Not in conformity - DSV defined code) PRE NY (Notified to customer - DSV defined code) Z1 Delivered without signature (DSV defined code) Z2 Handled by driver without scanner (DSV defined code) Z3 Queue at customer/Congestion (DSV defined code) Z4 Authorized site - ID not scanned (DSV defined code) Z5 Photo taken (DSV defined code) Z14 Damaged packaging (DSV defined code) ZTJ Traffic Jam (DSV defined code)
1131	Code list identification code	C an..17	N	
3055	Code list responsible agency code	C an..3	N	
9012	Status reason description	C an..256	N	
C556	Status reason	C	C	
9013	Status reason description code	M an..3	M an..3	Air Notes Not used Sea Notes Not used General Notes Status Reason codes mainly used for Road business. List of valid codes 5 Appointment scheduled 6 Attempt unsuccessful 7 Business closed 8 Changed schedule 12 Customer arrangements 14 Damaged 19 Discrepancy 17 Departure delay 20 Dock strike 30 Incorrect address 34 Means of transport damaged 35 Mechanical breakdown 37 Missing and/or incorrect documents 38 New delivery arrangements 41 Not loaded 43 Package not ready 44 Package tracking number unknown 45 Partly missing 47 Payment refused

No = Consecutive segment number
MaxOcc = Maximum occurrence of the segment/group
Counter = Counter of segment/group within the standard

DSV public
Status
EDIFACT: M=Mandatory, C=Conditional
User specific: R=Required, O=Optional, D=Dependent,
A=Advised, N=Not used

Standard			Implementation	
Tag	Name	St Format	St Format	Usage / Remark
				49 Refused without reason given 57 Tracking information unavailable 60 Unacceptable condition 62 Unknown 63 Weather conditions 66 Stolen 69 Undefined incident attributed to carrier 80 Entry point assessment of Data Maintenance Request (DMR) latest comment 82 International assessment group reporting on Data Maintenance Request (DMR) 87 Error 107 Article identification not found in computer system 108 Goods not barcoded 0 Z (In conformity - DSV defined code) 109 NH (Nobody at home - DSV defined code) 112 43 (In warehouse:wait customer - DSV defined code) 114 44 (Delivered with claim - DSV defined code) 115 45 (Difference against information - DSV defined code) 117 M (Missing package - DSV defined code) 120 TD (Unknown - DSV defined code) 126 46 (Customer clearance in progress - DSV defined code) 201 Z1 (Without signature - DSV defined code) 202 Z2 (Handled without scanning item - DSV defined code) 203 CQ (Queue at customers - DSV defined code) 204 AN (Authorized Site-Id not scanned - DSV defined code) 205 Z3 (In Conformity - Consolidate Transport Item - DSV defined code) 209 47 (Delivery scheduled - DSV defined code) 213 48 (Address not complete - DSV defined code) 218 DP (Damaged packaging - DSV defined code) 219 24 (Fixed delivery date - DSV defined code) 234 WA (Wrong address - DSV defined code) 241 49 (Missing document - DSV defined code) 242 NY (Notified to customer - DSV defined code) 251 RC (Refused . Cash on delivery - DSV defined code) 253 R (Refused . no reason - DSV defined code) 265 RD (Not delivered . return to depo - DSV defined code) 269 NH (Nobody at home - DSV defined code) 284 RP (Refused . no part orders - DSV defined code) 286 RR (Refused . spoiled state - DSV defined code) 288 MP (Missing papers - DSV defined code) 291 50 (Refused . spoiled state - DSV defined code) 292 RK (Refused . no payment COD - DSV defined code) 309 51 (Package open - DSV defined code) 310 Z (In Conformity - DSV defined code) 311 52 (Claim open - DSV defined code)

No = Consecutive segment number
MaxOcc = Maximum occurrence of the segment/group
Counter = Counter of segment/group within the standard

DSV public
Status
EDIFACT: M=Mandatory, C=Conditional
User specific: R=Required, O=Optional, D=Dependent,
A=Advised, N=Not used

Standard			Implementation	
Tag	Name	St Format	St Format	Usage / Remark
				330 53 (Partial missing - DSV defined code) 331 54 (Destroyed - DSV defined code) 338 55 (Company closed - DSV defined code) 341 Z1 (Delivered without signature - DSV defined code) 771 UR (Undefined reason - DSV defined code) 772 NY (Notified to customer - DSV defined code) 773 DP (Damaged packaging - DSV defined code) 3117 M (Missing package - DSV defined code) 3157 X (In transit . external - DSV defined code) 5618 RS (Refused . missing package - DSV defined code) 20241 MP (Missing papers - DSV defined code) 56117 RM (Refused . missing package - DSV defined code) 91001 M (Missing package - DSV defined code) 91002 DY (Dirty - DSV defined code) 91004 NZ (Not in conformity - DSV defined code) 91005 NB (NFL booking not complete - DSV defined code) 91006 NZ (Not in conformity - DSV defined code) 91007 NZ (Not in conformity - DSV defined code) 91008 NZ (Not in conformity - DSV defined code) 91009 WA (Wrong address - DSV defined code) 91010 NZ (Not in conformity - DSV defined code) 91011 R (Refused . no reason - DSV defined code) 91012 WA (Wrong address - DSV defined code) 91013 NZ (Not in conformity - DSV defined code) 91014 SX (Scanning cancelled - DSV defined code) 91015 D (Damaged - DSV defined code) CFM Z (In Conformity - DSV defined code) DIL BA (Booking accepted - DSV defined code) others NZ (Not in conformity - DSV defined code) PRE NY (Notified to customer - DSV defined code) Z1 Delivered without signature (DSV defined code) Z2 Handled by driver without scanner (DSV defined code) Z3 Queue at customer/Congestion (DSV defined code) Z4 Authorized site - ID not scanned (DSV defined code) Z5 Photo taken (DSV defined code) Z14 Damaged packaging (DSV defined code) ZTJ Traffic Jam (DSV defined code)
1131	Code list identification code	C an..17	N	
3055	Code list responsible agency code	C an..3	N	
9012	Status reason description	C an..256	N	
C556	Status reason	C	C	
9013	Status reason description code	M an..3	M an..3	Air Notes Not used Sea Notes Not used General Notes

No = Consecutive segment number
MaxOcc = Maximum occurrence of the segment/group
Counter = Counter of segment/group within the standard

DSV public
Status
EDIFACT: M=Mandatory, C=Conditional
User specific: R=Required, O=Optional, D=Dependent,
A=Advised, N=Not used

Standard			Implementation	
Tag	Name	St Format	St Format	Usage / Remark
				Status Reason codes mainly used for Road business.
				List of valid codes
				5 Appointment scheduled
				6 Attempt unsuccessful
				7 Business closed
				8 Changed schedule
				12 Customer arrangements
				14 Damaged
				19 Discrepancy
				17 Departure delay
				20 Dock strike
				30 Incorrect address
				34 Means of transport damaged
				35 Mechanical breakdown
				37 Missing and/or incorrect documents
				38 New delivery arrangements
				41 Not loaded
				43 Package not ready
				44 Package tracking number unknown
				45 Partly missing
				47 Payment refused
				49 Refused without reason given
				57 Tracking information unavailable
				60 Unacceptable condition
				62 Unknown
				63 Weather conditions
				66 Stolen
				69 Undefined incident attributed to carrier
				80 Entry point assessment of Data Maintenance Request (DMR) latest comment
				82 International assessment group reporting on Data Maintenance Request (DMR)
				87 Error
				107 Article identification not found in computer system
				108 Goods not barcoded
				0 Z (In conformity - DSV defined code)
				109 NH (Nobody at home - DSV defined code)
				112 43 (In warehouse:wait customer - DSV defined code)
				114 44 (Delivered with claim - DSV defined code)
				115 45 (Difference against information - DSV defined code)
				117 M (Missing package - DSV defined code)
				120 TD (Unknown - DSV defined code)
				126 46 (Customer clearance in progress - DSV defined code)
				201 Z1 (Without signature - DSV defined code)
				202 Z2 (Handled without scanning item - DSV defined code)
				203 CQ (Queue at customers - DSV defined code)
				204 AN (Authorized Site-Id not scanned - DSV defined code)
				205 Z3 (In Conformity - Consolidate Transport Item - DSV defined code)

No = Consecutive segment number
 MaxOcc = Maximum occurrence of the segment/group
 Counter = Counter of segment/group within the standard

DSV public
 Status
 EDIFACT: M=Mandatory, C=Conditional
 User specific: R=Required, O=Optional, D=Dependent,
 A=Advised, N=Not used



Standard			Implementation	
Tag	Name	St Format	St Format	Usage / Remark
				209 47 (Delivery scheduled - DSV defined code) 213 48 (Address not complete - DSV defined code) 218 DP (Damaged packaging - DSV defined code) 219 24 (Fixed delivery date - DSV defined code) 234 WA (Wrong address - DSV defined code) 241 49 (Missing document - DSV defined code) 242 NY (Notified to customer - DSV defined code) 251 RC (Refused . Cash on delivery - DSV defined code) 253 R (Refused . no reason - DSV defined code) 265 RD (Not delivered . return to depo - DSV defined code) 269 NH (Nobody at home - DSV defined code) 284 RP (Refused . no part orders - DSV defined code) 286 RR (Refused . spoiled state - DSV defined code) 288 MP (Missing papers - DSV defined code) 291 50 (Refused . spoiled state - DSV defined code) 292 RK (Refused . no payment COD - DSV defined code) 309 51 (Package open - DSV defined code) 310 Z (In Conformity - DSV defined code) 311 52 (Claim open - DSV defined code) 330 53 (Partial missing - DSV defined code) 331 54 (Destroyed - DSV defined code) 338 55 (Company closed - DSV defined code) 341 Z1 (Delivered without signature - DSV defined code) 771 UR (Undefined reason - DSV defined code) 772 NY (Notified to customer - DSV defined code) 773 DP (Damaged packaging - DSV defined code) 3117 M (Missing package - DSV defined code) 3157 X (In transit . external - DSV defined code) 5618 RS (Refused . missing package - DSV defined code) 20241 MP (Missing papers - DSV defined code) 56117 RM (Refused . missing package - DSV defined code) 91001 M (Missing package - DSV defined code) 91002 DY (Dirty - DSV defined code) 91004 NZ (Not in conformity - DSV defined code) 91005 NB (NFL booking not complete - DSV defined code) 91006 NZ (Not in conformity - DSV defined code) 91007 NZ (Not in conformity - DSV defined code) 91008 NZ (Not in conformity - DSV defined code) 91009 WA (Wrong address - DSV defined code) 91010 NZ (Not in conformity - DSV defined code) 91011 R (Refused . no reason - DSV defined code) 91012 WA (Wrong address - DSV defined code) 91013 NZ (Not in conformity - DSV defined code) 91014 SX (Scanning cancelled - DSV defined code) 91015 D (Damaged - DSV defined code) CFM Z (In Conformity - DSV defined code) DIL BA (Booking accepted - DSV defined code) others NZ (Not in conformity - DSV defined code) PRE NY (Notified to customer - DSV defined code)

No = Consecutive segment number
MaxOcc = Maximum occurrence of the segment/group
Counter = Counter of segment/group within the standard

DSV public
Status
EDIFACT: M=Mandatory, C=Conditional
User specific: R=Required, O=Optional, D=Dependent,
A=Advised, N=Not used

Standard			Implementation	
Tag	Name	St Format	St Format	Usage / Remark
				Z1 Delivered without signature (DSV defined code) Z2 Handled by driver without scanner (DSV defined code) Z3 Queue at customer/Congestion (DSV defined code) Z4 Authorized site - ID not scanned (DSV defined code) Z5 Photo taken (DSV defined code) Z14 Damaged packaging (DSV defined code) ZTJ Traffic Jam (DSV defined code)
1131	Code list identification code	C an..17	N	
3055	Code list responsible agency code	C an..3	N	
9012	Status reason description	C an..256	N	
C556	Status reason	C	C	
9013	Status reason description code	M an..3	M an..3	Air Notes Not used Sea Notes Not used General Notes Status Reason codes mainly used for Road business. List of valid codes 5 Appointment scheduled 6 Attempt unsuccessful 7 Business closed 8 Changed schedule 12 Customer arrangements 14 Damaged 19 Discrepancy 17 Departure delay 20 Dock strike 30 Incorrect address 34 Means of transport damaged 35 Mechanical breakdown 37 Missing and/or incorrect documents 38 New delivery arrangements 41 Not loaded 43 Package not ready 44 Package tracking number unknown 45 Partly missing 47 Payment refused 49 Refused without reason given 57 Tracking information unavailable 60 Unacceptable condition 62 Unknown 63 Weather conditions 66 Stolen 69 Undefined incident attributed to carrier 80 Entry point assessment of Data Maintenance Request (DMR) latest comment 82 International assessment group reporting on Data Maintenance Request (DMR) 87 Error

No = Consecutive segment number
MaxOcc = Maximum occurrence of the segment/group
Counter = Counter of segment/group within the standard

DSV public
Status
EDIFACT: M=Mandatory, C=Conditional
User specific: R=Required, O=Optional, D=Dependent,
A=Advised, N=Not used

Standard			Implementation	
Tag	Name	St Format	St Format	Usage / Remark
				107 Article identification not found in computer system 108 Goods not barcoded 0 Z (In conformity - DSV defined code) 109 NH (Nobody at home - DSV defined code) 112 43 (In warehouse:wait customer - DSV defined code) 114 44 (Delivered with claim - DSV defined code) 115 45 (Difference against information - DSV defined code) 117 M (Missing package - DSV defined code) 120 TD (Unknown - DSV defined code) 126 46 (Customer clearance in progress - DSV defined code) 201 Z1 (Without signature - DSV defined code) 202 Z2 (Handled without scanning item - DSV defined code) 203 CQ (Queue at customers - DSV defined code) 204 AN (Authorized Site-Id not scanned - DSV defined code) 205 Z3 (In Conformity - Consolidate Transport Item - DSV defined code) 209 47 (Delivery scheduled - DSV defined code) 213 48 (Address not complete - DSV defined code) 218 DP (Damaged packaging - DSV defined code) 219 24 (Fixed delivery date - DSV defined code) 234 WA (Wrong address - DSV defined code) 241 49 (Missing document - DSV defined code) 242 NY (Notified to customer - DSV defined code) 251 RC (Refused . Cash on delivery - DSV defined code) 253 R (Refused . no reason - DSV defined code) 265 RD (Not delivered . return to depo - DSV defined code) 269 NH (Nobody at home - DSV defined code) 284 RP (Refused . no part orders - DSV defined code) 286 RR (Refused . spoiled state - DSV defined code) 288 MP (Missing papers - DSV defined code) 291 50 (Refused . spoiled state - DSV defined code) 292 RK (Refused . no payment COD - DSV defined code) 309 51 (Package open - DSV defined code) 310 Z (In Conformity - DSV defined code) 311 52 (Claim open - DSV defined code) 330 53 (Partial missing - DSV defined code) 331 54 (Destroyed - DSV defined code) 338 55 (Company closed - DSV defined code) 341 Z1 (Delivered without signature - DSV defined code) 771 UR (Undefined reason - DSV defined code) 772 NY (Notified to customer - DSV defined code) 773 DP (Damaged packaging - DSV defined code) 3117 M (Missing package - DSV defined code) 3157 X (In transit . external - DSV defined code) 5618 RS (Refused . missing package - DSV defined code)

No = Consecutive segment number
MaxOcc = Maximum occurrence of the segment/group
Counter = Counter of segment/group within the standard

DSV public
Status
EDIFACT: M=Mandatory, C=Conditional
User specific: R=Required, O=Optional, D=Dependent,
A=Advised, N=Not used

Standard			Implementation	
Tag	Name	St Format	St Format	Usage / Remark
				20241 MP (Missing papers - DSV defined code) 56117 RM (Refused . missing package - DSV defined code) 91001 M (Missing package - DSV defined code) 91002 DY (Dirty - DSV defined code) 91004 NZ (Not in conformity - DSV defined code) 91005 NB (NFL booking not complete - DSV defined code) 91006 NZ (Not in conformity - DSV defined code) 91007 NZ (Not in conformity - DSV defined code) 91008 NZ (Not in conformity - DSV defined code) 91009 WA (Wrong address - DSV defined code) 91010 NZ (Not in conformity - DSV defined code) 91011 R (Refused . no reason - DSV defined code) 91012 WA (Wrong address - DSV defined code) 91013 NZ (Not in conformity - DSV defined code) 91014 SX (Scanning cancelled - DSV defined code) 91015 D (Damaged - DSV defined code) CFM Z (In Conformity - DSV defined code) DIL BA (Booking accepted - DSV defined code) others NZ (Not in conformity - DSV defined code) PRE NY (Notified to customer - DSV defined code) Z1 Delivered without signature (DSV defined code) Z2 Handled by driver without scanner (DSV defined code) Z3 Queue at customer/Congestion (DSV defined code) Z4 Authorized site - ID not scanned (DSV defined code) Z5 Photo taken (DSV defined code) Z14 Damaged packaging (DSV defined code) ZTJ Traffic Jam (DSV defined code)
1131	Code list identification code	C an..17	N	
3055	Code list responsible agency code	C an..3	N	
9012	Status reason description	C an..256	N	

Segment Remarks:**General Notes**

SG14/STS/C601.9015 with code ZCN is used to indicate status on shipment level.

For messages with statuses on shipment level:

- The STS segment can be repeated if there are different status reason codes for the goods items on the shipment.
- Goods items (SG23/GID) related to a specific kind of status code must be grouped together under the reported status code.

(For messages with statuses on item/SSCC barcode level, please see SG13[2]/SG14/STS.)

Example:

STS+ZCN:Container+1:::Arrival+5+6+8+62+30'

No = Consecutive segment number
 MaxOcc = Maximum occurrence of the segment/group
 Counter = Counter of segment/group within the standard

DSV public
 Status
 EDIFACT: M=Mandatory, C=Conditional
 User specific: R=Required, O=Optional, D=Dependent,
 A=Advised, N=Not used



Counter	No	Tag	St	MaxOcc	Level	Name
0540		SG14	M	99	2	STS-RFF-DTM-FTX-SG15-LOC-SG17-SG23
0560	18	RFF	C	999	3	Reference

Standard			Implementation	
Tag	Name	St Format	St Format	Usage / Remark
RFF				
C506	Reference	M	M	
1153	Reference code qualifier	M an..3	M an..3	
				List of valid codes
				UCN Unique consignment reference number
1154	Reference identifier	C an..70	C an..70	
1156	Document line identifier	C an..6	N	
1056	Version identifier	C an..9	N	
1060	Revision identifier	C an..6	N	

Segment Remarks:

Example:

RFF+UCN:FLNAT-05053'

No = Consecutive segment number
MaxOcc = Maximum occurrence of the segment/group
Counter = Counter of segment/group within the standard

DSV public
Status
EDIFACT: M=Mandatory, C=Conditional
User specific: R=Required, O=Optional, D=Dependent,
A=Advised, N=Not used



Counter	No	Tag	St	MaxOcc	Level	Name
0540		SG14	M	99	2	STS-RFF-DTM-FTX-SG15-LOC-SG17-SG23
0560	19	RFF	C	999	3	Reference

Standard			Implementation	
Tag	Name	St Format	St Format	Usage / Remark
RFF				
C506	Reference	M	M	
1153	Reference code qualifier	M an..3	M an..3	General Notes Shipment Id assigned from IDS Logistic Network in Germany List of valid codes IDS IDS reference number (CargoLink defined code)
1154	Reference identifier	C an..70	C an..70	
1156	Document line identifier	C an..6	N	
1056	Version identifier	C an..9	N	
1060	Revision identifier	C an..6	N	

Segment Remarks:

Example:
RFF+IDS:4908600397719007'

No = Consecutive segment number
MaxOcc = Maximum occurrence of the segment/group
Counter = Counter of segment/group within the standard

DSV public
Status
EDIFACT: M=Mandatory, C=Conditional
User specific: R=Required, O=Optional, D=Dependent,
A=Advised, N=Not used

Counter	No	Tag	St	MaxOcc	Level	Name
0540		SG14	M	99	2	STS-RFF-DTM-FTX-SG15-LOC-SG17-SG23
0560	20	RFF	C	999	3	Reference

Standard			Implementation	
Tag	Name	St Format	St Format	Usage / Remark
RFF				
C506	Reference	M	M	
1153	Reference code qualifier	M an..3	M an..3	Air Notes Not used. Sea Notes Not used. Solutions Notes Not used. General Notes ZZA is used for Quality of scanning towards Road application CargoLink. List of valid codes ZZA Quality of scanning (CargoLink defined code)
1154	Reference identifier	C an..70	C an..70	Air Notes Not used. Sea Notes Not used. Solutions Notes Not used.
1156	Document line identifier	C an..6	N	
1056	Version identifier	C an..9	N	
1060	Revision identifier	C an..6	N	

Segment Remarks:**Example:**

RFF+ZZA: 61 '

No = Consecutive segment number
 MaxOcc = Maximum occurrence of the segment/group
 Counter = Counter of segment/group within the standard

DSV public
 Status
 EDIFACT: M=Mandatory, C=Conditional
 User specific: R=Required, O=Optional, D=Dependent,
 A=Advised, N=Not used



Counter	No	Tag	St	MaxOcc	Level	Name
0540		SG14	M	99	2	STS-RFF-DTM-FTX-SG15-LOC-SG17-SG23
0560	21	RFF	C	999	3	Reference

Standard			Implementation	
Tag	Name	St Format	St Format	Usage / Remark
RFF				
C506	Reference	M	M	
1153	Reference code qualifier	M an..3	M an..3	List of valid codes SID Site ID (DSV defined code)
1154	Reference identifier	C an..70	C an..70	
1156	Document line identifier	C an..6	N	
1056	Version identifier	C an..9	N	
1060	Revision identifier	C an..6	N	

Segment Remarks:

Example:
RFF+SID:6184430'

No = Consecutive segment number
MaxOcc = Maximum occurrence of the segment/group
Counter = Counter of segment/group within the standard

DSV public
Status
EDIFACT: M=Mandatory, C=Conditional
User specific: R=Required, O=Optional, D=Dependent,
A=Advised, N=Not used



Counter	No	Tag	St	MaxOcc	Level	Name
0540		SG14	M	99	2	STS-RFF-DTM-FTX-SG15-LOC-SG17-SG23
0560	22	RFF	C	999	3	Reference

Standard			Implementation	
Tag	Name	St Format	St Format	Usage / Remark
RFF				
C506	Reference	M	M	
1153	Reference code qualifier	M an..3	M an..3	List of valid codes QLS QLS reference number
1154	Reference identifier	C an..70	C an..70	
1156	Document line identifier	C an..6	N	
1056	Version identifier	C an..9	N	
1060	Revision identifier	C an..6	N	

Segment Remarks:

Example:

RFF+QLS:00373323995883365533'

No = Consecutive segment number
MaxOcc = Maximum occurrence of the segment/group
Counter = Counter of segment/group within the standard

DSV public
Status
EDIFACT: M=Mandatory, C=Conditional
User specific: R=Required, O=Optional, D=Dependent,
A=Advised, N=Not used



Counter	No	Tag	St	MaxOcc	Level	Name
0540		SG14	M	99	2	STS-RFF-DTM-FTX-SG15-LOC-SG17-SG23
0560	23	RFF	C	999	3	Reference

Standard			Implementation	
Tag	Name	St Format	St Format	Usage / Remark
RFF				
C506	Reference	M	M	
1153	Reference code qualifier	M an..3	M an..3	List of valid codes FF Consignment identifier, freight forwarder assigned
1154	Reference identifier	C an..70	C an..70	
1156	Document line identifier	C an..6	N	
1056	Version identifier	C an..9	N	
1060	Revision identifier	C an..6	N	

Segment Remarks:

Example:
RFF+FF:FLNAT-05053'

No = Consecutive segment number
MaxOcc = Maximum occurrence of the segment/group
Counter = Counter of segment/group within the standard

DSV public
Status
EDIFACT: M=Mandatory, C=Conditional
User specific: R=Required, O=Optional, D=Dependent,
A=Advised, N=Not used

Counter	No	Tag	St	MaxOcc	Level	Name
0540		SG14	M	99	2	STS-RFF-DTM-FTX-SG15-LOC-SG17-SG23
0560	24	RFF	C	999	3	Reference

Standard			Implementation	
Tag	Name	St Format	St Format	Usage / Remark
RFF				
C506	Reference	M	M	
1153	Reference code qualifier	M an..3	M an..3	General Notes AAS is used in Swedish traffic and contains Swedish waybill number. List of valid codes AAS Transport contract document identifier
1154	Reference identifier	C an..70	C an..70	
1156	Document line identifier	C an..6	N	
1056	Version identifier	C an..9	N	
1060	Revision identifier	C an..6	N	

Segment Remarks:**Example:**

RFF+AAS:7526538793'

No = Consecutive segment number
MaxOcc = Maximum occurrence of the segment/group
Counter = Counter of segment/group within the standard

DSV public
Status
EDIFACT: M=Mandatory, C=Conditional
User specific: R=Required, O=Optional, D=Dependent,
A=Advised, N=Not used



Counter	No	Tag	St	MaxOcc	Level	Name
0540		SG14	M	99	2	STS-RFF-DTM-FTX-SG15-LOC-SG17-SG23
0560	25	RFF	C	999	3	Reference

Standard			Implementation	
Tag	Name	St Format	St Format	Usage / Remark
RFF				
C506	Reference	M	M	
1153	Reference code qualifier	M an..3	M an..3	General Notes AAM is used in Norwegian traffic and contains Norwegian waybill number. List of valid codes AAM Waybill number
1154	Reference identifier	C an..70	C an..70	
1156	Document line identifier	C an..6	N	
1056	Version identifier	C an..9	N	
1060	Revision identifier	C an..6	N	

Segment Remarks:**Example:**

RFF+AAM:40257065930729554502'

No = Consecutive segment number
MaxOcc = Maximum occurrence of the segment/group
Counter = Counter of segment/group within the standard

DSV public
Status
EDIFACT: M=Mandatory, C=Conditional
User specific: R=Required, O=Optional, D=Dependent,
A=Advised, N=Not used



Counter	No	Tag	St	MaxOcc	Level	Name
0540		SG14	M	99	2	STS-RFF-DTM-FTX-SG15-LOC-SG17-SG23
0560	26	RFF	C	999	3	Reference

Standard			Implementation	
Tag	Name	St Format	St Format	Usage / Remark
RFF				
C506	Reference	M	M	
1153	Reference code qualifier	M an..3	M an..3	List of valid codes AAO Consignment identifier, consignee assigned
1154	Reference identifier	C an..70	C an..70	
1156	Document line identifier	C an..6	N	
1056	Version identifier	C an..9	N	
1060	Revision identifier	C an..6	N	

Segment Remarks:

Example:

RFF+AAO:57065930729554502'

No = Consecutive segment number
MaxOcc = Maximum occurrence of the segment/group
Counter = Counter of segment/group within the standard

DSV public
Status
EDIFACT: M=Mandatory, C=Conditional
User specific: R=Required, O=Optional, D=Dependent,
A=Advised, N=Not used



Counter	No	Tag	St	MaxOcc	Level	Name
0540		SG14	M	99	2	STS-RFF-DTM-FTX-SG15-LOC-SG17-SG23
0560	27	RFF	C	999	3	Reference

Standard			Implementation	
Tag	Name	St Format	St Format	Usage / Remark
RFF				
C506	Reference	M	M	
1153	Reference code qualifier	M an..3	M an..3	General Notes RFF+SRN is GINC = Global Identification Number for Consignment assigned from GS1, with 401 prefix. List of valid codes SRN Shipment reference number
1154	Reference identifier	C an..70	C an..70	
1156	Document line identifier	C an..6	N	
1056	Version identifier	C an..9	N	
1060	Revision identifier	C an..6	N	

Segment Remarks:**General Notes**

SRN is used for GS1 code reference numbers, 17 characters long.

Example:

RFF+SRN: 57065930729554502 '

No = Consecutive segment number
MaxOcc = Maximum occurrence of the segment/group
Counter = Counter of segment/group within the standard

DSV public
Status
EDIFACT: M=Mandatory, C=Conditional
User specific: R=Required, O=Optional, D=Dependent,
A=Advised, N=Not used



Counter	No	Tag	St	MaxOcc	Level	Name
0540		SG14	M	99	2	STS-RFF-DTM-FTX-SG15-LOC-SG17-SG23
0560	28	RFF	C	999	3	Reference

Standard			Implementation	
Tag	Name	St Format	St Format	Usage / Remark
RFF				
C506	Reference	M	M	
1153	Reference code qualifier	M an..3	M an..3	
				List of valid codes
				BN Consignment identifier, carrier assigned
1154	Reference identifier	C an..70	C an..70	
1156	Document line identifier	C an..6	N	
1056	Version identifier	C an..9	N	
1060	Revision identifier	C an..6	N	

Segment Remarks:**General Notes**

SRN is used for GS1 code reference numbers, 17 characters long.

Example:

RFF+BN: 57065930729554502 '

No = Consecutive segment number
 MaxOcc = Maximum occurrence of the segment/group
 Counter = Counter of segment/group within the standard

DSV public

St Status
 EDIFACT: M=Mandatory, C=Conditional
 User specific: R=Required, O=Optional, D=Dependent,
 A=Advised, N=Not used



Counter	No	Tag	St	MaxOcc	Level	Name
0540		SG14	M	99	2	STS-RFF-DTM-FTX-SG15-LOC-SG17-SG23
0560	29	RFF	C	999	3	Reference

Standard			Implementation	
Tag	Name	St Format	St Format	Usage / Remark
RFF				
C506	Reference	M	M	
1153	Reference code qualifier	M an..3	M an..3	
				List of valid codes
				BH House bill of lading number
1154	Reference identifier	C an..70	C an..70	
1156	Document line identifier	C an..6	N	
1056	Version identifier	C an..9	N	
1060	Revision identifier	C an..6	N	

Segment Remarks:**Example:**

RFF+BH:FLNAT-05053'

No = Consecutive segment number
 MaxOcc = Maximum occurrence of the segment/group
 Counter = Counter of segment/group within the standard

DSV public
 Status
 EDIFACT: M=Mandatory, C=Conditional
 User specific: R=Required, O=Optional, D=Dependent,
 A=Advised, N=Not used



Counter	No	Tag	St	MaxOcc	Level	Name
0540		SG14	M	99	2	STS-RFF-DTM-FTX-SG15-LOC-SG17-SG23
0560	30	RFF	C	999	3	Reference

Standard			Implementation	
Tag	Name	St Format	St Format	Usage / Remark
RFF				
C506	Reference	M	M	
1153	Reference code qualifier	M an..3	M an..3	List of valid codes
				CU Consignment identifier, consignor assigned
1154	Reference identifier	C an..70	C an..70	
1156	Document line identifier	C an..6	N	
1056	Version identifier	C an..9	N	
1060	Revision identifier	C an..6	N	

Segment Remarks:

Example:
RFF+CU:ORDER123 '

No = Consecutive segment number
MaxOcc = Maximum occurrence of the segment/group
Counter = Counter of segment/group within the standard

DSV public
Status
EDIFACT: M=Mandatory, C=Conditional
User specific: R=Required, O=Optional, D=Dependent,
A=Advised, N=Not used



Counter	No	Tag	St	MaxOcc	Level	Name
0540		SG14	M	99	2	STS-RFF-DTM-FTX-SG15-LOC-SG17-SG23
0560	31	RFF	C	999	3	Reference

Standard			Implementation	
Tag	Name	St Format	St Format	Usage / Remark
RFF				
C506	Reference	M	M	
1153	Reference code qualifier	M an..3	M an..3	List of valid codes MB Master bill of lading number
1154	Reference identifier	C an..70	C an..70	
1156	Document line identifier	C an..6	N	
1056	Version identifier	C an..9	N	
1060	Revision identifier	C an..6	N	

Segment Remarks:

Example:

RFF+MB:FLNAT-05053'

No = Consecutive segment number
MaxOcc = Maximum occurrence of the segment/group
Counter = Counter of segment/group within the standard

DSV public
Status
EDIFACT: M=Mandatory, C=Conditional
User specific: R=Required, O=Optional, D=Dependent,
A=Advised, N=Not used



Counter	No	Tag	St	MaxOcc	Level	Name
0540		SG14	M	99	2	STS-RFF-DTM-FTX-SG15-LOC-SG17-SG23
0560	32	RFF	C	999	3	Reference

Standard			Implementation	
Tag	Name	St Format	St Format	Usage / Remark
RFF				
C506	Reference	M	M	
1153	Reference code qualifier	M an..3	M an..3	
				List of valid codes
				HB House Bill Number
1154	Reference identifier	C an..70	C an..70	
1156	Document line identifier	C an..6	N	
1056	Version identifier	C an..9	N	
1060	Revision identifier	C an..6	N	

Segment Remarks:**Example:**

RFF+HB:HAM123456'

No = Consecutive segment number
 MaxOcc = Maximum occurrence of the segment/group
 Counter = Counter of segment/group within the standard

DSV public
 Status
 EDIFACT: M=Mandatory, C=Conditional
 User specific: R=Required, O=Optional, D=Dependent,
 A=Advised, N=Not used

Counter	No	Tag	St	MaxOcc	Level	Name
0540		SG14	M	99	2	STS-RFF-DTM-FTX-SG15-LOC-SG17-SG23
0560	33	RFF	C	999	3	Reference

Standard			Implementation	
Tag	Name	St Format	St Format	Usage / Remark
RFF				
C506	Reference	M	M	
1153	Reference code qualifier	M an..3	M an..3	List of valid codes ABT Goods declaration document identifier, Customs
1154	Reference identifier	C an..70	C an..70	
1156	Document line identifier	C an..6	C an..6	General Notes SG14 RFF.C506/1156 should be used when SG14 RFF.C506/1153= "ABT" to identify the type of CustomsEntryNumber. Mainly used for Air&Sea business.
1056	Version identifier	C an..9	N	
1060	Revision identifier	C an..6	N	

Segment Remarks:**General Notes**

SG14 RFF+ABT should be used for CustomsEntryNumber for Air&Sea shipment statuses, in combination with type of CustomsEntryNumber as Identifier in SG14 RFF/C506.1156. Document issue date should be used in SG14 DTM+137. Mainly used for Air&Sea business.

ex:

RFF+ABT:Permittest123:PMT'
 DTM+137:202006241230:203'

Example:

RFF+ABT:123456789:PMT'

No = Consecutive segment number
 MaxOcc = Maximum occurrence of the segment/group
 Counter = Counter of segment/group within the standard

DSV public
 Status
 EDIFACT: M=Mandatory, C=Conditional
 User specific: R=Required, O=Optional, D=Dependent,
 A=Advised, N=Not used

Counter	No	Tag	St	MaxOcc	Level	Name
0540		SG14	M	99	2	STS-RFF-DTM-FTX-SG15-LOC-SG17-SG23
0560	34	RFF	C	999	3	Reference

Standard			Implementation	
Tag	Name	St Format	St Format	Usage / Remark
RFF				
C506	Reference	M	M	
1153	Reference code qualifier	M an..3	M an..3	
				List of valid codes
				ZCN Container Number
1154	Reference identifier	C an..70	C an..70	
1156	Document line identifier	C an..6	N	
1056	Version identifier	C an..9	N	
1060	Revision identifier	C an..6	N	

Segment Remarks:**General Notes**

SG14 RFF+ZCN is required for ContainerNumber for Sea freight container statuses (STS C601:1131 = "Container")

Example:

RFF+ZCN:ABCD1234567'

No = Consecutive segment number
 MaxOcc = Maximum occurrence of the segment/group
 Counter = Counter of segment/group within the standard

DSV public
 Status
 EDIFACT: M=Mandatory, C=Conditional
 User specific: R=Required, O=Optional, D=Dependent,
 A=Advised, N=Not used



Counter	No	Tag	St	MaxOcc	Level	Name
0540		SG14	M	99	2	STS-RFF-DTM-FTX-SG15-LOC-SG17-SG23
0560	35	RFF	C	999	3	Reference

Standard			Implementation	
Tag	Name	St Format	St Format	Usage / Remark
RFF				
C506	Reference	M	M	
1153	Reference code qualifier	M an..3	M an..3	List of valid codes
				XRI XRI Profilename (DSV defined code)
1154	Reference identifier	C an..70	C an..70	
1156	Document line identifier	C an..6	N	
1056	Version identifier	C an..9	N	
1060	Revision identifier	C an..6	N	

Segment Remarks:

Example:

RFF+XRI:CLST'

No = Consecutive segment number
MaxOcc = Maximum occurrence of the segment/group
Counter = Counter of segment/group within the standard

DSV public
Status
EDIFACT: M=Mandatory, C=Conditional
User specific: R=Required, O=Optional, D=Dependent,
A=Advised, N=Not used



Counter	No	Tag	St	MaxOcc	Level	Name
0540		SG14	M	99	2	STS-RFF-DTM-FTX-SG15-LOC-SG17-SG23
0570	36	DTM	C	9	3	Date/time/period

Standard			Implementation	
Tag	Name	St Format	St Format	Usage / Remark
DTM				
C507	Date/time/period	M	M	
2005	Date or time or period function code qualifier	M an..3	M an..3	List of valid codes 334 Status change date/time
2380	Date or time or period text	C an..35	C an..35	
2379	Date or time or period format code	C an..3	C an..3	General Notes Possible to use either qualifier "203" or "204" List of valid codes 203 CCYYMMDDHHMM 204 CCYYMMDDHHMMSS

Segment Remarks:**General Notes**

DTM+334 to be used for Status date.

DTM+137 to be used for Document issue date time when RFF+ABT is used for "CustomsEntryNumber".

Example:

DTM+334:202210211200:203'

No = Consecutive segment number
MaxOcc = Maximum occurrence of the segment/group
Counter = Counter of segment/group within the standard

DSV public
Status
EDIFACT: M=Mandatory, C=Conditional
User specific: R=Required, O=Optional, D=Dependent,
A=Advised, N=Not used



Counter	No	Tag	St	MaxOcc	Level	Name
0540		SG14	M	99	2	STS-RFF-DTM-FTX-SG15-LOC-SG17-SG23
0570	37	DTM	C	9	3	Date/time/period

Standard			Implementation	
Tag	Name	St Format	St Format	Usage / Remark
DTM				
C507	Date/time/period	M	M	
2005	Date or time or period function code qualifier	M an..3	M an..3	List of valid codes 137 Document issue date time
2380	Date or time or period text	C an..35	C an..35	
2379	Date or time or period format code	C an..3	C an..3	General Notes Use qualifier "204" for DTM+137. List of valid codes 204 CCYYMMDDHHMMSS

Segment Remarks:**Road Notes**

Not used for Road.

General Notes

DTM+137 to be used for Document issue date time when RFF+ABT is used for "CustomsEntryNumber".

Example:

DTM+137:20221021120000:204'

No = Consecutive segment number
 MaxOcc = Maximum occurrence of the segment/group
 Counter = Counter of segment/group within the standard

DSV public

EDIFACT: M=Mandatory, C=Conditional
 User specific: R=Required, O=Optional, D=Dependent,
 A=Advised, N=Not used



Counter	No	Tag	St	MaxOcc	Level	Name
0540		SG14	M	99	2	STS-RFF-DTM-FTX-SG15-LOC-SG17-SG23
0590	38	FTX	C	9	3	Free text

Standard			Implementation	
Tag	Name	St Format	St Format	Usage / Remark
FTX				
4451	Text subject code qualifier	M an..3	M an..3	General Notes If FTX+ACB is used and it's a POD picture or if FTX+AAE is used and it's a pdf document, then a copy flow will be created and destination id will be changed to TRACKNTRACE. List of valid codes AAI General information
4453	Free text function code	C an..3	N	
C107	Text reference	C	N	
4441	Free text description code	M an..17	N	
1131	Code list identification code	C an..17	N	
3055	Code list responsible agency code	C an..3	N	
C108	Text literal	C	C	
4440	Free text	M an..512	M an..512	
4440	Free text	C an..512	C an..512	
4440	Free text	C an..512	C an..512	
4440	Free text	C an..512	C an..512	
4440	Free text	C an..512	C an..512	
3453	Language name code	C an..3	N	
4447	Free text format code	C an..3	N	

Segment Remarks:**Example:**

FTX+AAI+++Remarks:X:X:X:X'

No = Consecutive segment number
 MaxOcc = Maximum occurrence of the segment/group
 Counter = Counter of segment/group within the standard

DSV public
 Status
 EDIFACT: M=Mandatory, C=Conditional
 User specific: R=Required, O=Optional, D=Dependent,
 A=Advised, N=Not used

Counter	No	Tag	St	MaxOcc	Level	Name
0540		SG14	M	99	2	STS-RFF-DTM-FTX-SG15-LOC-SG17-SG23
0590	39	FTX	C	99	3	Free text

Standard			Implementation	
Tag	Name	St Format	St Format	Usage / Remark
FTX				
4451	Text subject code qualifier	M an..3	M an..3	List of valid codes AAA Goods item description AHN Status details BLR Transport contract document remark CLR Loading remarks HAN Consignment handling instruction SIC Consignment documentary instruction SPH Special handling
4453	Free text function code	C an..3	N	
C107	Text reference	C	N	
4441	Free text description code	M an..17	N	
1131	Code list identification code	C an..17	N	
3055	Code list responsible agency code	C an..3	N	
C108	Text literal	C	C	
4440	Free text	M an..512	M an..512	
4440	Free text	C an..512	C an..512	
4440	Free text	C an..512	C an..512	
4440	Free text	C an..512	C an..512	
4440	Free text	C an..512	C an..512	
3453	Language name code	C an..3	N	
4447	Free text format code	C an..3	N	

Segment Remarks:**Example:**

FTX+AHN+++Status:information:from:the:scanning'

No = Consecutive segment number
MaxOcc = Maximum occurrence of the segment/group
Counter = Counter of segment/group within the standard

DSV public
Status
EDIFACT: M=Mandatory, C=Conditional
User specific: R=Required, O=Optional, D=Dependent,
A=Advised, N=Not used

Counter	No	Tag	St	MaxOcc	Level	Name
0540		SG14	M	99	2	STS-RFF-DTM-FTX-SG15-LOC-SG17-SG23
0590	40	FTX	C	9	3	Free text

Standard			Implementation	
Tag	Name	St Format	St Format	Usage / Remark
FTX				
4451	Text subject code qualifier	M an..3	M an..3	Road Notes FTX+ZEL is a DSV specific qualifier to identify status eventcode from IDS. List of valid codes ZEL Status eventcode IDS
4453	Free text function code	C an..3	N	
C107	Text reference	C	N	
4441	Free text description code	M an..17	N	
1131	Code list identification code	C an..17	N	
3055	Code list responsible agency code	C an..3	N	
C108	Text literal	C	C	
4440	Free text	M an..512	M an..512	
4440	Free text	C an..512	C an..512	
4440	Free text	C an..512	N	
4440	Free text	C an..512	N	
4440	Free text	C an..512	N	
3453	Language name code	C an..3	N	
4447	Free text format code	C an..3	N	

Segment Remarks:**Example:**

FTX+ZEL+++IDS:ID27'

No = Consecutive segment number
 MaxOcc = Maximum occurrence of the segment/group
 Counter = Counter of segment/group within the standard

DSV public
 Status
 EDIFACT: M=Mandatory, C=Conditional
 User specific: R=Required, O=Optional, D=Dependent,
 A=Advised, N=Not used



Counter	No	Tag	St	MaxOcc	Level	Name
0540		SG14	M	99	2	STS-RFF-DTM-FTX-SG15-LOC-SG17-SG23
0590	41	FTX	C	9	3	Free text

Standard			Implementation	
Tag	Name	St Format	St Format	Usage / Remark
FTX				
4451	Text subject code qualifier	M an..3	M an..3	List of valid codes ACD Reason
4453	Free text function code	C an..3	N	
C107	Text reference	C	N	
4441	Free text description code	M an..17	N	
1131	Code list identification code	C an..17	N	
3055	Code list responsible agency code	C an..3	N	
C108	Text literal	C	C	
4440	Free text	M an..512	M an..512	
4440	Free text	C an..512	N	
4440	Free text	C an..512	N	
4440	Free text	C an..512	N	
4440	Free text	C an..512	N	
3453	Language name code	C an..3	N	
4447	Free text format code	C an..3	N	

Segment Remarks:

Example:

FTX+ACD+++Status Reason'

No = Consecutive segment number
MaxOcc = Maximum occurrence of the segment/group
Counter = Counter of segment/group within the standard

DSV public
Status
EDIFACT: M=Mandatory, C=Conditional
User specific: R=Required, O=Optional, D=Dependent,
A=Advised, N=Not used

Counter	No	Tag	St	MaxOcc	Level	Name
0540		SG14	M	99	2	STS-RFF-DTM-FTX-SG15-LOC-SG17-SG23
0590	42	FTX	C	9	3	Free text

Standard			Implementation	
Tag	Name	St Format	St Format	Usage / Remark
FTX				
4451	Text subject code qualifier	M an..3	M an..3	General Notes For EventParam use ZEP List of valid codes ZEP Event Parameters
4453	Free text function code	C an..3	N	
C107	Text reference	C	C	
4441	Free text description code	M an..17	R an..17	General Notes Required to use 4441 when ZEP is used in 4451.
1131	Code list identification code	C an..17	N	
3055	Code list responsible agency code	C an..3	N	
C108	Text literal	C	C	
4440	Free text	M an..512	M an..512	
4440	Free text	C an..512	N	
4440	Free text	C an..512	N	
4440	Free text	C an..512	N	
4440	Free text	C an..512	N	
3453	Language name code	C an..3	N	
4447	Free text format code	C an..3	N	

Segment Remarks:**Example:**

FTX+ZEP++Location+CATOR'

No = Consecutive segment number
 MaxOcc = Maximum occurrence of the segment/group
 Counter = Counter of segment/group within the standard

DSV public
 Status
 EDIFACT: M=Mandatory, C=Conditional
 User specific: R=Required, O=Optional, D=Dependent,
 A=Advised, N=Not used

Counter	No	Tag	St	MaxOcc	Level	Name
0540		SG14	M	99	2	STS-RFF-DTM-FTX-SG15-LOC-SG17-SG23
0590	43	FTX	C	9	3	Free text

Standard			Implementation	
Tag	Name	St Format	St Format	Usage / Remark
FTX				
4451	Text subject code qualifier	M an..3	M an..3	General Notes When FTX+ZPT is used in 4451, the actual Text code should be used in FTX/C108.4440[1] and Free text in FTX/C108.4440[2]. List of valid codes ZPT PassThrough (DSV A&S defined code)
4453	Free text function code	C an..3	N	
C107	Text reference	C	N	
4441	Free text description code	M an..17	N	
1131	Code list identification code	C an..17	N	
3055	Code list responsible agency code	C an..3	N	
C108	Text literal	C	C	
4440	Free text	M an..512	M an..512	General Notes When FTX+ZPT is used in 4451, the actual Text code should be used in FTX/C108.4440[1] and Free text in FTX/C108.4440[2].
4440	Free text	C an..512	C an..512	General Notes When FTX+ZPT is used in 4451, the actual Text code should be used in FTX/C108.4440[1] and Free text in FTX/C108.4440[2].
4440	Free text	C an..512	N	
4440	Free text	C an..512	N	
4440	Free text	C an..512	N	
3453	Language name code	C an..3	N	
4447	Free text format code	C an..3	N	

Segment Remarks:**General Notes**

FTX+ZPT and FTX+ZDD Use to be agreed.

Example:

FTX+ZPT+++XXX:PassThroughABC'

No = Consecutive segment number
 MaxOcc = Maximum occurrence of the segment/group
 Counter = Counter of segment/group within the standard

DSV public
 Status
 EDIFACT: M=Mandatory, C=Conditional
 User specific: R=Required, O=Optional, D=Dependent,
 A=Advised, N=Not used

Counter	No	Tag	St	MaxOcc	Level	Name
0540		SG14	M	99	2	STS-RFF-DTM-FTX-SG15-LOC-SG17-SG23
0590	44	FTX	C	9	3	Free text

Standard			Implementation	
Tag	Name	St Format	St Format	Usage / Remark
FTX				
4451	Text subject code qualifier	M an..3	M an..3	List of valid codes ZRN Reason notes (DSV A&S defined code)
4453	Free text function code	C an..3	N	
C107	Text reference	C	N	
4441	Free text description code	M an..17	N	
1131	Code list identification code	C an..17	N	
3055	Code list responsible agency code	C an..3	N	
C108	Text literal	C	C	
4440	Free text	M an..512	M an..512	General Notes When FTX+ZPT is used in 4451, the actual Text code should be used in FTX/C108.4440[1] and Free text in FTX/C108.4440[2].
4440	Free text	C an..512	N	
4440	Free text	C an..512	N	
4440	Free text	C an..512	N	
4440	Free text	C an..512	N	
3453	Language name code	C an..3	N	
4447	Free text format code	C an..3	N	

Segment Remarks:**General Notes**

FTX+ZRN Use to be agreed.

Example:

FTX+ZRN+++Reason notes'

No = Consecutive segment number
MaxOcc = Maximum occurrence of the segment/group
Counter = Counter of segment/group within the standard

DSV public
Status
EDIFACT: M=Mandatory, C=Conditional
User specific: R=Required, O=Optional, D=Dependent,
A=Advised, N=Not used



Counter	No	Tag	St	MaxOcc	Level	Name
0600		SG15	C	9	3	NAD-SG16
0610	45	NAD	M	1	3	Name and address

Standard			Implementation	
Tag	Name	St Format	St Format	Usage / Remark
NAD				
3035	Party function code qualifier	M an..3	M an..3	List of valid codes AP Accepting party
C082	Party identification details	C	N	
3039	Party identifier	M an..35	N	
1131	Code list identification code	C an..17	N	
3055	Code list responsible agency code	C an..3	N	
C058	Name and address	C	N	
3124	Name and address description	M an..35	N	
3124	Name and address description	C an..35	N	
3124	Name and address description	C an..35	N	
3124	Name and address description	C an..35	N	
3124	Name and address description	C an..35	N	
C080	Party name	C	N	
3036	Party name	M an..70	N	
3036	Party name	C an..70	N	
3036	Party name	C an..70	N	
3036	Party name	C an..70	N	
3036	Party name	C an..70	N	
3045	Party name format code	C an..3	N	
C059	Street	C	N	
3042	Street and number or post office box identifier	M an..35	N	
3042	Street and number or post office box identifier	C an..35	N	
3042	Street and number or post office box identifier	C an..35	N	
3042	Street and number or post office box identifier	C an..35	N	
3164	City name	C an..35	N	
C819	Country subdivision details	C	N	
3229	Country subdivision identifier	C an..9	N	
1131	Code list identification code	C an..17	N	
3055	Code list responsible agency code	C an..3	N	
3228	Country subdivision name	C an..70	N	
3251	Postal identification code	C an..17	N	
3207	Country identifier	C an..3	N	

No = Consecutive segment number
 MaxOcc = Maximum occurrence of the segment/group
 Counter = Counter of segment/group within the standard

DSV public
 Status
 EDIFACT: M=Mandatory, C=Conditional
 User specific: R=Required, O=Optional, D=Dependent,
 A=Advised, N=Not used



Segment Remarks:

Example:

NAD+AP *

No = Consecutive segment number
MaxOcc = Maximum occurrence of the segment/group
Counter = Counter of segment/group within the standard

DSV public
Status
EDIFACT: M=Mandatory, C=Conditional
User specific: R=Required, O=Optional, D=Dependent,
A=Advised, N=Not used



Counter	No	Tag	St	MaxOcc	Level	Name
0620		SG16	C	9	4	CTA-COM
0630	46	CTA	M	1	4	Contact information

Standard			Implementation	
Tag	Name	St Format	St Format	Usage / Remark
CTA				
3139	Contact function code	C an..3	C an..3	List of valid codes GR Goods receiving contact
C056	Contact details	C	C	
3413	Contact identifier	C an..17	N	
3412	Contact name	C an..256	C an..256	General Notes Name of Goods receiving contact (Accepting party)

Segment Remarks:

Example:

CTA+GR+:Mr Blue'

No = Consecutive segment number
MaxOcc = Maximum occurrence of the segment/group
Counter = Counter of segment/group within the standard

DSV public
Status
EDIFACT: M=Mandatory, C=Conditional
User specific: R=Required, O=Optional, D=Dependent,
A=Advised, N=Not used



Counter	No	Tag	St	MaxOcc	Level	Name
0620		SG16	C	9	4	CTA-COM
0640	47	COM	C	9	5	Communication contact

Standard			Implementation	
Tag	Name	St Format	St Format	Usage / Remark
COM				
C076	Communication contact	M	M	
3148	Communication address identifier	M an..512	M an..512	
3155	Communication means type code	M an..3	M an..3	
				List of valid codes
				TE Telephone

Segment Remarks:

Road Notes

Not used towards Road application.

Example:

COM+010-11223344:TE '

No = Consecutive segment number
MaxOcc = Maximum occurrence of the segment/group
Counter = Counter of segment/group within the standard

DSV public
Status
EDIFACT: M=Mandatory, C=Conditional
User specific: R=Required, O=Optional, D=Dependent,
A=Advised, N=Not used

Counter	No	Tag	St	MaxOcc	Level	Name
0540		SG14	M	99	2	STS-RFF-DTM-FTX-SG15-LOC-SG17-SG23
0650	48	LOC	C	1	3	Place/location identification

Standard			Implementation	
Tag	Name	St Format	St Format	Usage / Remark
LOC				
3227	Location function code qualifier	M an..3	M an..3	General Notes All qualifiers except "89", "138" and "ZEL" will be handled as Place of Status Location. List of valid codes 89 Place of registration
C517	Location identification	C	C	
3225	Location identifier	C an..35	C an..35	General Notes Site ID
1131	Code list identification code	C an..17	N	
3055	Code list responsible agency code	C an..3	N	
3224	Location name	C an..256	C an..256	General Notes Use name of location or UN locode.
C519	Related location one identification	C	C	
3223	First related location identifier	C an..35	C an..35	General Notes GPS Longitude coordinates
1131	Code list identification code	C an..17	N	
3055	Code list responsible agency code	C an..3	N	
3222	First related location name	C an..70	N	
C553	Related location two identification	C	C	
3233	Second related location identifier	C an..35	C an..35	General Notes GPS Latitude coordinates
1131	Code list identification code	C an..17	N	
3055	Code list responsible agency code	C an..3	N	
3232	Second related location name	C an..70	N	
5479	Relation code	C an..3	N	

Segment Remarks:**General Notes**

Place of registration, if LOC 3227 is 89 and LOC C519.3223 is used then this should be GPS Longitude coordinates. If LOC 3227 is 89 and LOC C553.3233 is used, then this should be GPS Latitude coordinates.

Example:

LOC+89+6184430:::MSDK+12.4609433333333+55.68391'

No = Consecutive segment number
 MaxOcc = Maximum occurrence of the segment/group
 Counter = Counter of segment/group within the standard

DSV public
 Status
 EDIFACT: M=Mandatory, C=Conditional
 User specific: R=Required, O=Optional, D=Dependent,
 A=Advised, N=Not used

Counter	No	Tag	St	MaxOcc	Level	Name
0540		SG14	M	99	2	STS-RFF-DTM-FTX-SG15-LOC-SG17-SG23
0650	49	LOC	C	1	3	Place/location identification

Standard			Implementation	
Tag	Name	St Format	St Format	Usage / Remark
LOC				
3227	Location function code qualifier	M an..3	M an..3	
				List of valid codes 138 Weighting place
C517	Location identification	C	C	
3225	Location identifier	C an..35	C an..35	
1131	Code list identification code	C an..17	N	
3055	Code list responsible agency code	C an..3	N	
3224	Location name	C an..256	C an..256	General Notes Use name of location or UN locode.
C519	Related location one identification	C	N	
3223	First related location identifier	C an..35	N	
1131	Code list identification code	C an..17	N	
3055	Code list responsible agency code	C an..3	N	
3222	First related location name	C an..70	N	
C553	Related location two identification	C	N	
3233	Second related location identifier	C an..35	N	
1131	Code list identification code	C an..17	N	
3055	Code list responsible agency code	C an..3	N	
3232	Second related location name	C an..70	N	
5479	Relation code	C an..3	N	

Segment Remarks:**General Notes**

LOC+138 should be used for Weighting place. If LOC+138 is used then MEA SG24 & DIM SG25 should be used as well.

Example:

LOC+138+2640:::CPH'

No = Consecutive segment number
 MaxOcc = Maximum occurrence of the segment/group
 Counter = Counter of segment/group within the standard

DSV public
 Status
 EDIFACT: M=Mandatory, C=Conditional
 User specific: R=Required, O=Optional, D=Dependent,
 A=Advised, N=Not used

Counter	No	Tag	St	MaxOcc	Level	Name
0540		SG14	M	99	2	STS-RFF-DTM-FTX-SG15-LOC-SG17-SG23
0650	50	LOC	C	1	3	Place/location identification

Standard			Implementation	
Tag	Name	St Format	St Format	Usage / Remark
LOC				
3227	Location function code qualifier	M an..3	M an..3	List of valid codes ZEL Status Location for IDS
C517	Location identification	C	C	
3225	Location identifier	C an..35	C an..35	General Notes Use Code for IDS Location
1131	Code list identification code	C an..17	N	
3055	Code list responsible agency code	C an..3	N	
3224	Location name	C an..256	C an..256	General Notes Use name of IDS Location
C519	Related location one identification	C	N	
3223	First related location identifier	C an..35	N	
1131	Code list identification code	C an..17	N	
3055	Code list responsible agency code	C an..3	N	
3222	First related location name	C an..70	N	
C553	Related location two identification	C	N	
3233	Second related location identifier	C an..35	N	
1131	Code list identification code	C an..17	N	
3055	Code list responsible agency code	C an..3	N	
3232	Second related location name	C an..70	N	
5479	Relation code	C an..3	N	

Segment Remarks:**General Notes**

LOC+ZEL is a DSV specific qualifier to identify status location from IDS.

Example:

LOC+ZEL+326:::HAM'

No = Consecutive segment number
 MaxOcc = Maximum occurrence of the segment/group
 Counter = Counter of segment/group within the standard

DSV public
 Status
 EDIFACT: M=Mandatory, C=Conditional
 User specific: R=Required, O=Optional, D=Dependent,
 A=Advised, N=Not used

Counter	No	Tag	St	MaxOcc	Level	Name
0540		SG14	M	99	2	STS-RFF-DTM-FTX-SG15-LOC-SG17-SG23
0650	51	LOC	C	1	3	Place/location identification

Standard			Implementation	
Tag	Name	St Format	St Format	Usage / Remark
LOC				
3227	Location function code qualifier	M an..3	M an..3	Air Notes Status location Road Notes Not to be used for Road Sea Notes Status location List of valid codes Z01 Status Location
C517	Location identification	C	C	
3225	Location identifier	C an..35	C an..35	Air Notes UN location code for status Road Notes Not to be used for Road Sea Notes UN location code for status
1131	Code list identification code	C an..17	N	
3055	Code list responsible agency code	C an..3	N	
3224	Location name	C an..256	C an..256	
C519	Related location one identification	C	N	
3223	First related location identifier	C an..35	N	
1131	Code list identification code	C an..17	N	
3055	Code list responsible agency code	C an..3	N	
3222	First related location name	C an..70	N	
C553	Related location two identification	C	N	
3233	Second related location identifier	C an..35	N	
1131	Code list identification code	C an..17	N	
3055	Code list responsible agency code	C an..3	N	
3232	Second related location name	C an..70	N	
5479	Relation code	C an..3	N	

Segment Remarks:**Road Notes**

LOC+Z01 is not to be used for Road

No = Consecutive segment number
MaxOcc = Maximum occurrence of the segment/group
Counter = Counter of segment/group within the standard

DSV public

EDIFACT: M=Mandatory, C=Conditional
User specific: R=Required, O=Optional, D=Dependent,
A=Advised, N=Not used



General Notes

LOC+Z01 is a DSV specific qualifier to identify status location for Air & Sea

Example:

LOC+Z01+DEHAM: : :Hamburg'

No = Consecutive segment number
MaxOcc = Maximum occurrence of the segment/group
Counter = Counter of segment/group within the standard

DSV public
Status
EDIFACT: M=Mandatory, C=Conditional
User specific: R=Required, O=Optional, D=Dependent,
A=Advised, N=Not used

Counter	No	Tag	St	MaxOcc	Level	Name
0670		SG17	C	99	3	TDT
0680	52	TDT	M	1	3	Transport information

Standard			Implementation	
Tag	Name	St Format	St Format	Usage / Remark
TDT				
8051	Transport stage code qualifier	M an..3	M an..3	List of valid codes 20 Main-carriage transport
8028	Means of transport journey identifier	C an..17	N	
C220	Mode of transport	C	C	
8067	Transport mode name code	C an..3	C an..3	List of valid codes 1 Maritime transport 2 Rail transport 3 Road transport 4 Air transport
8066	Transport mode name	C an..17	N	
C001	Transport means	C	C	
8179	Transport means description code	C an..8	N	
1131	Code list identification code	C an..17	N	
3055	Code list responsible agency code	C an..3	N	
8178	Transport means description	C an..17	C an..17	Air Notes Flight Number Sea Notes Voyage Number
C040	Carrier	C	C	
3127	Carrier identifier	C an..17	C an..17	Air Notes Carrier Code Sea Notes Carrier Code
1131	Code list identification code	C an..17	N	
3055	Code list responsible agency code	C an..3	N	
3126	Carrier name	C an..35	C an..35	Air Notes Carrier Name Sea Notes Carrier Name
8101	Transit direction indicator code	C an..3	N	
C401	Excess transportation	C	N	

No = Consecutive segment number
 MaxOcc = Maximum occurrence of the segment/group
 Counter = Counter of segment/group within the standard

DSV public
 Status
 EDIFACT: M=Mandatory, C=Conditional
 User specific: R=Required, O=Optional, D=Dependent,
 A=Advised, N=Not used

Standard			Implementation	
Tag	Name	St Format	St Format	Usage / Remark
	information			
8457	Excess transportation reason code	M an..3	N	
8459	Excess transportation responsibility code	M an..3	N	
7130	Customer shipment authorisation identifier	C an..17	N	
C222	Transport identification	C	C	
8213	Transport means identification name identifier	C an..35	N	
1131	Code list identification code	C an..17	N	
3055	Code list responsible agency code	C an..3	N	
8212	Transport means identification name	C an..70	C an..70	Sea Notes Vessel Name
8453	Transport means nationality code	C an..3	N	
8281	Transport means ownership indicator code	C an..3	N	

Segment Remarks:**Sea Notes**

This is a required segment for status messages for sea shipments.
The minimum requirement is 8051 and C220:8067

General Notes

Message example:

TDT+20++1+:::014W+Carrier code:::Carrier name+++Main:::Vessel:US'

TDT+20++2'

TDT+20++3'

TDT+20++4:::04W+Carrier code:::Carrier name+++Main:::Vessel:US'

Example:

TDT+20++1+:::0234W+MAE:::MAERSK+++:::Vessel '

No = Consecutive segment number
MaxOcc = Maximum occurrence of the segment/group
Counter = Counter of segment/group within the standard

DSV public

EDIFACT: M=Mandatory, C=Conditional
User specific: R=Required, O=Optional, D=Dependent,
A=Advised, N=Not used

Counter	No	Tag	St	MaxOcc	Level	Name
0910		SG23	C	99	3	GID-SG24-SG25-SG26
0920	53	GID	M	1	3	Goods item details

Standard			Implementation	
Tag	Name	St Format	St Format	Usage / Remark
GID				
1496	Goods item number	C an..6	R an..6	
C213	Number and type of packages	C	R	
7224	Package quantity	C n..8	R n..8	
7065	Package type description code	C an..17	R an..17	Road Notes Accepted package types: BA ADR Bag BG Bag BO Box CA Can CS Case CL Colli CN Pallet Container CP Composite Packing CR Crate CT Carton DR Drum EU Euro Pallet GI Gitter box HP Half Pallet IB IBC IP Industry Pallet JC Jerry Can LD Load PD Pressure Drum PL Pallet unspecified PX Pallet Extra Large QP Quarter Pallet RL Roll SB Steel Bottle UP Odd Size Pallet Additional accepted legacy codes, not accepted for BluJay: BAG Bag BOB Bundle of bottles BOX Box CAN Can CAS Case CLL Colli CON Pallet Container CRT Crate CTN Carton DRM Drum EUR Euro Pallet GIB Gitter box HPL Half pallet IBC IBC IPL Industry pallet

No = Consecutive segment number
 MaxOcc = Maximum occurrence of the segment/group
 Counter = Counter of segment/group within the standard

DSV public
 Status
 EDIFACT: M=Mandatory, C=Conditional
 User specific: R=Required, O=Optional, D=Dependent,
 A=Advised, N=Not used

Standard			Implementation	
Tag	Name	St Format	St Format	Usage / Remark
				JCN Jerry Can LGM Light Gauge Metal Packing LOAD Load PLL Pallet PLT Pallet Unspecified PXL Pallet Extra Large QPL Quarter Pallet RLL Roll UPL Odd size pallet List of valid codes CLL Colli PLL Pallet
1131	Code list identification code	C an..17	N	
3055	Code list responsible agency code	C an..3	N	
7064	Type of packages	C an..35	N	
7233	Packaging related description code	C an..3	N	
C213	Number and type of packages	C	N	
7224	Package quantity	C n..8	N	
7065	Package type description code	C an..17	N	
1131	Code list identification code	C an..17	N	
3055	Code list responsible agency code	C an..3	N	
7064	Type of packages	C an..35	N	
7233	Packaging related description code	C an..3	N	
C213	Number and type of packages	C	N	
7224	Package quantity	C n..8	N	
7065	Package type description code	C an..17	N	
1131	Code list identification code	C an..17	N	
3055	Code list responsible agency code	C an..3	N	
7064	Type of packages	C an..35	N	
7233	Packaging related description code	C an..3	N	
C213	Number and type of packages	C	N	
7224	Package quantity	C n..8	N	
7065	Package type description code	C an..17	N	
1131	Code list identification code	C an..17	N	
3055	Code list responsible agency code	C an..3	N	
7064	Type of packages	C an..35	N	
7233	Packaging related description code	C an..3	N	
C213	Number and type of packages	C	N	

No = Consecutive segment number
 MaxOcc = Maximum occurrence of the segment/group
 Counter = Counter of segment/group within the standard

DSV public
 Status
 EDIFACT: M=Mandatory, C=Conditional
 User specific: R=Required, O=Optional, D=Dependent,
 A=Advised, N=Not used



Standard			Implementation	
Tag	Name	St Format	St Format	Usage / Remark
7224	Package quantity	C n..8	N	
7065	Package type description code	C an..17	N	
1131	Code list identification code	C an..17	N	
3055	Code list responsible agency code	C an..3	N	
7064	Type of packages	C an..35	N	
7233	Packaging related description code	C an..3	N	

Segment Remarks:

Example:

GID+1+9:CLL'

No = Consecutive segment number
MaxOcc = Maximum occurrence of the segment/group
Counter = Counter of segment/group within the standard

DSV public
Status
EDIFACT: M=Mandatory, C=Conditional
User specific: R=Required, O=Optional, D=Dependent,
A=Advised, N=Not used

Counter	No	Tag	St	MaxOcc	Level	Name
1000		SG24	C	99	4	MEA
1010	54	MEA	M	1	4	Measurements

Standard			Implementation	
Tag	Name	St Format	St Format	Usage / Remark
MEA				
6311	Measurement purpose code qualifier	M an..3	M an..3	List of valid codes WT Weights VOL Volume LMT Loading meters
C502	Measurement details	C	C	
6313	Measured attribute code	C an..3	C an..3	List of valid codes AAB Goods item gross weight
6321	Measurement significance code	C an..3	N	
6155	Non-discrete measurement name code	C an..17	N	
6154	Non-discrete measurement name	C an..70	N	
C174	Value/range	C	R	
6411	Measurement unit code	M an..8	M an..8	List of valid codes KGM kilogram MTQ cubic metre MTR metre
6314	Measure	C an..18	C an..18	
6162	Range minimum quantity	C n..18	N	
6152	Range maximum quantity	C n..18	N	
6432	Significant digits quantity	C n..2	N	
7383	Surface or layer code	C an..3	N	

Segment Remarks:**Example:**

MEA+WT+AAB+KGM:100'

No = Consecutive segment number
MaxOcc = Maximum occurrence of the segment/group
Counter = Counter of segment/group within the standard

DSV public
Status
EDIFACT: M=Mandatory, C=Conditional
User specific: R=Required, O=Optional, D=Dependent,
A=Advised, N=Not used

Counter	No	Tag	St	MaxOcc	Level	Name
1030		SG25	C	99	4	DIM
1040	55	DIM	M	1	4	DIMENSIONS

Standard			Implementation	
Tag	Name	St Format	St Format	Usage / Remark
DIM				
6145	Dimension type code qualifier	M an..3	M an..3	List of valid codes 1 Gross dimensions
C211	Dimensions	M	M	
6411	Measurement unit code	M an..8	M an..8	General Notes Qualifier "CMT" or "MTR" can be used. List of valid codes MTR metre CMT centimetre
6168	Length measure	C n..15	C n..15	
6140	Width measure	C n..15	C n..15	
6008	Height measure	C n..15	C n..15	

Segment Remarks:**Example:**

DIM+1+MTR:1:2:3'

No = Consecutive segment number
 MaxOcc = Maximum occurrence of the segment/group
 Counter = Counter of segment/group within the standard

DSV public
 Status
 EDIFACT: M=Mandatory, C=Conditional
 User specific: R=Required, O=Optional, D=Dependent,
 A=Advised, N=Not used



Counter	No	Tag	St	MaxOcc	Level	Name
1060		SG26	C	99	4	PCI-GIN
		General Notes Message examples: PCI+17'				
1070	56	PCI	M	1	4	PACKAGE IDENTIFICATION

Standard			Implementation	
Tag	Name	St Format	St Format	Usage / Remark
PCI				
4233	Marking instructions code	C an..3	C an..3	List of valid codes 17 Seller's instructions
C210	Marks & labels	C	N	
7102	Shipping marks description	M an..35	N	
7102	Shipping marks description	C an..35	N	
7102	Shipping marks description	C an..35	N	
7102	Shipping marks description	C an..35	N	
7102	Shipping marks description	C an..35	N	
7102	Shipping marks description	C an..35	N	
7102	Shipping marks description	C an..35	N	
7102	Shipping marks description	C an..35	N	
7102	Shipping marks description	C an..35	N	
8169	Full or empty indicator code	C an..3	N	
C827	Type of marking	C	N	
7511	Marking type code	M an..3	N	
1131	Code list identification code	C an..17	N	
3055	Code list responsible agency code	C an..3	N	

Segment Remarks:**Example:**

PCI+17'

No = Consecutive segment number
 MaxOcc = Maximum occurrence of the segment/group
 Counter = Counter of segment/group within the standard

DSV public

EDIFACT: M=Mandatory, C=Conditional
 User specific: R=Required, O=Optional, D=Dependent,
 A=Advised, N=Not used

Counter	No	Tag	St	MaxOcc	Level	Name
1060		SG26	C	99	4	PCI-GIN
		General Notes Message examples: PCI+17'				
1080	57	GIN	C	9999	5	Goods identity number

Standard			Implementation	
Tag	Name	St Format	St Format	Usage / Remark
GIN				
7405	Object identification code qualifier	M an..3	M an..3	General Notes Qualifier BN used in connection to PCI+17. List of valid codes BN Serial number
C208	Identity number range	M	M	
7402	Object identifier	M an..35	M an..35	
7402	Object identifier	C an..35	C an..35	
C208	Identity number range	C	C	
7402	Object identifier	M an..35	M an..35	
7402	Object identifier	C an..35	C an..35	
C208	Identity number range	C	C	
7402	Object identifier	M an..35	M an..35	
7402	Object identifier	C an..35	C an..35	
C208	Identity number range	C	C	
7402	Object identifier	M an..35	M an..35	
7402	Object identifier	C an..35	C an..35	
C208	Identity number range	C	C	
7402	Object identifier	M an..35	M an..35	
7402	Object identifier	C an..35	C an..35	

Segment Remarks:**General Notes**

Message example:
 GIN+BN+123456789'

Example:

GIN+BN+3298415480:35710532112+21141281:21158364+21158384:21158344+21158324:21158304+21158384:21158314'

No = Consecutive segment number
 MaxOcc = Maximum occurrence of the segment/group
 Counter = Counter of segment/group within the standard

DSV public
 Status
 EDIFACT: M=Mandatory, C=Conditional
 User specific: R=Required, O=Optional, D=Dependent,
 A=Advised, N=Not used

Counter	No	Tag	St	MaxOcc	Level	Name
1060		SG26	C	99	4	PCI-GIN
1070	58	PCI	M	1	4	PACKAGE IDENTIFICATION

Standard			Implementation	
Tag	Name	St Format	St Format	Usage / Remark
PCI				
4233	Marking instructions code	C an..3	C an..3	List of valid codes 18 Carrier's instructions
C210	Marks & labels	C	N	
7102	Shipping marks description	M an..35	N	
7102	Shipping marks description	C an..35	N	
7102	Shipping marks description	C an..35	N	
7102	Shipping marks description	C an..35	N	
7102	Shipping marks description	C an..35	N	
7102	Shipping marks description	C an..35	N	
7102	Shipping marks description	C an..35	N	
7102	Shipping marks description	C an..35	N	
7102	Shipping marks description	C an..35	N	
7102	Shipping marks description	C an..35	N	
8169	Full or empty indicator code	C an..3	N	
C827	Type of marking	C	N	
7511	Marking type code	M an..3	N	
1131	Code list identification code	C an..17	N	
3055	Code list responsible agency code	C an..3	N	

Segment Remarks:**General Notes**

Message examples:

PCI+18'

Example:

PCI+18'

No = Consecutive segment number
 MaxOcc = Maximum occurrence of the segment/group
 Counter = Counter of segment/group within the standard

DSV public
 Status
 EDIFACT: M=Mandatory, C=Conditional
 User specific: R=Required, O=Optional, D=Dependent,
 A=Advised, N=Not used

Counter	No	Tag	St	MaxOcc	Level	Name
1060		SG26	C	99	4	PCI-GIN
1080	59	GIN	C	9999	5	Goods identity number

Standard			Implementation	
Tag	Name	St Format	St Format	Usage / Remark
GIN				
7405	Object identification code qualifier	M an..3	M an..3	General Notes Qualifier AW used in connection with PCI+18. SSCC are expected to NOT include the qualifier 00. List of valid codes AW Serial shipping container code
C208	Identity number range	M	M	
7402	Object identifier	M an..35	M an..35	
7402	Object identifier	C an..35	C an..35	
C208	Identity number range	C	C	
7402	Object identifier	M an..35	M an..35	
7402	Object identifier	C an..35	C an..35	
C208	Identity number range	C	C	
7402	Object identifier	M an..35	M an..35	
7402	Object identifier	C an..35	C an..35	
C208	Identity number range	C	C	
7402	Object identifier	M an..35	M an..35	
7402	Object identifier	C an..35	C an..35	
C208	Identity number range	C	C	
7402	Object identifier	M an..35	M an..35	
7402	Object identifier	C an..35	C an..35	

Segment Remarks:**General Notes**

Message example:

GIN+AW+373999991234567899'

Example:

GIN+AW+357065933298415480:357105321121122136+357105321121141281:357105321121158364+357105321121158384:357105321121158344+357105321121158324:357105321121158304+357105321121158384:357105321121158314'

No = Consecutive segment number
 MaxOcc = Maximum occurrence of the segment/group
 Counter = Counter of segment/group within the standard

DSV public
 Status
 EDIFACT: M=Mandatory, C=Conditional
 User specific: R=Required, O=Optional, D=Dependent,
 A=Advised, N=Not used

Counter	No	Tag	St	MaxOcc	Level	Name
---------	----	-----	----	--------	-------	------

0500 **SG13** C 99999 1 **CNI-SG14**

Air Notes

Not used

Sea Notes

Not used

General Notes

CNI group to be used for status on Colli (SSCC barcode) item level.

0510 60 **CNI** M 1 1 **Consignment information**

Standard			Implementation	
Tag	Name	St Format	St Format	Usage / Remark
CNI				
1490	Consolidation item number	C n..5	C n..5	List of valid codes 0 CNI+0 for Goods item level
C503	Document/message details	C	C	
1004	Document identifier	C an..70	C an..70	General Notes The SSCC barcode for which this is a status message.
1373	Document status code	C an..3	N	
1366	Document source description	C an..70	N	
3453	Language name code	C an..3	N	
1056	Version identifier	C an..9	N	
1060	Revision identifier	C an..6	N	
1312	Consignment load sequence identifier	C n..4	N	

Segment Remarks:**General Notes**

SG13/CNI/1490 always has the value 0 for Status on Goods item (SSCC barcode) level

Example:

CNI+0+00370716487163671311'

No = Consecutive segment number
MaxOcc = Maximum occurrence of the segment/group
Counter = Counter of segment/group within the standard

DSV public

St = Status
EDIFACT: M=Mandatory, C=Conditional
User specific: R=Required, O=Optional, D=Dependent,
A=Advised, N=Not used



Counter	No	Tag	St	MaxOcc	Level	Name
0540		SG14	M	99	2	STS-RFF-DTM-FTX-SG15-LOC-SG17-SG23
0550	61	STS	M	1	2	Status

Standard			Implementation	
Tag	Name	St Format	St Format	Usage / Remark
STS				
C601	Status category	C	C	
9015	Status category code	M an..3	M an..3	List of valid codes ZGI Goods item level
1131	Code list identification code	C an..17	N	
3055	Code list responsible agency code	C an..3	N	
C555	Status	C	C	
4405	Status description code	M an..3	M an..3	List of valid codes 1 To be done 13 3 days available 14 Uncollected funds 21 Temporary 24 Deducted 25 Included 27 Subject to bilaterally agreed condition 29 Debit 48 Live version 54 Impacted tooth 55 Extracted 56 Estimated 90 Disputed 113 Incomplete data 127 Measured 152 Fumigation operations 151 Sanitary operations 153 Disinfestation operations 154 Deratization operations 155 Degasation operations 156 Crew recruitment operation 157 Training operations 158 Salvage operations 349 Handed over
1131	Code list identification code	C an..17	N	
3055	Code list responsible agency code	C an..3	N	
4404	Status description	C an..35	N	
C556	Status reason	C	C	
9013	Status reason description code	M an..3	M an..3	Air Notes Not used Sea Notes

No = Consecutive segment number
 MaxOcc = Maximum occurrence of the segment/group
 Counter = Counter of segment/group within the standard

DSV public
 Status
 EDIFACT: M=Mandatory, C=Conditional
 User specific: R=Required, O=Optional, D=Dependent,
 A=Advised, N=Not used

Standard			Implementation	
Tag	Name	St Format	St Format	Usage / Remark
				Not used
				General Notes Status Reason codes mainly used for Road business.
				List of valid codes
				5 Appointment scheduled 6 Attempt unsuccessful 7 Business closed 8 Changed schedule 12 Customer arrangements 14 Damaged 19 Discrepancy 17 Departure delay 20 Dock strike 30 Incorrect address 34 Means of transport damaged 35 Mechanical breakdown 37 Missing and/or incorrect documents 38 New delivery arrangements 41 Not loaded 43 Package not ready 44 Package tracking number unknown 45 Partly missing 47 Payment refused 49 Refused without reason given 57 Tracking information unavailable 60 Unacceptable condition 62 Unknown 63 Weather conditions 66 Stolen 69 Undefined incident attributed to carrier 80 Entry point assessment of Data Maintenance Request (DMR) latest comment 82 International assessment group reporting on Data Maintenance Request (DMR) 87 Error 107 Article identification not found in computer system 108 Goods not barcoded 0 Z (In conformity - DSV defined code) 109 NH (Nobody at home - DSV defined code) 112 43 (In warehouse:wait customer - DSV defined code) 114 44 (Delivered with claim - DSV defined code) 115 45 (Difference against information - DSV defined code) 117 M (Missing package - DSV defined code) 120 TD (Unknown - DSV defined code) 126 46 (Customer clearance in progress - DSV defined code) 201 Z1 (Without signature - DSV defined code) 202 Z2 (Handled without scanning item - DSV defined code) 203 CQ (Queue at customers - DSV defined code) 204 AN (Authorized Site-Id not scanned - DSV

No = Consecutive segment number
MaxOcc = Maximum occurrence of the segment/group
Counter = Counter of segment/group within the standard

DSV public
Status
EDIFACT: M=Mandatory, C=Conditional
User specific: R=Required, O=Optional, D=Dependent,
A=Advised, N=Not used

Standard			Implementation	
Tag	Name	St Format	St Format	Usage / Remark
				defined code)
			205	Z3 (In Conformity - Consolidate Transport Item - DSV defined code)
			209	47 (Delivery scheduled - DSV defined code)
			213	48 (Address not complete - DSV defined code)
			218	DP (Damaged packaging - DSV defined code)
			219	24 (Fixed delivery date - DSV defined code)
			234	WA (Wrong address - DSV defined code)
			241	49 (Missing document - DSV defined code)
			242	NY (Notified to customer - DSV defined code)
			251	RC (Refused . Cash on delivery - DSV defined code)
			253	R (Refused . no reason - DSV defined code)
			265	RD (Not delivered . return to depo - DSV defined code)
			269	NH (Nobody at home - DSV defined code)
			284	RP (Refused . no part orders - DSV defined code)
			286	RR (Refused . spoiled state - DSV defined code)
			288	MP (Missing papers - DSV defined code)
			291	50 (Refused . spoiled state - DSV defined code)
			292	RK (Refused . no payment COD - DSV defined code)
			309	51 (Package open - DSV defined code)
			310	Z (In Conformity - DSV defined code)
			311	52 (Claim open - DSV defined code)
			330	53 (Partial missing - DSV defined code)
			331	54 (Destroyed - DSV defined code)
			338	55 (Company closed - DSV defined code)
			341	Z1 (Delivered without signature - DSV defined code)
			771	UR (Undefined reason - DSV defined code)
			772	NY (Notified to customer - DSV defined code)
			773	DP (Damaged packaging - DSV defined code)
			3117	M (Missing package - DSV defined code)
			3157	X (In transit . external - DSV defined code)
			5618	RS (Refused . missing package - DSV defined code)
			20241	MP (Missing papers - DSV defined code)
			56117	RM (Refused . missing package - DSV defined code)
			91001	M (Missing package - DSV defined code)
			91002	DY (Dirty - DSV defined code)
			91004	NZ (Not in conformity - DSV defined code)
			91005	NB (NFL booking not complete - DSV defined code)
			91006	NZ (Not in conformity - DSV defined code)
			91007	NZ (Not in conformity - DSV defined code)
			91008	NZ (Not in conformity - DSV defined code)
			91009	WA (Wrong address - DSV defined code)
			91010	NZ (Not in conformity - DSV defined code)
			91011	R (Refused . no reason - DSV defined code)
			91012	WA (Wrong address - DSV defined code)
			91013	NZ (Not in conformity - DSV defined code)
			91014	SX (Scanning cancelled - DSV defined code)
			91015	D (Damaged - DSV defined code)
			CFM	Z (In Conformity - DSV defined code)

No = Consecutive segment number
 MaxOcc = Maximum occurrence of the segment/group
 Counter = Counter of segment/group within the standard

DSV public
 Status
 EDIFACT: M=Mandatory, C=Conditional
 User specific: R=Required, O=Optional, D=Dependent,
 A=Advised, N=Not used

Standard			Implementation	
Tag	Name	St Format	St Format	Usage / Remark
				DIL BA (Booking accepted - DSV defined code) others NZ (Not in conformity - DSV defined code) PRE NY (Notified to customer - DSV defined code) Z1 Delivered without signature (DSV defined code) Z2 Handled by driver without scanner (DSV defined code) Z3 Queue at customer/Congestion (DSV defined code) Z4 Authorized site - ID not scanned (DSV defined code) Z5 Photo taken (DSV defined code) Z14 Damaged packaging (DSV defined code) ZTJ Traffic Jam (DSV defined code)
1131	Code list identification code	C an..17	N	
3055	Code list responsible agency code	C an..3	N	
9012	Status reason description	C an..256	N	
C556	Status reason	C	C	
9013	Status reason description code	M an..3	M an..3	Air Notes Not used Sea Notes Not used General Notes Status Reason codes mainly used for Road business. List of valid codes 5 Appointment scheduled 6 Attempt unsuccessful 7 Business closed 8 Changed schedule 12 Customer arrangements 14 Damaged 19 Discrepancy 17 Departure delay 20 Dock strike 30 Incorrect address 34 Means of transport damaged 35 Mechanical breakdown 37 Missing and/or incorrect documents 38 New delivery arrangements 41 Not loaded 43 Package not ready 44 Package tracking number unknown 45 Partly missing 47 Payment refused 49 Refused without reason given 57 Tracking information unavailable 60 Unacceptable condition 62 Unknown 63 Weather conditions 66 Stolen 69 Undefined incident attributed to carrier 80 Entry point assessment of Data Maintenance Request (DMR) latest comment

No = Consecutive segment number
MaxOcc = Maximum occurrence of the segment/group
Counter = Counter of segment/group within the standard

DSV public
Status
EDIFACT: M=Mandatory, C=Conditional
User specific: R=Required, O=Optional, D=Dependent,
A=Advised, N=Not used

Standard			Implementation	
Tag	Name	St Format	St Format	Usage / Remark
				82 International assessment group reporting on Data Maintenance Request (DMR) 87 Error 107 Article identification not found in computer system 108 Goods not barcoded 0 Z (In conformity - DSV defined code) 109 NH (Nobody at home - DSV defined code) 112 43 (In warehouse:wait customer - DSV defined code) 114 44 (Delivered with claim - DSV defined code) 115 45 (Difference against information - DSV defined code) 117 M (Missing package - DSV defined code) 120 TD (Unknown - DSV defined code) 126 46 (Customer clearance in progress - DSV defined code) 201 Z1 (Without signature - DSV defined code) 202 Z2 (Handled without scanning item - DSV defined code) 203 CQ (Queue at customers - DSV defined code) 204 AN (Authorized Site-Id not scanned - DSV defined code) 205 Z3 (In Conformity - Consolidate Transport Item - DSV defined code) 209 47 (Delivery scheduled - DSV defined code) 213 48 (Address not complete - DSV defined code) 218 DP (Damaged packaging - DSV defined code) 219 24 (Fixed delivery date - DSV defined code) 234 WA (Wrong address - DSV defined code) 241 49 (Missing document - DSV defined code) 242 NY (Notified to customer - DSV defined code) 251 RC (Refused . Cash on delivery - DSV defined code) 253 R (Refused . no reason - DSV defined code) 265 RD (Not delivered . return to depo - DSV defined code) 269 NH (Nobody at home - DSV defined code) 284 RP (Refused . no part orders - DSV defined code) 286 RR (Refused . spoiled state - DSV defined code) 288 MP (Missing papers - DSV defined code) 291 50 (Refused . spoiled state - DSV defined code) 292 RK (Refused . no payment COD - DSV defined code) 309 51 (Package open - DSV defined code) 310 Z (In Conformity - DSV defined code) 311 52 (Claim open - DSV defined code) 330 53 (Partial missing - DSV defined code) 331 54 (Destroyed - DSV defined code) 338 55 (Company closed - DSV defined code) 341 Z1 (Delivered without signature - DSV defined code) 771 UR (Undefined reason - DSV defined code) 772 NY (Notified to customer - DSV defined code) 773 DP (Damaged packaging - DSV defined code) 3117 M (Missing package - DSV defined code)

No = Consecutive segment number
MaxOcc = Maximum occurrence of the segment/group
Counter = Counter of segment/group within the standard

DSV public
Status
EDIFACT: M=Mandatory, C=Conditional
User specific: R=Required, O=Optional, D=Dependent,
A=Advised, N=Not used

Standard			Implementation	
Tag	Name	St Format	St Format	Usage / Remark
				3157 X (In transit . external - DSV defined code) 5618 RS (Refused . missing package - DSV defined code) 20241 MP (Missing papers - DSV defined code) 56117 RM (Refused . missing package - DSV defined code) 91001 M (Missing package - DSV defined code) 91002 DY (Dirty - DSV defined code) 91004 NZ (Not in conformity - DSV defined code) 91005 NB (NFL booking not complete - DSV defined code) 91006 NZ (Not in conformity - DSV defined code) 91007 NZ (Not in conformity - DSV defined code) 91008 NZ (Not in conformity - DSV defined code) 91009 WA (Wrong address - DSV defined code) 91010 NZ (Not in conformity - DSV defined code) 91011 R (Refused . no reason - DSV defined code) 91012 WA (Wrong address - DSV defined code) 91013 NZ (Not in conformity - DSV defined code) 91014 SX (Scanning cancelled - DSV defined code) 91015 D (Damaged - DSV defined code) CFM Z (In Conformity - DSV defined code) DIL BA (Booking accepted - DSV defined code) others NZ (Not in conformity - DSV defined code) PRE NY (Notified to customer - DSV defined code) Z1 Delivered without signature (DSV defined code) Z2 Handled by driver without scanner (DSV defined code) Z3 Queue at customer/Congestion (DSV defined code) Z4 Authorized site - ID not scanned (DSV defined code) Z5 Photo taken (DSV defined code) Z14 Damaged packaging (DSV defined code) ZTJ Traffic Jam (DSV defined code)
1131	Code list identification code	C an..17	N	
3055	Code list responsible agency code	C an..3	N	
9012	Status reason description	C an..256	N	
C556	Status reason	C	C	
9013	Status reason description code	M an..3	M an..3	Air Notes Not used Sea Notes Not used General Notes Status Reason codes mainly used for Road business. List of valid codes 5 Appointment scheduled 6 Attempt unsuccessful 7 Business closed 8 Changed schedule 12 Customer arrangements 14 Damaged

No = Consecutive segment number
MaxOcc = Maximum occurrence of the segment/group
Counter = Counter of segment/group within the standard

DSV public
Status
EDIFACT: M=Mandatory, C=Conditional
User specific: R=Required, O=Optional, D=Dependent,
A=Advised, N=Not used



Standard			Implementation	
Tag	Name	St Format	St Format	Usage / Remark
				19 Discrepancy 17 Departure delay 20 Dock strike 30 Incorrect address 34 Means of transport damaged 35 Mechanical breakdown 37 Missing and/or incorrect documents 38 New delivery arrangements 41 Not loaded 43 Package not ready 44 Package tracking number unknown 45 Partly missing 47 Payment refused 49 Refused without reason given 57 Tracking information unavailable 60 Unacceptable condition 62 Unknown 63 Weather conditions 66 Stolen 69 Undefined incident attributed to carrier 80 Entry point assessment of Data Maintenance Request (DMR) latest comment 82 International assessment group reporting on Data Maintenance Request (DMR) 87 Error 107 Article identification not found in computer system 108 Goods not barcoded 0 Z (In conformity - DSV defined code) 109 NH (Nobody at home - DSV defined code) 112 43 (In warehouse:wait customer - DSV defined code) 114 44 (Delivered with claim - DSV defined code) 115 45 (Difference against information - DSV defined code) 117 M (Missing package - DSV defined code) 120 TD (Unknown - DSV defined code) 126 46 (Customer clearance in progress - DSV defined code) 201 Z1 (Without signature - DSV defined code) 202 Z2 (Handled without scanning item - DSV defined code) 203 CQ (Queue at customers - DSV defined code) 204 AN (Authorized Site-Id not scanned - DSV defined code) 205 Z3 (In Conformity - Consolidate Transport Item - DSV defined code) 209 47 (Delivery scheduled - DSV defined code) 213 48 (Address not complete - DSV defined code) 218 DP (Damaged packaging - DSV defined code) 219 24 (Fixed delivery date - DSV defined code) 234 WA (Wrong address - DSV defined code) 241 49 (Missing document - DSV defined code) 242 NY (Notified to customer - DSV defined code) 251 RC (Refused . Cash on delivery - DSV defined code) 253 R (Refused . no reason - DSV defined code)

No = Consecutive segment number
MaxOcc = Maximum occurrence of the segment/group
Counter = Counter of segment/group within the standard

DSV public
Status
EDIFACT: M=Mandatory, C=Conditional
User specific: R=Required, O=Optional, D=Dependent,
A=Advised, N=Not used



Standard			Implementation	
Tag	Name	St Format	St Format	Usage / Remark
				265 RD (Not delivered . return to depo - DSV defined code) 269 NH (Nobody at home - DSV defined code) 284 RP (Refused . no part orders - DSV defined code) 286 RR (Refused . spoiled state - DSV defined code) 288 MP (Missing papers - DSV defined code) 291 50 (Refused . spoiled state - DSV defined code) 292 RK (Refused . no payment COD - DSV defined code) 309 51 (Package open - DSV defined code) 310 Z (In Conformity - DSV defined code) 311 52 (Claim open - DSV defined code) 330 53 (Partial missing - DSV defined code) 331 54 (Destroyed - DSV defined code) 338 55 (Company closed - DSV defined code) 341 Z1 (Delivered without signature - DSV defined code) 771 UR (Undefined reason - DSV defined code) 772 NY (Notified to customer - DSV defined code) 773 DP (Damaged packaging - DSV defined code) 3117 M (Missing package - DSV defined code) 3157 X (In transit . external - DSV defined code) 5618 RS (Refused . missing package - DSV defined code) 20241 MP (Missing papers - DSV defined code) 56117 RM (Refused . missing package - DSV defined code) 91001 M (Missing package - DSV defined code) 91002 DY (Dirty - DSV defined code) 91004 NZ (Not in conformity - DSV defined code) 91005 NB (NFL booking not complete - DSV defined code) 91006 NZ (Not in conformity - DSV defined code) 91007 NZ (Not in conformity - DSV defined code) 91008 NZ (Not in conformity - DSV defined code) 91009 WA (Wrong address - DSV defined code) 91010 NZ (Not in conformity - DSV defined code) 91011 R (Refused . no reason - DSV defined code) 91012 WA (Wrong address - DSV defined code) 91013 NZ (Not in conformity - DSV defined code) 91014 SX (Scanning cancelled - DSV defined code) 91015 D (Damaged - DSV defined code) CFM Z (In Conformity - DSV defined code) DIL BA (Booking accepted - DSV defined code) others NZ (Not in conformity - DSV defined code) PRE NY (Notified to customer - DSV defined code) Z1 Delivered without signature (DSV defined code) Z2 Handled by driver without scanner (DSV defined code) Z3 Queue at customer/Congestion (DSV defined code) Z4 Authorized site - ID not scanned (DSV defined code) Z5 Photo taken (DSV defined code) Z14 Damaged packaging (DSV defined code)

No = Consecutive segment number
MaxOcc = Maximum occurrence of the segment/group
Counter = Counter of segment/group within the standard

DSV public
Status
EDIFACT: M=Mandatory, C=Conditional
User specific: R=Required, O=Optional, D=Dependent,
A=Advised, N=Not used

Standard			Implementation	
Tag	Name	St Format	St Format	Usage / Remark
				ZTJ Traffic Jam (DSV defined code)
1131	Code list identification code	C an..17	N	
3055	Code list responsible agency code	C an..3	N	
9012	Status reason description	C an..256	N	
C556	Status reason	C	C	
9013	Status reason description code	M an..3	M an..3	Air Notes Not used Sea Notes Not used General Notes Status Reason codes mainly used for Road business. List of valid codes 5 Appointment scheduled 6 Attempt unsuccessful 7 Business closed 8 Changed schedule 12 Customer arrangements 14 Damaged 19 Discrepancy 17 Departure delay 20 Dock strike 30 Incorrect address 34 Means of transport damaged 35 Mechanical breakdown 37 Missing and/or incorrect documents 38 New delivery arrangements 41 Not loaded 43 Package not ready 44 Package tracking number unknown 45 Partly missing 47 Payment refused 49 Refused without reason given 57 Tracking information unavailable 60 Unacceptable condition 62 Unknown 63 Weather conditions 66 Stolen 69 Undefined incident attributed to carrier 80 Entry point assessment of Data Maintenance Request (DMR) latest comment 82 International assessment group reporting on Data Maintenance Request (DMR) 87 Error 107 Article identification not found in computer system 108 Goods not barcoded 0 Z (In conformity - DSV defined code) 109 NH (Nobody at home - DSV defined code) 112 43 (In warehouse:wait customer - DSV defined code) 114 44 (Delivered with claim - DSV defined code) 115 45 (Difference against information - DSV defined

No = Consecutive segment number
MaxOcc = Maximum occurrence of the segment/group
Counter = Counter of segment/group within the standard

DSV public
Status
EDIFACT: M=Mandatory, C=Conditional
User specific: R=Required, O=Optional, D=Dependent,
A=Advised, N=Not used

Standard			Implementation	
Tag	Name	St Format	St Format	Usage / Remark
				code)
			117	M (Missing package - DSV defined code)
			120	TD (Unknown - DSV defined code)
			126	46 (Customer clearance in progress - DSV defined code)
			201	Z1 (Without signature - DSV defined code)
			202	Z2 (Handled without scanning item - DSV defined code)
			203	CQ (Queue at customers - DSV defined code)
			204	AN (Authorized Site-Id not scanned - DSV defined code)
			205	Z3 (In Conformity - Consolidate Transport Item - DSV defined code)
			209	47 (Delivery scheduled - DSV defined code)
			213	48 (Address not complete - DSV defined code)
			218	DP (Damaged packaging - DSV defined code)
			219	24 (Fixed delivery date - DSV defined code)
			234	WA (Wrong address - DSV defined code)
			241	49 (Missing document - DSV defined code)
			242	NY (Notified to customer - DSV defined code)
			251	RC (Refused . Cash on delivery - DSV defined code)
			253	R (Refused . no reason - DSV defined code)
			265	RD (Not delivered . return to depo - DSV defined code)
			269	NH (Nobody at home - DSV defined code)
			284	RP (Refused . no part orders - DSV defined code)
			286	RR (Refused . spoiled state - DSV defined code)
			288	MP (Missing papers - DSV defined code)
			291	50 (Refused . spoiled state - DSV defined code)
			292	RK (Refused . no payment COD - DSV defined code)
			309	51 (Package open - DSV defined code)
			310	Z (In Conformity - DSV defined code)
			311	52 (Claim open - DSV defined code)
			330	53 (Partial missing - DSV defined code)
			331	54 (Destroyed - DSV defined code)
			338	55 (Company closed - DSV defined code)
			341	Z1 (Delivered without signature - DSV defined code)
			771	UR (Undefined reason - DSV defined code)
			772	NY (Notified to customer - DSV defined code)
			773	DP (Damaged packaging - DSV defined code)
			3117	M (Missing package - DSV defined code)
			3157	X (In transit . external - DSV defined code)
			5618	RS (Refused . missing package - DSV defined code)
			20241	MP (Missing papers - DSV defined code)
			56117	RM (Refused . missing package - DSV defined code)
			91001	M (Missing package - DSV defined code)
			91002	DY (Dirty - DSV defined code)
			91004	NZ (Not in conformity - DSV defined code)
			91005	NB (NFL booking not complete - DSV defined code)
			91006	NZ (Not in conformity - DSV defined code)

No = Consecutive segment number
 MaxOcc = Maximum occurrence of the segment/group
 Counter = Counter of segment/group within the standard

DSV public
 Status
 EDIFACT: M=Mandatory, C=Conditional
 User specific: R=Required, O=Optional, D=Dependent,
 A=Advised, N=Not used

Standard			Implementation	
Tag	Name	St Format	St Format	Usage / Remark
				91007 NZ (Not in conformity - DSV defined code) 91008 NZ (Not in conformity - DSV defined code) 91009 WA (Wrong address - DSV defined code) 91010 NZ (Not in conformity - DSV defined code) 91011 R (Refused . no reason - DSV defined code) 91012 WA (Wrong address - DSV defined code) 91013 NZ (Not in conformity - DSV defined code) 91014 SX (Scanning cancelled - DSV defined code) 91015 D (Damaged - DSV defined code) CFM Z (In Conformity - DSV defined code) DIL BA (Booking accepted - DSV defined code) others NZ (Not in conformity - DSV defined code) PRE NY (Notified to customer - DSV defined code) Z1 Delivered without signature (DSV defined code) Z2 Handled by driver without scanner (DSV defined code) Z3 Queue at customer/Congestion (DSV defined code) Z4 Authorized site - ID not scanned (DSV defined code) Z5 Photo taken (DSV defined code) Z14 Damaged packaging (DSV defined code) ZTJ Traffic Jam (DSV defined code)
1131	Code list identification code	C an..17	N	
3055	Code list responsible agency code	C an..3	N	
9012	Status reason description	C an..256	N	
C556	Status reason	C	C	
9013	Status reason description code	M an..3	M an..3	Air Notes Not used Sea Notes Not used General Notes Status Reason codes mainly used for Road business. List of valid codes 5 Appointment scheduled 6 Attempt unsuccessful 7 Business closed 8 Changed schedule 12 Customer arrangements 14 Damaged 19 Discrepancy 17 Departure delay 20 Dock strike 30 Incorrect address 34 Means of transport damaged 35 Mechanical breakdown 37 Missing and/or incorrect documents 38 New delivery arrangements 41 Not loaded 43 Package not ready 44 Package tracking number unknown 45 Partly missing

No = Consecutive segment number
MaxOcc = Maximum occurrence of the segment/group
Counter = Counter of segment/group within the standard

DSV public
Status
EDIFACT: M=Mandatory, C=Conditional
User specific: R=Required, O=Optional, D=Dependent,
A=Advised, N=Not used



Standard			Implementation	
Tag	Name	St Format	St Format	Usage / Remark
				47 Payment refused 49 Refused without reason given 57 Tracking information unavailable 60 Unacceptable condition 62 Unknown 63 Weather conditions 66 Stolen 69 Undefined incident attributed to carrier 80 Entry point assessment of Data Maintenance Request (DMR) latest comment 82 International assessment group reporting on Data Maintenance Request (DMR) 87 Error 107 Article identification not found in computer system 108 Goods not barcoded 0 Z (In conformity - DSV defined code) 109 NH (Nobody at home - DSV defined code) 112 43 (In warehouse:wait customer - DSV defined code) 114 44 (Delivered with claim - DSV defined code) 115 45 (Difference against information - DSV defined code) 117 M (Missing package - DSV defined code) 120 TD (Unknown - DSV defined code) 126 46 (Customer clearance in progress - DSV defined code) 201 Z1 (Without signature - DSV defined code) 202 Z2 (Handled without scanning item - DSV defined code) 203 CQ (Queue at customers - DSV defined code) 204 AN (Authorized Site-Id not scanned - DSV defined code) 205 Z3 (In Conformity - Consolidate Transport Item - DSV defined code) 209 47 (Delivery scheduled - DSV defined code) 213 48 (Address not complete - DSV defined code) 218 DP (Damaged packaging - DSV defined code) 219 24 (Fixed delivery date - DSV defined code) 234 WA (Wrong address - DSV defined code) 241 49 (Missing document - DSV defined code) 242 NY (Notified to customer - DSV defined code) 251 RC (Refused . Cash on delivery - DSV defined code) 253 R (Refused . no reason - DSV defined code) 265 RD (Not delivered . return to depo - DSV defined code) 269 NH (Nobody at home - DSV defined code) 284 RP (Refused . no part orders - DSV defined code) 286 RR (Refused . spoiled state - DSV defined code) 288 MP (Missing papers - DSV defined code) 291 50 (Refused . spoiled state - DSV defined code) 292 RK (Refused . no payment COD - DSV defined code) 309 51 (Package open - DSV defined code) 310 Z (In Conformity - DSV defined code)

No = Consecutive segment number
MaxOcc = Maximum occurrence of the segment/group
Counter = Counter of segment/group within the standard

DSV public
Status
EDIFACT: M=Mandatory, C=Conditional
User specific: R=Required, O=Optional, D=Dependent,
A=Advised, N=Not used



Standard			Implementation	
Tag	Name	St Format	St Format	Usage / Remark
				311 52 (Claim open - DSV defined code) 330 53 (Partial missing - DSV defined code) 331 54 (Destroyed - DSV defined code) 338 55 (Company closed - DSV defined code) 341 Z1 (Delivered without signature - DSV defined code) 771 UR (Undefined reason - DSV defined code) 772 NY (Notified to customer - DSV defined code) 773 DP (Damaged packaging - DSV defined code) 3117 M (Missing package - DSV defined code) 3157 X (In transit . external - DSV defined code) 5618 RS (Refused . missing package - DSV defined code) 20241 MP (Missing papers - DSV defined code) 56117 RM (Refused . missing package - DSV defined code) 91001 M (Missing package - DSV defined code) 91002 DY (Dirty - DSV defined code) 91004 NZ (Not in conformity - DSV defined code) 91005 NB (NFL booking not complete - DSV defined code) 91006 NZ (Not in conformity - DSV defined code) 91007 NZ (Not in conformity - DSV defined code) 91008 NZ (Not in conformity - DSV defined code) 91009 WA (Wrong address - DSV defined code) 91010 NZ (Not in conformity - DSV defined code) 91011 R (Refused . no reason - DSV defined code) 91012 WA (Wrong address - DSV defined code) 91013 NZ (Not in conformity - DSV defined code) 91014 SX (Scanning cancelled - DSV defined code) 91015 D (Damaged - DSV defined code) CFM Z (In Conformity - DSV defined code) DIL BA (Booking accepted - DSV defined code) others NZ (Not in conformity - DSV defined code) PRE NY (Notified to customer - DSV defined code) Z1 Delivered without signature (DSV defined code) Z2 Handled by driver without scanner (DSV defined code) Z3 Queue at customer/Congestion (DSV defined code) Z4 Authorized site - ID not scanned (DSV defined code) Z5 Photo taken (DSV defined code) Z14 Damaged packaging (DSV defined code) ZTJ Traffic Jam (DSV defined code)
1131	Code list identification code	C an..17	N	
3055	Code list responsible agency code	C an..3	N	
9012	Status reason description	C an..256	N	

Segment Remarks:**General Notes**

If the message is on shipment level:

The STS segment can be repeated if there are different status reason codes for the goods items on the shipment. The goods item related to the status code should then be presented in connection with the STS that is relevant. As a result, there should not be one STS segment per goods item when the status is on the shipment level. Instead, the goods items should be grouped together under the reported status code.

No = Consecutive segment number
MaxOcc = Maximum occurrence of the segment/group
Counter = Counter of segment/group within the standard

DSV public
Status
EDIFACT: M=Mandatory, C=Conditional
User specific: R=Required, O=Optional, D=Dependent,
A=Advised, N=Not used



- If the status is on the item/SSCC barcode level:
- There will be one STS segment per item.
 - SG14/STS/C601.9015 must be ZGI.

Example:

STS+ZGI+1+63+19+60+7+6'

No = Consecutive segment number
MaxOcc = Maximum occurrence of the segment/group
Counter = Counter of segment/group within the standard

DSV public
Status
EDIFACT: M=Mandatory, C=Conditional
User specific: R=Required, O=Optional, D=Dependent,
A=Advised, N=Not used



Counter	No	Tag	St	MaxOcc	Level	Name
0540		SG14	M	99	2	STS-RFF-DTM-FTX-SG15-LOC-SG17-SG23
0560	62	RFF	C	999	3	Reference

Standard			Implementation	
Tag	Name	St Format	St Format	Usage / Remark
RFF				
C506	Reference	M	M	
1153	Reference code qualifier	M an..3	M an..3	List of valid codes
				UCN Unique consignment reference number
1154	Reference identifier	C an..70	C an..70	
1156	Document line identifier	C an..6	N	
1056	Version identifier	C an..9	N	
1060	Revision identifier	C an..6	N	

Segment Remarks:

Example:

RFF+UCN:FLNAT-05053'

No = Consecutive segment number
MaxOcc = Maximum occurrence of the segment/group
Counter = Counter of segment/group within the standard

DSV public
Status
EDIFACT: M=Mandatory, C=Conditional
User specific: R=Required, O=Optional, D=Dependent,
A=Advised, N=Not used



Counter	No	Tag	St	MaxOcc	Level	Name
0540		SG14	M	99	2	STS-RFF-DTM-FTX-SG15-LOC-SG17-SG23
0560	63	RFF	C	999	3	Reference

Standard			Implementation	
Tag	Name	St Format	St Format	Usage / Remark
RFF				
C506	Reference	M	M	
1153	Reference code qualifier	M an..3	M an..3	General Notes Shipment Id assigned from IDS Logistic Network in Germany List of valid codes IDS IDS reference number (CargoLink defined code)
1154	Reference identifier	C an..70	C an..70	
1156	Document line identifier	C an..6	N	
1056	Version identifier	C an..9	N	
1060	Revision identifier	C an..6	N	

Segment Remarks:

Example:

RFF+IDS:4908600397719007'

No = Consecutive segment number
MaxOcc = Maximum occurrence of the segment/group
Counter = Counter of segment/group within the standard

DSV public
Status
EDIFACT: M=Mandatory, C=Conditional
User specific: R=Required, O=Optional, D=Dependent,
A=Advised, N=Not used

Counter	No	Tag	St	MaxOcc	Level	Name
0540		SG14	M	99	2	STS-RFF-DTM-FTX-SG15-LOC-SG17-SG23
0560	64	RFF	C	999	3	Reference

Standard			Implementation	
Tag	Name	St Format	St Format	Usage / Remark
RFF				
C506	Reference	M	M	
1153	Reference code qualifier	M an..3	M an..3	Air Notes Not used. Sea Notes Not used. Solutions Notes Not used. General Notes ZZA is used for Quality of scanning towards Road application CargoLink. List of valid codes ZZA For Road application CL: Map ZZA to position 6 in RFF01. (PODS-LOG-QUALITY)
1154	Reference identifier	C an..70	C an..70	Air Notes Not used. Sea Notes Not used. Solutions Notes Not used.
1156	Document line identifier	C an..6	N	
1056	Version identifier	C an..9	N	
1060	Revision identifier	C an..6	N	

Segment Remarks:**Example:**

RFF+ZZA:61'

No = Consecutive segment number
 MaxOcc = Maximum occurrence of the segment/group
 Counter = Counter of segment/group within the standard

DSV public
 Status
 EDIFACT: M=Mandatory, C=Conditional
 User specific: R=Required, O=Optional, D=Dependent,
 A=Advised, N=Not used



Counter	No	Tag	St	MaxOcc	Level	Name
0540		SG14	M	99	2	STS-RFF-DTM-FTX-SG15-LOC-SG17-SG23
0560	65	RFF	C	999	3	Reference

Standard			Implementation	
Tag	Name	St Format	St Format	Usage / Remark
RFF				
C506	Reference	M	M	
1153	Reference code qualifier	M an..3	M an..3	List of valid codes SID Site ID (DSV defined code)
1154	Reference identifier	C an..70	C an..70	
1156	Document line identifier	C an..6	N	
1056	Version identifier	C an..9	N	
1060	Revision identifier	C an..6	N	

Segment Remarks:**Example:**

RFF+SID:6184430'

No = Consecutive segment number
 MaxOcc = Maximum occurrence of the segment/group
 Counter = Counter of segment/group within the standard

DSV public
 Status
 EDIFACT: M=Mandatory, C=Conditional
 User specific: R=Required, O=Optional, D=Dependent,
 A=Advised, N=Not used



Counter	No	Tag	St	MaxOcc	Level	Name
0540		SG14	M	99	2	STS-RFF-DTM-FTX-SG15-LOC-SG17-SG23
0560	66	RFF	C	999	3	Reference

Standard			Implementation	
Tag	Name	St Format	St Format	Usage / Remark
RFF				
C506	Reference	M	M	
1153	Reference code qualifier	M an..3	M an..3	List of valid codes QLS QLS reference number
1154	Reference identifier	C an..70	C an..70	
1156	Document line identifier	C an..6	N	
1056	Version identifier	C an..9	N	
1060	Revision identifier	C an..6	N	

Segment Remarks:

Example:
RFF+QLS:00373323995883365533'

No = Consecutive segment number
MaxOcc = Maximum occurrence of the segment/group
Counter = Counter of segment/group within the standard

DSV public
Status
EDIFACT: M=Mandatory, C=Conditional
User specific: R=Required, O=Optional, D=Dependent,
A=Advised, N=Not used



Counter	No	Tag	St	MaxOcc	Level	Name
0540		SG14	M	99	2	STS-RFF-DTM-FTX-SG15-LOC-SG17-SG23
0560	67	RFF	C	999	3	Reference

Standard			Implementation	
Tag	Name	St Format	St Format	Usage / Remark
RFF				
C506	Reference	M	M	
1153	Reference code qualifier	M an..3	M an..3	List of valid codes FF Consignment identifier, freight forwarder assigned
1154	Reference identifier	C an..70	C an..70	
1156	Document line identifier	C an..6	N	
1056	Version identifier	C an..9	N	
1060	Revision identifier	C an..6	N	

Segment Remarks:

Example:
RFF+FF:FLNAT-05053'

No = Consecutive segment number
MaxOcc = Maximum occurrence of the segment/group
Counter = Counter of segment/group within the standard

DSV public
Status
EDIFACT: M=Mandatory, C=Conditional
User specific: R=Required, O=Optional, D=Dependent,
A=Advised, N=Not used



Counter	No	Tag	St	MaxOcc	Level	Name
0540		SG14	M	99	2	STS-RFF-DTM-FTX-SG15-LOC-SG17-SG23
0560	68	RFF	C	999	3	Reference

Standard			Implementation	
Tag	Name	St Format	St Format	Usage / Remark
RFF				
C506	Reference	M	M	
1153	Reference code qualifier	M an..3	M an..3	List of valid codes AAS Transport contract document identifier
1154	Reference identifier	C an..70	C an..70	
1156	Document line identifier	C an..6	N	
1056	Version identifier	C an..9	N	
1060	Revision identifier	C an..6	N	

Segment Remarks:

Example:

RFF+AAS:7526538793'

No = Consecutive segment number
MaxOcc = Maximum occurrence of the segment/group
Counter = Counter of segment/group within the standard

DSV public
Status
EDIFACT: M=Mandatory, C=Conditional
User specific: R=Required, O=Optional, D=Dependent,
A=Advised, N=Not used



Counter	No	Tag	St	MaxOcc	Level	Name
0540		SG14	M	99	2	STS-RFF-DTM-FTX-SG15-LOC-SG17-SG23
0560	69	RFF	C	999	3	Reference

Standard			Implementation	
Tag	Name	St Format	St Format	Usage / Remark
RFF				
C506	Reference	M	M	
1153	Reference code qualifier	M an..3	M an..3	General Notes AAM is used in Norwegian traffic and contains Norwegian waybill number. List of valid codes AAM Waybill number
1154	Reference identifier	C an..70	C an..70	
1156	Document line identifier	C an..6	N	
1056	Version identifier	C an..9	N	
1060	Revision identifier	C an..6	N	

Segment Remarks:**Example:**

RFF+AAM: 40257065930729554502 '

No = Consecutive segment number
MaxOcc = Maximum occurrence of the segment/group
Counter = Counter of segment/group within the standard

DSV public
Status
EDIFACT: M=Mandatory, C=Conditional
User specific: R=Required, O=Optional, D=Dependent,
A=Advised, N=Not used



Counter	No	Tag	St	MaxOcc	Level	Name
0540		SG14	M	99	2	STS-RFF-DTM-FTX-SG15-LOC-SG17-SG23
0560	70	RFF	C	999	3	Reference

Standard			Implementation	
Tag	Name	St Format	St Format	Usage / Remark
RFF				
C506	Reference	M	M	
1153	Reference code qualifier	M an..3	M an..3	
				List of valid codes
				AAO Consignment identifier, consignee assigned
1154	Reference identifier	C an..70	C an..70	
1156	Document line identifier	C an..6	N	
1056	Version identifier	C an..9	N	
1060	Revision identifier	C an..6	N	

Segment Remarks:**Example:**

RFF+AAO:57065930729554502'

No = Consecutive segment number
 MaxOcc = Maximum occurrence of the segment/group
 Counter = Counter of segment/group within the standard

DSV public
 Status
 EDIFACT: M=Mandatory, C=Conditional
 User specific: R=Required, O=Optional, D=Dependent,
 A=Advised, N=Not used



Counter	No	Tag	St	MaxOcc	Level	Name
0540		SG14	M	99	2	STS-RFF-DTM-FTX-SG15-LOC-SG17-SG23
0560	71	RFF	C	999	3	Reference

Standard			Implementation	
Tag	Name	St Format	St Format	Usage / Remark
RFF				
C506	Reference	M	M	
1153	Reference code qualifier	M an..3	M an..3	
				List of valid codes
				SRN Shipment reference number
1154	Reference identifier	C an..70	C an..70	
1156	Document line identifier	C an..6	N	
1056	Version identifier	C an..9	N	
1060	Revision identifier	C an..6	N	

Segment Remarks:

General Notes

SRN is used for GS1 code reference numbers, 17 characters long.

Example:

RFF+SRN:57065930729554502 '

No = Consecutive segment number
MaxOcc = Maximum occurrence of the segment/group
Counter = Counter of segment/group within the standard

DSV public
Status
EDIFACT: M=Mandatory, C=Conditional
User specific: R=Required, O=Optional, D=Dependent,
A=Advised, N=Not used



Counter	No	Tag	St	MaxOcc	Level	Name
0540		SG14	M	99	2	STS-RFF-DTM-FTX-SG15-LOC-SG17-SG23
0560	72	RFF	C	999	3	Reference

Standard			Implementation	
Tag	Name	St Format	St Format	Usage / Remark
RFF				
C506	Reference	M	M	
1153	Reference code qualifier	M an..3	M an..3	
				List of valid codes
				BH House bill of lading number
1154	Reference identifier	C an..70	C an..70	
1156	Document line identifier	C an..6	N	
1056	Version identifier	C an..9	N	
1060	Revision identifier	C an..6	N	

Segment Remarks:**Example:**

RFF+BH:FLNAT-05053'

No = Consecutive segment number
 MaxOcc = Maximum occurrence of the segment/group
 Counter = Counter of segment/group within the standard

DSV public
 Status
 EDIFACT: M=Mandatory, C=Conditional
 User specific: R=Required, O=Optional, D=Dependent,
 A=Advised, N=Not used



Counter	No	Tag	St	MaxOcc	Level	Name
0540		SG14	M	99	2	STS-RFF-DTM-FTX-SG15-LOC-SG17-SG23
0560	73	RFF	C	999	3	Reference

Standard			Implementation	
Tag	Name	St Format	St Format	Usage / Remark
RFF				
C506	Reference	M	M	
1153	Reference code qualifier	M an..3	M an..3	List of valid codes CU Consignment identifier, consignor assigned
1154	Reference identifier	C an..70	C an..70	
1156	Document line identifier	C an..6	N	
1056	Version identifier	C an..9	N	
1060	Revision identifier	C an..6	N	

Segment Remarks:

Example:

RFF+CU:ORDER123'

No = Consecutive segment number
MaxOcc = Maximum occurrence of the segment/group
Counter = Counter of segment/group within the standard

DSV public
Status
EDIFACT: M=Mandatory, C=Conditional
User specific: R=Required, O=Optional, D=Dependent,
A=Advised, N=Not used



Counter	No	Tag	St	MaxOcc	Level	Name
0540		SG14	M	99	2	STS-RFF-DTM-FTX-SG15-LOC-SG17-SG23
0560	74	RFF	C	999	3	Reference

Standard			Implementation	
Tag	Name	St Format	St Format	Usage / Remark
RFF				
C506	Reference	M	M	
1153	Reference code qualifier	M an..3	M an..3	List of valid codes MB Master bill of lading number
1154	Reference identifier	C an..70	C an..70	
1156	Document line identifier	C an..6	N	
1056	Version identifier	C an..9	N	
1060	Revision identifier	C an..6	N	

Segment Remarks:

Example:

RFF+MB:FLNAT-05053'

No = Consecutive segment number
MaxOcc = Maximum occurrence of the segment/group
Counter = Counter of segment/group within the standard

DSV public
Status
EDIFACT: M=Mandatory, C=Conditional
User specific: R=Required, O=Optional, D=Dependent,
A=Advised, N=Not used



Counter	No	Tag	St	MaxOcc	Level	Name
0540		SG14	M	99	2	STS-RFF-DTM-FTX-SG15-LOC-SG17-SG23
0560	75	RFF	C	999	3	Reference

Standard			Implementation	
Tag	Name	St Format	St Format	Usage / Remark
RFF				
C506	Reference	M	M	
1153	Reference code qualifier	M an..3	M an..3	List of valid codes
				EXT Customer reference number
1154	Reference identifier	C an..70	C an..70	
1156	Document line identifier	C an..6	N	
1056	Version identifier	C an..9	N	
1060	Revision identifier	C an..6	N	

Segment Remarks:

Example:

RFF+EXT:ORDER567'

No = Consecutive segment number
MaxOcc = Maximum occurrence of the segment/group
Counter = Counter of segment/group within the standard

DSV public
Status
EDIFACT: M=Mandatory, C=Conditional
User specific: R=Required, O=Optional, D=Dependent,
A=Advised, N=Not used



Counter	No	Tag	St	MaxOcc	Level	Name
0540		SG14	M	99	2	STS-RFF-DTM-FTX-SG15-LOC-SG17-SG23
0560	76	RFF	C	999	3	Reference

Standard			Implementation	
Tag	Name	St Format	St Format	Usage / Remark
RFF				
C506	Reference	M	M	
1153	Reference code qualifier	M an..3	M an..3	List of valid codes
				XRI XRI Profilename (DSV defined code)
1154	Reference identifier	C an..70	C an..70	
1156	Document line identifier	C an..6	N	
1056	Version identifier	C an..9	N	
1060	Revision identifier	C an..6	N	

Segment Remarks:

Example:

RFF+XRI:CLST'

No = Consecutive segment number
MaxOcc = Maximum occurrence of the segment/group
Counter = Counter of segment/group within the standard

DSV public
Status
EDIFACT: M=Mandatory, C=Conditional
User specific: R=Required, O=Optional, D=Dependent,
A=Advised, N=Not used



Counter	No	Tag	St	MaxOcc	Level	Name
0540		SG14	M	99	2	STS-RFF-DTM-FTX-SG15-LOC-SG17-SG23
0560	77	RFF	C	999	3	Reference

Standard			Implementation	
Tag	Name	St Format	St Format	Usage / Remark
RFF				
C506	Reference	M	M	
1153	Reference code qualifier	M an..3	M an..3	List of valid codes ZZZ Mutually defined reference number
1154	Reference identifier	C an..70	C an..70	
1156	Document line identifier	C an..6	N	
1056	Version identifier	C an..9	N	
1060	Revision identifier	C an..6	N	

Segment Remarks:

Example:

RFF+ZZZ:157065930729'

No = Consecutive segment number
MaxOcc = Maximum occurrence of the segment/group
Counter = Counter of segment/group within the standard

DSV public
Status
EDIFACT: M=Mandatory, C=Conditional
User specific: R=Required, O=Optional, D=Dependent,
A=Advised, N=Not used

Counter	No	Tag	St	MaxOcc	Level	Name
0540		SG14	M	99	2	STS-RFF-DTM-FTX-SG15-LOC-SG17-SG23
0560	78	RFF	C	999	3	Reference

Standard			Implementation	
Tag	Name	St Format	St Format	Usage / Remark
RFF				
C506	Reference	M	M	
1153	Reference code qualifier	M an..3	M an..3	List of valid codes ABT Goods declaration document identifier, Customs
1154	Reference identifier	C an..70	C an..70	
1156	Document line identifier	C an..6	C an..6	General Notes SG14 RFF.C506/1156 should be used when SG14 RFF.C506/1153= "ABT" to identify the type of CustomsEntryNumber. Mainly used for Air&Sea business.
1056	Version identifier	C an..9	N	
1060	Revision identifier	C an..6	N	

Segment Remarks:**General Notes**

SG14 RFF+ABT should be used for CustomsEntryNumber for Air&Sea shipment statuses, in combination with type of CustomsEntryNumber as Identifier in SG14 RFF/C506.1156. Document issue date should be used in SG14 DTM+137. Mainly used for Air&Sea business.

ex:

RFF+ABT:Permittest123:PMT'
 DTM+137:202006241230:203'

Example:

RFF+ABT:123456789:PMT'

No = Consecutive segment number
 MaxOcc = Maximum occurrence of the segment/group
 Counter = Counter of segment/group within the standard

DSV public
 Status
 EDIFACT: M=Mandatory, C=Conditional
 User specific: R=Required, O=Optional, D=Dependent,
 A=Advised, N=Not used



Counter	No	Tag	St	MaxOcc	Level	Name
0540		SG14	M	99	2	STS-RFF-DTM-FTX-SG15-LOC-SG17-SG23
0570	79	DTM	C	9	3	Date/time/period

Standard			Implementation	
Tag	Name	St Format	St Format	Usage / Remark
DTM				
C507	Date/time/period	M	M	
2005	Date or time or period function code qualifier	M an..3	M an..3	List of valid codes 334 Status change date/time
2380	Date or time or period text	C an..35	C an..35	
2379	Date or time or period format code	C an..3	C an..3	General Notes Possible to use either qualifier "203" or "204" List of valid codes 203 CCYYMMDDHHMM 204 CCYYMMDDHHMMSS

Segment Remarks:**General Notes**

DTM+334 to be used for Status date.

Example:

DTM+334:202210211200:203'

No = Consecutive segment number
 MaxOcc = Maximum occurrence of the segment/group
 Counter = Counter of segment/group within the standard

DSV public
 Status
 EDIFACT: M=Mandatory, C=Conditional
 User specific: R=Required, O=Optional, D=Dependent,
 A=Advised, N=Not used



Counter	No	Tag	St	MaxOcc	Level	Name
0540		SG14	M	99	2	STS-RFF-DTM-FTX-SG15-LOC-SG17-SG23
0570	80	DTM	C	9	3	Date/time/period

Standard			Implementation	
Tag	Name	St Format	St Format	Usage / Remark
DTM				
C507	Date/time/period	M	M	
2005	Date or time or period function code qualifier	M an..3	M an..3	List of valid codes 137 Document issue date time
2380	Date or time or period text	C an..35	C an..35	
2379	Date or time or period format code	C an..3	C an..3	General Notes Use qualifier "204" for DTM+137. List of valid codes 204 CCYYMMDDHHMMSS

Segment Remarks:**Road Notes**

Not used for Road.

General Notes

DTM+137 to be used for Document issue date time when RFF+ABT is used for "CustomsEntryNumber".

Example:

DTM+137:20221021120000:204'

No = Consecutive segment number
 MaxOcc = Maximum occurrence of the segment/group
 Counter = Counter of segment/group within the standard

DSV public

EDIFACT: M=Mandatory, C=Conditional
 User specific: R=Required, O=Optional, D=Dependent,
 A=Advised, N=Not used

Counter	No	Tag	St	MaxOcc	Level	Name
0540		SG14	M	99	2	STS-RFF-DTM-FTX-SG15-LOC-SG17-SG23
0590	81	FTX	C	9	3	Free text

Standard			Implementation	
Tag	Name	St Format	St Format	Usage / Remark
FTX				
4451	Text subject code qualifier	M an..3	M an..3	List of valid codes AAI General information
4453	Free text function code	C an..3	N	
C107	Text reference	C	N	
4441	Free text description code	M an..17	N	
1131	Code list identification code	C an..17	N	
3055	Code list responsible agency code	C an..3	N	
C108	Text literal	C	C	
4440	Free text	M an..512	M an..512	
4440	Free text	C an..512	O an..512	
4440	Free text	C an..512	O an..512	
4440	Free text	C an..512	O an..512	
4440	Free text	C an..512	O an..512	
3453	Language name code	C an..3	N	
4447	Free text format code	C an..3	N	

Segment Remarks:**Example:**

```
FTX+AAI+++Remarks:for:the:status:scanning'
```

No = Consecutive segment number
 MaxOcc = Maximum occurrence of the segment/group
 Counter = Counter of segment/group within the standard

DSV public
 Status
 EDIFACT: M=Mandatory, C=Conditional
 User specific: R=Required, O=Optional, D=Dependent,
 A=Advised, N=Not used



Counter	No	Tag	St	MaxOcc	Level	Name
0540		SG14	M	99	2	STS-RFF-DTM-FTX-SG15-LOC-SG17-SG23
0590	82	FTX	C	9	3	Free text

Standard			Implementation	
Tag	Name	St Format	St Format	Usage / Remark
FTX				
4451	Text subject code qualifier	M an..3	M an..3	List of valid codes AHN Status details
4453	Free text function code	C an..3	N	
C107	Text reference	C	N	
4441	Free text description code	M an..17	N	
1131	Code list identification code	C an..17	N	
3055	Code list responsible agency code	C an..3	N	
C108	Text literal	C	C	
4440	Free text	M an..512	M an..512	
4440	Free text	C an..512	O an..512	
4440	Free text	C an..512	O an..512	
4440	Free text	C an..512	O an..512	
4440	Free text	C an..512	O an..512	
3453	Language name code	C an..3	N	
4447	Free text format code	C an..3	N	

Segment Remarks:

Example:

FTX+AHN+++Status:information:from:the:scanning'

No = Consecutive segment number
MaxOcc = Maximum occurrence of the segment/group
Counter = Counter of segment/group within the standard

DSV public
Status
EDIFACT: M=Mandatory, C=Conditional
User specific: R=Required, O=Optional, D=Dependent,
A=Advised, N=Not used



Counter	No	Tag	St	MaxOcc	Level	Name
0540		SG14	M	99	2	STS-RFF-DTM-FTX-SG15-LOC-SG17-SG23
0590	83	FTX	C	9	3	Free text

Standard			Implementation	
Tag	Name	St Format	St Format	Usage / Remark
FTX				
4451	Text subject code qualifier	M an..3	M an..3	Road Notes FTX+ZEL is a DSV specific qualifier to identify status eventcode from IDS. List of valid codes ZEL Status eventcode IDS
4453	Free text function code	C an..3	N	
C107	Text reference	C	N	
4441	Free text description code	M an..17	N	
1131	Code list identification code	C an..17	N	
3055	Code list responsible agency code	C an..3	N	
C108	Text literal	C	C	
4440	Free text	M an..512	M an..512	
4440	Free text	C an..512	O an..512	
4440	Free text	C an..512	N	
4440	Free text	C an..512	N	
4440	Free text	C an..512	N	
3453	Language name code	C an..3	N	
4447	Free text format code	C an..3	N	

Segment Remarks:**Example:**

FTX+ZEL+++IDS:ID27'

No = Consecutive segment number
 MaxOcc = Maximum occurrence of the segment/group
 Counter = Counter of segment/group within the standard

DSV public
 Status
 EDIFACT: M=Mandatory, C=Conditional
 User specific: R=Required, O=Optional, D=Dependent,
 A=Advised, N=Not used



Counter	No	Tag	St	MaxOcc	Level	Name
0540		SG14	M	99	2	STS-RFF-DTM-FTX-SG15-LOC-SG17-SG23
0590	84	FTX	C	9	3	Free text

Standard			Implementation	
Tag	Name	St Format	St Format	Usage / Remark
FTX				
4451	Text subject code qualifier	M an..3	M an..3	General Notes For Event Parameters use ZEP List of valid codes ZEP Event Parameters
4453	Free text function code	C an..3	N	
C107	Text reference	C	C	
4441	Free text description code	M an..17	R an..17	General Notes 4441 is required when ZEP is used in 4451.
1131	Code list identification code	C an..17	N	
3055	Code list responsible agency code	C an..3	N	
C108	Text literal	C	C	
4440	Free text	M an..512	M an..512	
4440	Free text	C an..512	N	
4440	Free text	C an..512	N	
4440	Free text	C an..512	N	
4440	Free text	C an..512	N	
3453	Language name code	C an..3	N	
4447	Free text format code	C an..3	N	

Segment Remarks:**Example:**

FTX+ZEP++Location+CATOR'

No = Consecutive segment number
 MaxOcc = Maximum occurrence of the segment/group
 Counter = Counter of segment/group within the standard

DSV public
 Status
 EDIFACT: M=Mandatory, C=Conditional
 User specific: R=Required, O=Optional, D=Dependent,
 A=Advised, N=Not used



Counter	No	Tag	St	MaxOcc	Level	Name
0600		SG15	C	9	3	NAD-SG16
0610	85	NAD	M	1	3	Name and address

Standard			Implementation	
Tag	Name	St Format	St Format	Usage / Remark
NAD				
3035	Party function code qualifier	M an..3	M an..3	List of valid codes AP Accepting party
C082	Party identification details	C	N	
3039	Party identifier	M an..35	N	
1131	Code list identification code	C an..17	N	
3055	Code list responsible agency code	C an..3	N	
C058	Name and address	C	N	
3124	Name and address description	M an..35	N	
3124	Name and address description	C an..35	N	
3124	Name and address description	C an..35	N	
3124	Name and address description	C an..35	N	
3124	Name and address description	C an..35	N	
C080	Party name	C	N	
3036	Party name	M an..70	N	
3036	Party name	C an..70	N	
3036	Party name	C an..70	N	
3036	Party name	C an..70	N	
3036	Party name	C an..70	N	
3045	Party name format code	C an..3	N	
C059	Street	C	N	
3042	Street and number or post office box identifier	M an..35	N	
3042	Street and number or post office box identifier	C an..35	N	
3042	Street and number or post office box identifier	C an..35	N	
3042	Street and number or post office box identifier	C an..35	N	
3164	City name	C an..35	N	
C819	Country subdivision details	C	N	
3229	Country subdivision identifier	C an..9	N	
1131	Code list identification code	C an..17	N	
3055	Code list responsible agency code	C an..3	N	
3228	Country subdivision name	C an..70	N	
3251	Postal identification code	C an..17	N	
3207	Country identifier	C an..3	N	

No = Consecutive segment number
 MaxOcc = Maximum occurrence of the segment/group
 Counter = Counter of segment/group within the standard

DSV public
 Status
 EDIFACT: M=Mandatory, C=Conditional
 User specific: R=Required, O=Optional, D=Dependent,
 A=Advised, N=Not used



Segment Remarks:

Example:

NAD+AP *

No = Consecutive segment number
MaxOcc = Maximum occurrence of the segment/group
Counter = Counter of segment/group within the standard

DSV public
Status
EDIFACT: M=Mandatory, C=Conditional
User specific: R=Required, O=Optional, D=Dependent,
A=Advised, N=Not used



Counter	No	Tag	St	MaxOcc	Level	Name
0620		SG16	C	9	4	CTA-COM
0630	86	CTA	M	1	4	Contact information

Standard			Implementation	
Tag	Name	St Format	St Format	Usage / Remark
CTA				
3139	Contact function code	C an..3	C an..3	List of valid codes GR Goods receiving contact
C056	Contact details	C	C	
3413	Contact identifier	C an..17	N	
3412	Contact name	C an..256	C an..256	General Notes Name of Goods receiving contact (Accepting party)

Segment Remarks:

Example:

CTA+GR+:Mr Blue'

No = Consecutive segment number
MaxOcc = Maximum occurrence of the segment/group
Counter = Counter of segment/group within the standard

DSV public
Status
EDIFACT: M=Mandatory, C=Conditional
User specific: R=Required, O=Optional, D=Dependent,
A=Advised, N=Not used



Counter	No	Tag	St	MaxOcc	Level	Name
0620		SG16	C	9	4	CTA-COM
0640	87	COM	C	9	5	Communication contact

Standard			Implementation	
Tag	Name	St Format	St Format	Usage / Remark
COM				
C076	Communication contact	M	M	
3148	Communication address identifier	M an..512	M an..512	
3155	Communication means type code	M an..3	M an..3	
				List of valid codes
				TE Telephone

Segment Remarks:**Road Notes**

Not used towards Road application.

Example:

COM+010-11223344:TE '

No = Consecutive segment number
 MaxOcc = Maximum occurrence of the segment/group
 Counter = Counter of segment/group within the standard

DSV public
 Status
 EDIFACT: M=Mandatory, C=Conditional
 User specific: R=Required, O=Optional, D=Dependent,
 A=Advised, N=Not used

Counter	No	Tag	St	MaxOcc	Level	Name
0540		SG14	M	99	2	STS-RFF-DTM-FTX-SG15-LOC-SG17-SG23
0650	88	LOC	C	1	3	Place/location identification

Standard			Implementation	
Tag	Name	St Format	St Format	Usage / Remark
LOC				
3227	Location function code qualifier	M an..3	M an..3	General Notes All qualifiers except "89", "138" and "ZEL" will be handled as Place of Status Location. List of valid codes 89 Place of registration
C517	Location identification	C	C	
3225	Location identifier	C an..35	C an..35	General Notes Site ID
1131	Code list identification code	C an..17	N	
3055	Code list responsible agency code	C an..3	N	
3224	Location name	C an..256	C an..256	General Notes Use name of location or UN locode.
C519	Related location one identification	C	C	
3223	First related location identifier	C an..35	C an..35	General Notes GPS Longitude coordinates
1131	Code list identification code	C an..17	N	
3055	Code list responsible agency code	C an..3	N	
3222	First related location name	C an..70	N	
C553	Related location two identification	C	C	
3233	Second related location identifier	C an..35	C an..35	General Notes GPS Latitude coordinates
1131	Code list identification code	C an..17	N	
3055	Code list responsible agency code	C an..3	N	
3232	Second related location name	C an..70	N	
5479	Relation code	C an..3	N	

Segment Remarks:**General Notes**

Place of registration, if LOC 3227 is 89 and LOC C519.3223 is used then this should be GPS Longitude coordinates. If LOC 3227 is 89 and LOC C553.3233 is used, then this should be GPS Latitude coordinates.

Example:

LOC+89+6184430:::MSDK+12.4609433333333+55.68391'

No = Consecutive segment number
 MaxOcc = Maximum occurrence of the segment/group
 Counter = Counter of segment/group within the standard

DSV public
 Status
 EDIFACT: M=Mandatory, C=Conditional
 User specific: R=Required, O=Optional, D=Dependent,
 A=Advised, N=Not used

Counter	No	Tag	St	MaxOcc	Level	Name
0540		SG14	M	99	2	STS-RFF-DTM-FTX-SG15-LOC-SG17-SG23
0650	89	LOC	C	1	3	Place/location identification

Standard			Implementation	
Tag	Name	St Format	St Format	Usage / Remark
LOC				
3227	Location function code qualifier	M an..3	M an..3	
				List of valid codes 138 Weighting place
C517	Location identification	C	C	
3225	Location identifier	C an..35	C an..35	
1131	Code list identification code	C an..17	N	
3055	Code list responsible agency code	C an..3	N	
3224	Location name	C an..256	C an..256	General Notes Use name of location or UN locode.
C519	Related location one identification	C	N	
3223	First related location identifier	C an..35	N	
1131	Code list identification code	C an..17	N	
3055	Code list responsible agency code	C an..3	N	
3222	First related location name	C an..70	N	
C553	Related location two identification	C	N	
3233	Second related location identifier	C an..35	N	
1131	Code list identification code	C an..17	N	
3055	Code list responsible agency code	C an..3	N	
3232	Second related location name	C an..70	N	
5479	Relation code	C an..3	N	

Segment Remarks:**General Notes**

LOC+138 should be used for Weighting place. If LOC+138 is used then MEA SG24 & DIM SG25 should be used as well.

Example:

LOC+138+2640:::CPH'

No = Consecutive segment number
 MaxOcc = Maximum occurrence of the segment/group
 Counter = Counter of segment/group within the standard

DSV public
 Status
 EDIFACT: M=Mandatory, C=Conditional
 User specific: R=Required, O=Optional, D=Dependent,
 A=Advised, N=Not used

Counter	No	Tag	St	MaxOcc	Level	Name
0540		SG14	M	99	2	STS-RFF-DTM-FTX-SG15-LOC-SG17-SG23
0650	90	LOC	C	1	3	Place/location identification

Standard			Implementation	
Tag	Name	St Format	St Format	Usage / Remark
LOC				
3227	Location function code qualifier	M an..3	M an..3	Road Notes LOC+ZEL is a DSV specific qualifier to identify status location from IDS. List of valid codes ZEL Status Location for IDS
C517	Location identification	C	C	
3225	Location identifier	C an..35	C an..35	General Notes Use Code for IDS Location
1131	Code list identification code	C an..17	N	
3055	Code list responsible agency code	C an..3	N	
3224	Location name	C an..256	C an..256	General Notes Use name of IDS Location
C519	Related location one identification	C	N	
3223	First related location identifier	C an..35	N	
1131	Code list identification code	C an..17	N	
3055	Code list responsible agency code	C an..3	N	
3222	First related location name	C an..70	N	
C553	Related location two identification	C	N	
3233	Second related location identifier	C an..35	N	
1131	Code list identification code	C an..17	N	
3055	Code list responsible agency code	C an..3	N	
3232	Second related location name	C an..70	N	
5479	Relation code	C an..3	N	

Segment Remarks:**Example:**

LOC+ZEL+326:::HAM'

No = Consecutive segment number
 MaxOcc = Maximum occurrence of the segment/group
 Counter = Counter of segment/group within the standard

DSV public
 Status
 EDIFACT: M=Mandatory, C=Conditional
 User specific: R=Required, O=Optional, D=Dependent,
 A=Advised, N=Not used



Counter	No	Tag	St	MaxOcc	Level	Name
0540		SG14	M	99	2	STS-RFF-DTM-FTX-SG15-LOC-SG17-SG23
0650	91	LOC	C	1	3	Place/location identification

Standard			Implementation	
Tag	Name	St Format	St Format	Usage / Remark
LOC				
3227	Location function code qualifier	M an..3	M an..3	Air Notes Status location Road Notes Not to be used for Road Sea Notes Status location List of valid codes Z01 Status location
C517	Location identification	C	C	
3225	Location identifier	C an..35	C an..35	Air Notes UN location code for status Road Notes Not to be used for Road Sea Notes UN location code for status
1131	Code list identification code	C an..17	N	
3055	Code list responsible agency code	C an..3	N	
3224	Location name	C an..256	C an..256	
C519	Related location one identification	C	N	
3223	First related location identifier	C an..35	N	
1131	Code list identification code	C an..17	N	
3055	Code list responsible agency code	C an..3	N	
3222	First related location name	C an..70	N	
C553	Related location two identification	C	N	
3233	Second related location identifier	C an..35	N	
1131	Code list identification code	C an..17	N	
3055	Code list responsible agency code	C an..3	N	
3232	Second related location name	C an..70	N	
5479	Relation code	C an..3	N	

Segment Remarks:**Road Notes**

LOC+Z01 is not to be used for Road

No = Consecutive segment number
 MaxOcc = Maximum occurrence of the segment/group
 Counter = Counter of segment/group within the standard

DSV public
 Status
 EDIFACT: M=Mandatory, C=Conditional
 User specific: R=Required, O=Optional, D=Dependent,
 A=Advised, N=Not used



General Notes

LOC+Z01 is a DSV specific qualifier to identify status location for Air & Sea

Example:

LOC+Z01+DEHAM: : :Hamburg'

No = Consecutive segment number
MaxOcc = Maximum occurrence of the segment/group
Counter = Counter of segment/group within the standard

DSV public
Status
EDIFACT: M=Mandatory, C=Conditional
User specific: R=Required, O=Optional, D=Dependent,
A=Advised, N=Not used

Counter	No	Tag	St	MaxOcc	Level	Name
0670		SG17	C	99	3	TDT
0680	92	TDT	M	1	3	Transport information

Standard			Implementation	
Tag	Name	St Format	St Format	Usage / Remark
TDT				
8051	Transport stage code qualifier	M an..3	M an..3	List of valid codes 20 Main-carriage transport
8028	Means of transport journey identifier	C an..17	N	
C220	Mode of transport	C	C	
8067	Transport mode name code	C an..3	C an..3	List of valid codes 1 Maritime transport 3 Road transport 4 Air transport
8066	Transport mode name	C an..17	N	
C001	Transport means	C	N	
8179	Transport means description code	C an..8	N	
1131	Code list identification code	C an..17	N	
3055	Code list responsible agency code	C an..3	N	
8178	Transport means description	C an..17	N	
C040	Carrier	C	N	
3127	Carrier identifier	C an..17	N	
1131	Code list identification code	C an..17	N	
3055	Code list responsible agency code	C an..3	N	
3126	Carrier name	C an..35	N	
8101	Transit direction indicator code	C an..3	N	
C401	Excess transportation information	C	N	
8457	Excess transportation reason code	M an..3	N	
8459	Excess transportation responsibility code	M an..3	N	
7130	Customer shipment authorisation identifier	C an..17	N	
C222	Transport identification	C	N	
8213	Transport means identification name identifier	C an..35	N	
1131	Code list identification code	C an..17	N	
3055	Code list responsible	C an..3	N	

No = Consecutive segment number
 MaxOcc = Maximum occurrence of the segment/group
 Counter = Counter of segment/group within the standard

DSV public
 Status
 EDIFACT: M=Mandatory, C=Conditional
 User specific: R=Required, O=Optional, D=Dependent,
 A=Advised, N=Not used



Standard			Implementation	
Tag	Name	St Format	St Format	Usage / Remark
8212	agency code			
	Transport means	C an..70	N	
	identification name			
8453	Transport means nationality	C an..3	N	
	code			
8281	Transport means ownership	C an..3	N	
	indicator code			

Segment Remarks:

Air Notes

This is a required segment for status messages for air shipments.

Road Notes

This is a required segment for status messages for road shipments.

Sea Notes

This is a required segment for status messages for sea shipments.

Example:

TDT+20++3 '

No = Consecutive segment number
MaxOcc = Maximum occurrence of the segment/group
Counter = Counter of segment/group within the standard

DSV public
Status
EDIFACT: M=Mandatory, C=Conditional
User specific: R=Required, O=Optional, D=Dependent,
A=Advised, N=Not used



Counter	No	Tag	St	MaxOcc	Level	Name
0910		SG23	C	99	3	GID-SG24-SG25-SG26
0920	93	GID	M	1	3	Goods item details

Standard			Implementation	
Tag	Name	St Format	St Format	Usage / Remark
GID				
1496	Goods item number	C an..6	R an..6	
C213	Number and type of packages	C	R	
7224	Package quantity	C n..8	R n..8	
7065	Package type description code	C an..17	R an..17	Road Notes Accepted package types: BA ADR Bag BG Bag BO Box CA Can CS Case CL Colli CN Pallet Container CP Composite Packing CR Crate CT Carton DR Drum EU Euro Pallet GI Gitter box HP Half Pallet IB IBC IP Industry Pallet JC Jerry Can LD Load PD Pressure Drum PL Pallet unspecified PX Pallet Extra Large QP Quarter Pallet RL Roll SB Steel Bottle UP Odd Size Pallet Additional accepted legacy codes, not accepted for BluJay: BAG Bag BOB Bundle of bottles BOX Box CAN Can CAS Case CLL Colli CON Pallet Container CRT Crate CTN Carton DRM Drum EUR Euro Pallet GIB Gitter box HPL Half pallet IBC IBC IPL Industry pallet

No = Consecutive segment number
 MaxOcc = Maximum occurrence of the segment/group
 Counter = Counter of segment/group within the standard

DSV public
 Status
 EDIFACT: M=Mandatory, C=Conditional
 User specific: R=Required, O=Optional, D=Dependent,
 A=Advised, N=Not used

Standard			Implementation	
Tag	Name	St Format	St Format	Usage / Remark
				JCN Jerry Can LGM Light Gauge Metal Packing LOAD Load PLL Pallet PLT Pallet Unspecified PXL Pallet Extra Large QPL Quarter Pallet RLL Roll UPL Odd size pallet List of valid codes CLL Colli
1131	Code list identification code	C an..17	N	
3055	Code list responsible agency code	C an..3	N	
7064	Type of packages	C an..35	N	
7233	Packaging related description code	C an..3	N	
C213	Number and type of packages	C	N	
7224	Package quantity	C n..8	N	
7065	Package type description code	C an..17	N	
1131	Code list identification code	C an..17	N	
3055	Code list responsible agency code	C an..3	N	
7064	Type of packages	C an..35	N	
7233	Packaging related description code	C an..3	N	
C213	Number and type of packages	C	N	
7224	Package quantity	C n..8	N	
7065	Package type description code	C an..17	N	
1131	Code list identification code	C an..17	N	
3055	Code list responsible agency code	C an..3	N	
7064	Type of packages	C an..35	N	
7233	Packaging related description code	C an..3	N	
C213	Number and type of packages	C	N	
7224	Package quantity	C n..8	N	
7065	Package type description code	C an..17	N	
1131	Code list identification code	C an..17	N	
3055	Code list responsible agency code	C an..3	N	
7064	Type of packages	C an..35	N	
7233	Packaging related description code	C an..3	N	
C213	Number and type of packages	C	N	
7224	Package quantity	C n..8	N	

No = Consecutive segment number
 MaxOcc = Maximum occurrence of the segment/group
 Counter = Counter of segment/group within the standard

DSV public
 Status
 EDIFACT: M=Mandatory, C=Conditional
 User specific: R=Required, O=Optional, D=Dependent,
 A=Advised, N=Not used



Standard			Implementation	
Tag	Name	St Format	St Format	Usage / Remark
7065	Package type description code	C an..17	N	
1131	Code list identification code	C an..17	N	
3055	Code list responsible agency code	C an..3	N	
7064	Type of packages	C an..35	N	
7233	Packaging related description code	C an..3	N	

Segment Remarks:

Example:

GID+1+9:43'

No = Consecutive segment number
MaxOcc = Maximum occurrence of the segment/group
Counter = Counter of segment/group within the standard

DSV public
Status
EDIFACT: M=Mandatory, C=Conditional
User specific: R=Required, O=Optional, D=Dependent,
A=Advised, N=Not used

Counter	No	Tag	St	MaxOcc	Level	Name
1000		SG24	C	99	4	MEA
1010	94	MEA	M	1	4	Measurements

Standard			Implementation	
Tag	Name	St Format	St Format	Usage / Remark
MEA				
6311	Measurement purpose code qualifier	M an..3	M an..3	List of valid codes WT Weights VOL Volume LMT Loading meters
C502	Measurement details	C	C	
6313	Measured attribute code	C an..3	C an..3	List of valid codes AAB Goods item gross weight
6321	Measurement significance code	C an..3	N	
6155	Non-discrete measurement name code	C an..17	N	
6154	Non-discrete measurement name	C an..70	N	
C174	Value/range	C	R	
6411	Measurement unit code	M an..8	M an..8	List of valid codes KGM kilogram MTQ cubic metre MTR metre
6314	Measure	C an..18	C an..18	
6162	Range minimum quantity	C n..18	N	
6152	Range maximum quantity	C n..18	N	
6432	Significant digits quantity	C n..2	N	
7383	Surface or layer code	C an..3	N	

Segment Remarks:**Example:**

MEA+WT+AAB+KGM:100'

No = Consecutive segment number
MaxOcc = Maximum occurrence of the segment/group
Counter = Counter of segment/group within the standard

DSV public
Status
EDIFACT: M=Mandatory, C=Conditional
User specific: R=Required, O=Optional, D=Dependent,
A=Advised, N=Not used

Counter	No	Tag	St	MaxOcc	Level	Name
1030		SG25	C	99	4	DIM
1040	95	DIM	M	1	4	DIMENSIONS

Standard			Implementation	
Tag	Name	St Format	St Format	Usage / Remark
DIM				
6145	Dimension type code qualifier	M an..3	M an..3	List of valid codes 1 Gross dimensions
C211	Dimensions	M	M	
6411	Measurement unit code	M an..8	M an..8	General Notes Qualifier "CMT" or "MTR" can be used. List of valid codes MTR metre CMT centimetre
6168	Length measure	C n..15	C n..15	
6140	Width measure	C n..15	C n..15	
6008	Height measure	C n..15	C n..15	

Segment Remarks:**Example:**

DIM+1+MTR:1:2:3'

No = Consecutive segment number
 MaxOcc = Maximum occurrence of the segment/group
 Counter = Counter of segment/group within the standard

DSV public
 Status
 EDIFACT: M=Mandatory, C=Conditional
 User specific: R=Required, O=Optional, D=Dependent,
 A=Advised, N=Not used



Counter	No	Tag	St	MaxOcc	Level	Name
---------	----	-----	----	--------	-------	------

1060 **SG26** C 99 4 **PCI-GIN**

General Notes
The dimension value is always in Meter.

1070 96 **PCI** M 1 4 **PACKAGE IDENTIFICATION**

Standard			Implementation	
Tag	Name	St Format	St Format	Usage / Remark
PCI				
4233	Marking instructions code	C an..3	C an..3	List of valid codes 17 Seller's instructions
C210	Marks & labels	C	N	
7102	Shipping marks description	M an..35	N	
7102	Shipping marks description	C an..35	N	
7102	Shipping marks description	C an..35	N	
7102	Shipping marks description	C an..35	N	
7102	Shipping marks description	C an..35	N	
7102	Shipping marks description	C an..35	N	
7102	Shipping marks description	C an..35	N	
7102	Shipping marks description	C an..35	N	
7102	Shipping marks description	C an..35	N	
8169	Full or empty indicator code	C an..3	N	
C827	Type of marking	C	N	
7511	Marking type code	M an..3	N	
1131	Code list identification code	C an..17	N	
3055	Code list responsible agency code	C an..3	N	

Segment Remarks:

Example:
PCI+17'

No = Consecutive segment number
MaxOcc = Maximum occurrence of the segment/group
Counter = Counter of segment/group within the standard

DSV public **DSV Status**
EDIFACT: M=Mandatory, C=Conditional
User specific: R=Required, O=Optional, D=Dependent,
A=Advised, N=Not used



Counter	No	Tag	St	MaxOcc	Level	Name
---------	----	-----	----	--------	-------	------

1060 **SG26** C 99 4 **PCI-GIN**

General Notes

The dimension value is always in Meter.

1080 97 **GIN** C 9999 5 **Goods identity number**

Standard			Implementation	
Tag	Name	St Format	St Format	Usage / Remark
GIN				
7405	Object identification code qualifier	M an..3	M an..3	
				List of valid codes
				BN Serial number
C208	Identity number range	M	M	
7402	Object identifier	M an..35	M an..35	
7402	Object identifier	C an..35	C an..35	
C208	Identity number range	C	C	
7402	Object identifier	M an..35	M an..35	
7402	Object identifier	C an..35	C an..35	
C208	Identity number range	C	C	
7402	Object identifier	M an..35	M an..35	
7402	Object identifier	C an..35	C an..35	
C208	Identity number range	C	C	
7402	Object identifier	M an..35	M an..35	
7402	Object identifier	C an..35	C an..35	
C208	Identity number range	C	C	
7402	Object identifier	M an..35	M an..35	
7402	Object identifier	C an..35	C an..35	

Segment Remarks:

Example:

GIN+BN+3298415480:35710532112+21141281:21158364+21158384:21158344+21158324:21158304+21158384:21158314'

No = Consecutive segment number
 MaxOcc = Maximum occurrence of the segment/group
 Counter = Counter of segment/group within the standard

DSV public
 Status
 EDIFACT: M=Mandatory, C=Conditional
 User specific: R=Required, O=Optional, D=Dependent,
 A=Advised, N=Not used

Counter	No	Tag	St	MaxOcc	Level	Name
1060		SG26	C	99	4	PCI-GIN
1070	98	PCI	M	1	4	PACKAGE IDENTIFICATION

Standard			Implementation	
Tag	Name	St Format	St Format	Usage / Remark
PCI				
4233	Marking instructions code	C an..3	C an..3	List of valid codes 18 Carrier's instructions
C210	Marks & labels	C	N	
7102	Shipping marks description	M an..35	N	
7102	Shipping marks description	C an..35	N	
7102	Shipping marks description	C an..35	N	
7102	Shipping marks description	C an..35	N	
7102	Shipping marks description	C an..35	N	
7102	Shipping marks description	C an..35	N	
7102	Shipping marks description	C an..35	N	
7102	Shipping marks description	C an..35	N	
7102	Shipping marks description	C an..35	N	
7102	Shipping marks description	C an..35	N	
8169	Full or empty indicator code	C an..3	N	
C827	Type of marking	C	N	
7511	Marking type code	M an..3	N	
1131	Code list identification code	C an..17	N	
3055	Code list responsible agency code	C an..3	N	

Segment Remarks:**Example:**

PCI+18'

No = Consecutive segment number
 MaxOcc = Maximum occurrence of the segment/group
 Counter = Counter of segment/group within the standard

DSV public
 Status
 EDIFACT: M=Mandatory, C=Conditional
 User specific: R=Required, O=Optional, D=Dependent,
 A=Advised, N=Not used



Counter	No	Tag	St	MaxOcc	Level	Name
1060		SG26	C	99	4	PCI-GIN
1080	99	GIN	C	9999	5	Goods identity number

Standard			Implementation	
Tag	Name	St Format	St Format	Usage / Remark
GIN				
7405	Object identification code qualifier	M an..3	M an..3	List of valid codes AW Serial shipping container code
C208	Identity number range	M	M	
7402	Object identifier	M an..35	M an..35	
7402	Object identifier	C an..35	C an..35	
C208	Identity number range	C	C	
7402	Object identifier	M an..35	M an..35	
7402	Object identifier	C an..35	C an..35	
C208	Identity number range	C	C	
7402	Object identifier	M an..35	M an..35	
7402	Object identifier	C an..35	C an..35	
C208	Identity number range	C	C	
7402	Object identifier	M an..35	M an..35	
7402	Object identifier	C an..35	C an..35	
C208	Identity number range	C	C	
7402	Object identifier	M an..35	M an..35	
7402	Object identifier	C an..35	C an..35	

Segment Remarks:**Example:**

GIN+AW+357065933298415480:357105321121122136+357105321121141281:357105321121158364+357105321121158384:357105321121158344+357105321121158324:357105321121158304+357105321121158384:357105321121158314

No = Consecutive segment number
 MaxOcc = Maximum occurrence of the segment/group
 Counter = Counter of segment/group within the standard

DSV public
 Status
 EDIFACT: M=Mandatory, C=Conditional
 User specific: R=Required, O=Optional, D=Dependent,
 A=Advised, N=Not used



Counter	No	Tag	St	MaxOcc	Level	Name
1120	100	UNT	M	1	0	Message trailer

Standard			Implementation	
Tag	Name	St Format	St Format	Usage / Remark
UNT				
0074	Number of segments in a message	M n..10	M n..10	
0062	Message reference number	M an..14	M an..14	

Segment Remarks:

Example:
UNT+118+123456789'

No = Consecutive segment number
MaxOcc = Maximum occurrence of the segment/group
Counter = Counter of segment/group within the standard

DSV public
Status
EDIFACT: M=Mandatory, C=Conditional
User specific: R=Required, O=Optional, D=Dependent,
A=Advised, N=Not used



Counter	No	Tag	St	MaxOcc	Level	Name
0000	101	UNZ	M	1	0	Interchange trailer

Standard			Implementation	
Tag	Name	St Format	St Format	Usage / Remark
UNZ				
0036	Interchange control count	M n..6	M n..6	General Notes Total number of documents in the interchange.
0020	Interchange control reference	M an..14	M an..14	General Notes Same interchange control reference as is found in UNB.

Segment Remarks:

Example:

UNZ+1+859532'

No = Consecutive segment number
MaxOcc = Maximum occurrence of the segment/group
Counter = Counter of segment/group within the standard

DSV public
Status
EDIFACT: M=Mandatory, C=Conditional
User specific: R=Required, O=Optional, D=Dependent,
A=Advised, N=Not used

Example Message

No	Tag	Example
01	UNB	UNB+UNOC:4+5912345678901:14+5790000110018:14+00230224:1147+859532+++++1'
		INTERCHANGE HEADER
02	UNH	UNH+123456789+IFTSTA:D:10B:UN'
03	BGM	BGM+77+DKSER-12345+9'
04	DTM	DTM+137:202202101200:203'
05	TSR	TSR++3+3'
	SG1	
06	NAD	NAD+DR+5703459::91'
	SG2	
07	CTA	CTA+IC+:Driver name'
08	COM	COM+010-410998833:TE'
09	COM	COM+contact@name.com:EM'
10	COM	COM+010-480229933:AL'
	SG3	
26	RFF	RFF+VT:VY91262:DK'
27	DTM	DTM+145:202203071200:203'
	SG3	
28	RFF	RFF+AFB:FLUGNX-0392'
	SG3	
29	RFF	RFF+ALL:170307'
30	LOC	LOC+193+DK:162'
	SG13	
31	CNI	CNI+1+00370716487163671311::MasterBill::XYZ'
	SG14	
32	STS	STS+ZCN:Container+1::Arrival+5+6+8+62+30'
33	RFF	RFF+UCN:FLNAT-05053'
34	RFF	RFF+IDS:4908600397719007'
35	RFF	RFF+ZZA:61'
36	RFF	RFF+SID:6184430'
37	RFF	RFF+QLS:00373323995883365533'
38	RFF	RFF+FF:FLNAT-05053'
39	RFF	RFF+AAS:7526538793'
40	RFF	RFF+AAM:40257065930729554502'
41	RFF	RFF+AAO:57065930729554502'
42	RFF	RFF+SRN:57065930729554502'

No = Consecutive segment number

DSV public

No	Tag	Example
43	RFF	RFF+BN:57065930729554502'
44	RFF	RFF+BH:FLNAT-05053'
45	RFF	RFF+CU:ORDER123'
46	RFF	RFF+MB:FLNAT-05053'
47	RFF	RFF+HB:HAM123456'
48	RFF	RFF+ABT:123456789:PMT'
49	RFF	RFF+ZCN:ABCD1234567'
50	RFF	RFF+XRI:CLST'
51	DTM	DTM+334:202210211200:203'
52	DTM	DTM+137:20221021120000:204'
53	FTX	FTX+AAI+++Remarks:X:X:X:X'
54	FTX	FTX+AHN+++Status:information:from:the:scanning'
55	FTX	FTX+ZEL+++IDS:ID27'
56	FTX	FTX+ACD+++Status Reason'
57	FTX	FTX+ZEP++Location+CATOR'
58	FTX	FTX+ZPT+++XXX:PassThroughABC'
59	FTX	FTX+ZRN+++Reason notes'
SG15		
60	NAD	NAD+AP'
SG16		
61	CTA	CTA+GR+:Mr Blue'
62	COM	COM+010-11223344:TE'
63	LOC	LOC+89+6184430:::MSDK+12.4609433333333+55.68391'
64	LOC	LOC+138+2640:::CPH'
65	LOC	LOC+ZEL+326:::HAM'
66	LOC	LOC+Z01+DEHAM:::Hamburg'
SG17		
67	TDT	TDT+20++1+:::0234W+MAE:::MAERSK++++:::Vessel'
SG23		
68	GID	GID+1+9:CLL'
SG24		
69	MEA	MEA+WT+AAB+KGM:100'
SG25		
70	DIM	DIM+1+MTR:1:2:3'
DIMENSIONS		
SG26		
71	PCI	PCI+17'
PACKAGE IDENTIFICATION		

No = Consecutive segment number

DSV public



No	Tag	Example
72	GIN	GIN+BN+3298415480:35710532112+21141281:21158364+21158384:21158344+21158324:21158304+21158384:21158314'
	SG26	
73	PCI	PCI+18' PACKAGE IDENTIFICATION
74	GIN	GIN+AW+357065933298415480:357105321121122136+357105321121141281:357105321121158364+357105321121158384:357105321121158344+357105321121158324:357105321121158304+357105321121158384:357105321121158314'
	SG13	
75	CNI	CNI+0+00370716487163671311'
	SG14	
76	STS	STS+ZGI+1+63+19+60+7+6'
77	RFF	RFF+UCN:FLNAT-05053'
78	RFF	RFF+IDS:4908600397719007'
79	RFF	RFF+ZZA:61'
80	RFF	RFF+SID:6184430'
81	RFF	RFF+QLS:00373323995883365533'
82	RFF	RFF+FF:FLNAT-05053'
83	RFF	RFF+AAS:7526538793'
84	RFF	RFF+AAM:40257065930729554502'
85	RFF	RFF+AAO:57065930729554502'
86	RFF	RFF+SRN:57065930729554502'
87	RFF	RFF+BH:FLNAT-05053'
88	RFF	RFF+CU:ORDER123'
89	RFF	RFF+MB:FLNAT-05053'
90	RFF	RFF+EXT:ORDER567'
91	RFF	RFF+XRI:CLST'
92	RFF	RFF+ZZZ:157065930729'
93	RFF	RFF+ABT:123456789:PMT'
94	DTM	DTM+334:202210211200:203'
95	DTM	DTM+137:20221021120000:204'
96	FTX	FTX+AAI+++Remarks:for:the:status:scanning'
97	FTX	FTX+AHN+++Status:information:from:the:scanning'
98	FTX	FTX+ZEL+++IDS:ID27'
99	FTX	FTX+ZEP++Location+CATOR'
	SG15	
100	NAD	NAD+AP'
	SG16	

No	Tag	Example
101	CTA	CTA+GR+:Mr Blue'
102	COM	COM+010-11223344:TE'
103	LOC	LOC+89+6184430::MSDK+12.4609433333333+55.68391'
104	LOC	LOC+138+2640::CPH'
105	LOC	LOC+ZEL+326::HAM'
106	LOC	LOC+Z01+DEHAM::Hamburg'
SG17		
107	TDT	TDT+20++3'
SG23		
108	GID	GID+1+9:43'
SG24		
109	MEA	MEA+WT+AAB+KGM:100'
SG25		
110	DIM	DIM+1+MTR:1:2:3' DIMENSIONS
SG26		
111	PCI	PCI+17' PACKAGE IDENTIFICATION
112	GIN	GIN+BN+3298415480:35710532112+21141281:21158364+21158384:21158344+21158324:21158304+21158384:21158314'
SG26		
113	PCI	PCI+18' PACKAGE IDENTIFICATION
114	GIN	GIN+AW+357065933298415480:357105321121122136+357105321121141281:357105321121158364+357105321121158384:357105321121158344+357105321121158324:357105321121158304+357105321121158384:357105321121158314'
115	UNT	UNT+118+123456789'
116	UNZ	UNZ+1+859532'