



Message Implementation Guideline

DSV INVOIC D10B In

based on

INVOIC

Invoice message

UN D.10B S4

Version: v1.3
Issue date: 2026-08-26
Author: DSV A/S, EDI

1 Change Log	2
2 Message Structure	4
3 Branching Diagram	10
4 Segments	16
5 Example	170



Changes Log

No	Description of Changes	
01	Date (YYYY-MM-DD) 2024-08-21 Author DSV A/S, EDI SRQ Number v1.3 Location SG45 / TAX / . 5286 Change Description Enabled SG45 TAX C533.5286 for TaxCodes up to an..15 chars.	
02	Date (YYYY-MM-DD) 2024-07-09 Author DSV A/S, EDI SRQ Number v1.3 Location SG32 / MEA / . Change Description Enabled SG32 MEA LoadingMeters	
03	Date (YYYY-MM-DD) 2024-06-26 Author DSV A/S, EDI SRQ Number v1.3 Location SG41 / QTY / . Change Description Enabled SG41 QTY for QuantityUnits.	
04	Date (YYYY-MM-DD) 2024-06-26 Author DSV A/S, EDI SRQ Number v1.3 Location SG41 / / . Change Description Enabled SG41 QTY for QuantityUnits.	
05	Date (YYYY-MM-DD) 2024-06-20 Author DSV A/S, EDI SRQ Number v1.3 Location / CNT / . Change Description Enabled CNT for Control totals for Measurements.	
06	Date (YYYY-MM-DD) 2024-06-20 Author DSV A/S, EDI SRQ Number v1.3 Location SG32 / MEA / . Change Description Enabled SG32 MEA Volume.	
07	Date (YYYY-MM-DD) 2024-06-20 Author DSV A/S, EDI SRQ Number v1.3 Location SG32 / MEA / . Change Description Enabled SG32 MEA GrossWeight.	
08	Date (YYYY-MM-DD) 2024-06-13 Author Annika Freij SRQ Number RITM0201574 Location SG31 / / . Change Description Changed nr of rep from max 10 to max 999	
09	Date (YYYY-MM-DD) 2024-05-27 Author DSV A/S, EDI SRQ Number v1.3 Location SG40 / FTX / . Change Description Enabled SG40 FTX+ALC for Description.	
10	Date (YYYY-MM-DD) 2024-05-27 Author DSV A/S, EDI SRQ Number v1.3 Location / BGM / C106 . 1056 Change Description Enabled BGM/C106.1056 to handle PaymentType.	

No = Consecutive segment number

DSV public



No	Description of Changes	
11	Date (YYYY-MM-DD)	2024-04-16
	Author	DSV A/S, EDI
	SRQ Number	v1.2
	Location	SG40 / ALI / . 4183
	Change Description	Enabled ALI.4183 for IsFinal.
12	Date (YYYY-MM-DD)	2024-04-16
	Author	DSV A/S, EDI
	SRQ Number	v1.2
	Location	SG40 / ALI / .
	Change Description	Enabled ALI.4183 for IsFinal.
13	Date (YYYY-MM-DD)	2024-04-16
	Author	DSV A/S, EDI
	SRQ Number	v1.2
	Location	/ UNB / .
	Change Description	Enabled Header/Target/Application code for SourceId.
14	Date (YYYY-MM-DD)	2021-09-15
	Author	DSV A/S, EDI
	SRQ Number	v1.1
	Location	/ DTM / C507 . 2005
	Change Description	Enabled TaxDate to map from SG0 DTM/C507.2005 = "131"



Structure / Table of Contents

Counter	No	Tag	St	MaxOcc	Level	Content
0000	1	UNA	C	1	0	Service string advice
0000	2	UNB	M	1	0	Interchange header
0010	3	UNH	M	1	0	Message header
0020	4	BGM	M	1	0	Beginning of message
0020	5	BGM	M	1	0	Beginning of message
0020	6	BGM	M	1	0	Beginning of message
0030	7	DTM	M	35	1	Date/time/period
0030	8	DTM	M	35	1	Date/time/period
0030	9	DTM	M	35	1	Date/time/period
0070	10	FTX	C	99	1	Free text
0070	11	FTX	C	99	1	Free text
0070	12	FTX	C	99	1	Free text
0080	13	LOC	C	10	1	Place/location identification
0120		SG1	C	99999	1	RFF
0130	14	RFF	M	1	1	Reference
0220		SG2	C	99	1	NAD-SG3-SG4-SG5
0230	15	NAD	M	1	1	Name and address
0270		SG3	C	9999	2	RFF
0280	16	RFF	M	1	2	Reference
0300		SG4	C	5	2	DOC
0310	17	DOC	M	1	2	Document/message details
0300		SG4	C	5	2	DOC
0310	18	DOC	M	1	2	Document/message details
0300		SG4	C	5	2	DOC
0310	19	DOC	M	1	2	Document/message details
0330		SG5	C	5	2	CTA-COM
0340	20	CTA	M	1	2	Contact information
0350	21	COM	C	5	3	Communication contact
0350	22	COM	C	5	3	Communication contact
0220		SG2	C	99	1	NAD-SG3-SG5
0230	23	NAD	M	1	1	Name and address
0270		SG3	C	9999	2	RFF
0280	24	RFF	M	1	2	Reference
0330		SG5	C	5	2	CTA-COM
0340	25	CTA	M	1	2	Contact information
0350	26	COM	C	5	3	Communication contact
0350	27	COM	C	5	3	Communication contact
0400		SG7	C	99	1	CUX-DTM

Counter = Counter of segment/group within the standard
 No = Consecutive segment number
 MaxOcc = Maximum occurrence of the segment/group

DSV public
 Status
 EDIFACT: M=Mandatory, C=Conditional
 User specific: R=Required, O=Optional, D=Dependent,
 A=Advised, N=Not used



Counter	No	Tag	St	MaxOcc	Level	Content
0410	28	CUX	M	1	1	Currencies
0420	29	DTM	C	5	2	Date/time/period
0430		SG8	C	10	1	PYT-DTM
0440	30	PYT	M	1	1	Payment terms
0450	31	DTM	C	5	2	Date/time/period
0500		SG9	C	10	1	TDT-SG10
0510	32	TDT	M	1	1	Transport information
0530		SG10	C	10	2	LOC-DTM
0540	33	LOC	M	1	2	Place/location identification
0550	34	DTM	C	5	3	Date/time/period
0530		SG10	C	10	2	LOC-DTM
0540	35	LOC	M	1	2	Place/location identification
0550	36	DTM	C	5	3	Date/time/period
0530		SG10	C	10	2	LOC-DTM
0540	37	LOC	M	1	2	Place/location identification
0550	38	DTM	C	5	3	Date/time/period
0530		SG10	C	10	2	LOC-DTM
0540	39	LOC	M	1	2	Place/location identification
0550	40	DTM	C	5	3	Date/time/period
0500		SG9	C	10	1	TDT-SG10
0510	41	TDT	M	1	1	Transport information
0530		SG10	C	10	2	LOC-DTM
0540	42	LOC	M	1	2	Place/location identification
0550	43	DTM	C	5	3	Date/time/period
0530		SG10	C	10	2	LOC-DTM
0540	44	LOC	M	1	2	Place/location identification
0550	45	DTM	C	5	3	Date/time/period
0530		SG10	C	10	2	LOC-DTM
0540	46	LOC	M	1	2	Place/location identification
0550	47	DTM	C	5	3	Date/time/period
0530		SG10	C	10	2	LOC-DTM
0540	48	LOC	M	1	2	Place/location identification
0550	49	DTM	C	5	3	Date/time/period
0500		SG9	C	10	1	TDT-SG10
0510	50	TDT	M	1	1	Transport information
0530		SG10	C	10	2	LOC-DTM
0540	51	LOC	M	1	2	Place/location identification
0550	52	DTM	C	5	3	Date/time/period
0530		SG10	C	10	2	LOC-DTM

Counter = Counter of segment/group within the standard
 No = Consecutive segment number
 MaxOcc = Maximum occurrence of the segment/group

DSV public
 Status
 EDIFACT: M=Mandatory, C=Conditional
 User specific: R=Required, O=Optional, D=Dependent,
 A=Advised, N=Not used



Counter	No	Tag	St	MaxOcc	Level	Content
0540	53	LOC	M	1	2	Place/location identification
0550	54	DTM	C	5	3	Date/time/period
0530		SG10	C	10	2	LOC-DTM
0540	55	LOC	M	1	2	Place/location identification
0550	56	DTM	C	5	3	Date/time/period
0530		SG10	C	10	2	LOC-DTM
0540	57	LOC	M	1	2	Place/location identification
0550	58	DTM	C	5	3	Date/time/period
0500		SG9	C	10	1	TDT-SG10
0510	59	TDT	M	1	1	Transport information
0530		SG10	C	10	2	LOC-DTM
0540	60	LOC	M	1	2	Place/location identification
0550	61	DTM	C	5	3	Date/time/period
0530		SG10	C	10	2	LOC-DTM
0540	62	LOC	M	1	2	Place/location identification
0550	63	DTM	C	5	3	Date/time/period
0530		SG10	C	10	2	LOC-DTM
0540	64	LOC	M	1	2	Place/location identification
0550	65	DTM	C	5	3	Date/time/period
0530		SG10	C	10	2	LOC-DTM
0540	66	LOC	M	1	2	Place/location identification
0550	67	DTM	C	5	3	Date/time/period
0500		SG9	C	10	1	TDT-SG10
0510	68	TDT	M	1	1	Transport information
0530		SG10	C	10	2	LOC-DTM
0540	69	LOC	M	1	2	Place/location identification
0550	70	DTM	C	5	3	Date/time/period
0530		SG10	C	10	2	LOC-DTM
0540	71	LOC	M	1	2	Place/location identification
0550	72	DTM	C	5	3	Date/time/period
0530		SG10	C	10	2	LOC-DTM
0540	73	LOC	M	1	2	Place/location identification
0550	74	DTM	C	5	3	Date/time/period
0530		SG10	C	10	2	LOC-DTM
0540	75	LOC	M	1	2	Place/location identification
0550	76	DTM	C	5	3	Date/time/period
1160		SG27	C	9999999	1	LIN-IMD-MEA-DTM-SG28-SG31-SG32-SG35-SG36-SG40
1170	77	LIN	M	1	1	Line item
1200	78	IMD	C	99	2	Item description

Counter = Counter of segment/group within the standard
 No = Consecutive segment number
 MaxOcc = Maximum occurrence of the segment/group

DSV public
 Status
 EDIFACT: M=Mandatory, C=Conditional
 User specific: R=Required, O=Optional, D=Dependent,
 A=Advised, N=Not used



Counter	No	Tag	St	MaxOcc	Level	Content
1210	79	MEA	C	5	2	Measurements
1210	80	MEA	C	5	2	Measurements
1210	81	MEA	C	5	2	Measurements
1210	82	MEA	C	5	2	Measurements
1250	83	DTM	C	35	2	Date/time/period
1320		SG28	C	99	2	MOA
1330	84	MOA	M	1	2	Monetary amount
1460		SG31	C	999	2	RFF
1470	85	RFF	M	1	2	Reference
1490		SG32	C	10	2	PAC-MEA
1500	86	PAC	M	1	2	Package
1510	87	MEA	C	10	3	Measurements
1510	88	MEA	C	10	3	Measurements
1510	89	MEA	C	10	3	Measurements
1620		SG35	C	99	2	TAX-MOA
1630	90	TAX	M	1	2	Duty/tax/fee details
1640	91	MOA	C	2	3	Monetary amount
1660		SG36	C	99	2	NAD
1670	92	NAD	M	1	2	Name and address
1660		SG36	C	99	2	NAD
1670	93	NAD	M	1	2	Name and address
1660		SG36	C	99	2	NAD
1670	94	NAD	M	1	2	Name and address
1660		SG36	C	99	2	NAD
1670	95	NAD	M	1	2	Name and address
1660		SG36	C	99	2	NAD
1670	96	NAD	M	1	2	Name and address
1790		SG40	C	30	2	ALC-ALI-FTX-SG41-SG43-SG45
1800	97	ALC	M	1	2	Allowance or charge
1810	98	ALI	C	5	3	Additional information
1830	99	FTX	C	1	3	Free text
1840		SG41	C	1	3	QTY
1850	100	QTY	M	1	3	Quantity
1900		SG43	C	2	3	MOA-CUX
1910	101	MOA	M	1	3	Monetary amount
1930	102	CUX	C	1	4	Currencies
1900		SG43	C	2	3	MOA
1910	103	MOA	M	1	3	Monetary amount
1980		SG45	C	5	3	TAX-MOA

Counter = Counter of segment/group within the standard
 No = Consecutive segment number
 MaxOcc = Maximum occurrence of the segment/group

DSV public
 Status
 EDIFACT: M=Mandatory, C=Conditional
 User specific: R=Required, O=Optional, D=Dependent,
 A=Advised, N=Not used



	Counter	No	Tag	St	MaxOcc	Level	Content
	1990	104	TAX	M	1	3	Duty/tax/fee details
	2000	105	MOA	C	2	4	Monetary amount
	2000	106	MOA	C	2	4	Monetary amount
	1790		SG40	C	30	2	ALC-SG43-SG45
	1800	107	ALC	M	1	2	Allowance or charge
	1900		SG43	C	2	3	MOA-CUX
	1910	108	MOA	M	1	3	Monetary amount
	1930	109	CUX	C	1	4	Currencies
	1900		SG43	C	2	3	MOA
	1910	110	MOA	M	1	3	Monetary amount
	1980		SG45	C	5	3	TAX-MOA
	1990	111	TAX	M	1	3	Duty/tax/fee details
	2000	112	MOA	C	2	4	Monetary amount
	2000	113	MOA	C	2	4	Monetary amount
	1790		SG40	C	30	2	ALC-SG43-SG45
	1800	114	ALC	M	1	2	Allowance or charge
	1900		SG43	C	2	3	MOA-CUX
	1910	115	MOA	M	1	3	Monetary amount
	1930	116	CUX	C	1	4	Currencies
	1900		SG43	C	2	3	MOA
	1910	117	MOA	M	1	3	Monetary amount
	1980		SG45	C	5	3	TAX-MOA
	1990	118	TAX	M	1	3	Duty/tax/fee details
	2000	119	MOA	C	2	4	Monetary amount
	2000	120	MOA	C	2	4	Monetary amount
	2320	121	UNS	M	1	0	Section control
	2330	122	CNT	C	10	1	Control total
	2340		SG52	M	100	1	MOA
	2350	123	MOA	M	1	1	Monetary amount
	2340		SG52	M	100	1	MOA
	2350	124	MOA	M	1	1	Monetary amount
	2340		SG52	M	100	1	MOA
	2350	125	MOA	M	1	1	Monetary amount
	2340		SG52	M	100	1	MOA
	2350	126	MOA	M	1	1	Monetary amount
	2340		SG52	M	100	1	MOA
	2350	127	MOA	M	1	1	Monetary amount
	2340		SG52	M	100	1	MOA
	2350	128	MOA	M	1	1	Monetary amount

Counter = Counter of segment/group within the standard
 No = Consecutive segment number
 MaxOcc = Maximum occurrence of the segment/group

DSV public
 Status
 EDIFACT: M=Mandatory, C=Conditional
 User specific: R=Required, O=Optional, D=Dependent,
 A=Advised, N=Not used




	Counter	No	Tag	St	MaxOcc	Level	Content
	2390		SG54	C	10	1	TAX-MOA
	2400	129	TAX	M	1	1	Duty/tax/fee details
	2410	130	MOA	C	9	2	Monetary amount
	2410	131	MOA	C	9	2	Monetary amount
	2410	132	MOA	C	9	2	Monetary amount
	2410	133	MOA	C	9	2	Monetary amount
	2470	134	UNT	M	1	0	Message trailer
	0000	135	UNZ	M	1	0	Interchange trailer

Counter = Counter of segment/group within the standard
No = Consecutive segment number
MaxOcc = Maximum occurrence of the segment/group

DSV public
Status
EDIFACT: M=Mandatory, C=Conditional
User specific: R=Required, O=Optional, D=Dependent,
A=Advised, N=Not used




Branching Diagram of Used Segments/Groups



DSV public

Tag
St MaxOcc
No
Counter


Tag = Segment/Group Tag
St = Status (M=Mandatory, C=Conditional, R=Required, O=Optional, A=Advised, D=Dependent)
MaxOcc = Maximum occurrence of the segment/group
No = Consecutive segment number
Counter = Counter of segment/group within the standard



DSV public

Tag
St MaxOcc
No
Counter


Tag = Segment/Group Tag
St = Status (M=Mandatory, C=Conditional, R=Required, O=Optional, A=Advised, D=Dependent)
MaxOcc = Maximum occurrence of the segment/group
No = Consecutive segment number
Counter = Counter of segment/group within the standard



DSV public

Tag
St MaxOcc
No
Counter


Tag = Segment/Group Tag
St = Status (M=Mandatory, C=Conditional, R=Required, O=Optional, A=Advised, D=Dependent)
MaxOcc = Maximum occurrence of the segment/group
No = Consecutive segment number
Counter = Counter of segment/group within the standard



DSV public

Tag
St MaxOcc
No
Counter


Tag = Segment/Group Tag
St = Status (M=Mandatory, C=Conditional, R=Required, O=Optional, A=Advised, D=Dependent)
MaxOcc = Maximum occurrence of the segment/group
No = Consecutive segment number
Counter = Counter of segment/group within the standard



DSV public

Tag
St MaxOcc
No
Counter

Tag = Segment/Group Tag
St = Status (M=Mandatory, C=Conditional, R=Required, O=Optional, A=Advised, D=Dependent)
MaxOcc = Maximum occurrence of the segment/group
No = Consecutive segment number
Counter = Counter of segment/group within the standard



DSV public

Tag
St MaxOcc
No
Counter

Tag = Segment/Group Tag
St = Status (M=Mandatory, C=Conditional, R=Required, O=Optional, A=Advised, D=Dependent)
MaxOcc = Maximum occurrence of the segment/group
No = Consecutive segment number
Counter = Counter of segment/group within the standard



Segments

Counter	No	Tag	St	MaxOcc	Level	Name
---------	----	-----	----	--------	-------	------

00001UNA C 1 0 Service string advice

Standard			Implementation	
Tag	Name	St Format	St Format	Usage / Remark
UNA				
UNA1	Component data element separator	M an1	M an1	General Notes : Component data element separator
UNA2	Data element separator	M an1	M an1	General Notes + Data element separator
UNA3	Decimal mark	M an1	M an1	General Notes . Decimal notation
UNA4	Release character	M an1	M an1	General Notes ? Release indicator
UNA5	Repetition separator	M an1	M an1	General Notes Reserved for future use
UNA6	Segment terminator	M an1	M an1	General Notes ' Segment terminator

Segment Remarks:

Example:

UNA: + . ? ' '

No = Consecutive segment number
MaxOcc = Maximum occurrence of the segment/group
Counter = Counter of segment/group within the standard

DSV public
Status
EDIFACT: M=Mandatory, C=Conditional
User specific: R=Required, O=Optional, D=Dependent,
A=Advised, N=Not used



Counter	No	Tag	St	MaxOcc	Level	Name
0000	2	UNB	M	1	0	Interchange header

Standard			Implementation	
Tag	Name	St Format	St Format	Usage / Remark
UNB				
S001	Syntax identifier	M	M	General Notes UNOC means that uppercase and lower case characters A-Z, a-z, can be sent and the UNOC also includes western European special characters. List of valid codes UNOC UN/ECE level C
0001	Syntax identifier	M a4	M a4	
0002	Syntax version number	M an1	M an1	List of valid codes 4 Version 4
0080	Service code list directory version number	C an..6	N	
0133	Character encoding, coded	C an..3	N	
0076	Syntax release number	C an2	N	
S002	Interchange sender	M	M	General Notes Name or Coded ID of the Sender of the Interchange: This will be agreed between the interchange parties and may be specified in element 0007
0004	Interchange sender identification	M an..35	M an..35	
0007	Identification code qualifier	C an..4	C an..4	General Notes All valid Codes are used and refer to an organisation ID as in ISO 6523 List of valid codes 14 GS1 ZZZ Mutually defined
0008	Interchange sender internal identification	C an..35	N	
0042	Interchange sender internal sub-identification	C an..35	N	
S003	Interchange recipient	M	M	General Notes Name or Coded ID of the Receiver of the Interchange: DSV recipient ID is 5790000110018
0010	Interchange recipient identification	M an..35	M an..35	
0007	Identification code qualifier	C an..4	M an..4	List of valid codes 14 GS1
0014	Interchange recipient internal identification	C an..35	N	
0046	Interchange recipient internal sub-identification	C an..35	N	

No = Consecutive segment number
 MaxOcc = Maximum occurrence of the segment/group
 Counter = Counter of segment/group within the standard

DSV public
 Status
 EDIFACT: M=Mandatory, C=Conditional
 User specific: R=Required, O=Optional, D=Dependent,
 A=Advised, N=Not used



Standard			Implementation	
Tag	Name	St Format	St Format	Usage / Remark
S004	Date and time of preparation	M	M	
0017	Date	M n8	M n8	General Notes Local Date when Interchange prepared in format 'yymmdd'
0019	Time	M n4	M n4	General Notes Local Time when Interchange prepared in format 'hhmm' as 24 hour clock
0020	Interchange control reference	M an..14	M an..14	General Notes Unique Reference assigned by the Sender for the Interchange
S005	Recipient reference/ password details	C	N	
0022	Recipient reference/ password	M an..14	N	
0025	Recipient reference/ password qualifier	C an2	N	
0026	Application reference	C an..14	N	
0029	Processing priority code	C a1	N	
0031	Acknowledgement request	C n1	N	
0032	Interchange agreement identifier	C an..35	N	
0035	Test indicator	C n1	C n1	General Notes This feature with test indicator can be used, It will not identify that the file is sent to different systems. It will be used as a unique setup requirement. List of valid codes 1 Interchange is a test

Segment Remarks:**Example:**

UNB+UNOC:4+PartnerId:14+5790000834129:14+00210120:1500+00000000012345+++++1'

No = Consecutive segment number
 MaxOcc = Maximum occurrence of the segment/group
 Counter = Counter of segment/group within the standard

DSV public
 Status
 EDIFACT: M=Mandatory, C=Conditional
 User specific: R=Required, O=Optional, D=Dependent,
 A=Advised, N=Not used



Counter	No	Tag	St	MaxOcc	Level	Name
---------	----	-----	----	--------	-------	------

0010	3	UNH	M	1	0	Message header
------	---	------------	---	---	---	----------------

Standard			Implementation	
Tag	Name	St Format	St Format	Usage / Remark
UNH				
0062	Message reference number	M an..14	M an..14	
S009	Message identifier	M	M	
0065	Message type	M an..6	M an..6	List of valid codes INVOIC Invoice message
0052	Message version number	M an..3	M an..3	List of valid codes D Draft version/UN/EDIFACT Directory
0054	Message release number	M an..3	M an..3	List of valid codes 10B Release 2010 - B
0051	Controlling agency, coded	M an..3	M an..3	List of valid codes UN UN/CEFACT
0057	Association assigned code	C an..6	N	
0110	Code list directory version number	C an..6	N	
0113	Message type sub-function identification	C an..6	N	
0068	Common access reference	C an..35	N	
S010	Status of the transfer	C	N	
0070	Sequence of transfers	M n..2	N	
0073	First and last transfer	C a1	N	
S016	Message subset identification	C	N	
0115	Message subset identification	M an..14	N	
0116	Message subset version number	C an..3	N	
0118	Message subset release number	C an..3	N	
0051	Controlling agency, coded	C an..3	N	
S017	Message implementation guideline identification	C	N	
0121	Message implementation guideline identification	M an..14	N	
0122	Message implementation guideline version number	C an..3	N	
0124	Message implementation guideline release number	C an..3	N	
0051	Controlling agency, coded	C an..3	N	
S018	Scenario identification	C	N	
0127	Scenario identification	M an..14	N	

No = Consecutive segment number
 MaxOcc = Maximum occurrence of the segment/group
 Counter = Counter of segment/group within the standard

DSV public
 Status
 EDIFACT: M=Mandatory, C=Conditional
 User specific: R=Required, O=Optional, D=Dependent,
 A=Advised, N=Not used



Standard			Implementation	
Tag	Name	St Format	St Format	Usage / Remark
0128	Scenario version number	C an..3	N	
0130	Scenario release number	C an..3	N	
0051	Controlling agency, coded	C an..3	N	

Segment Remarks:

Example:

UNH+123456+INVOIC:D:10B:UN'

No = Consecutive segment number
MaxOcc = Maximum occurrence of the segment/group
Counter = Counter of segment/group within the standard

DSV public
EDIFACT: M=Mandatory, C=Conditional
User specific: R=Required, O=Optional, D=Dependent,
A=Advised, N=Not used



Counter	No	Tag	St	MaxOcc	Level	Name
0020	4	BGM	M	1	0	Beginning of message

Standard			Implementation	
Tag	Name	St Format	St Format	Usage / Remark
BGM				
C002	Document/message name	C	C	
1001	Document name code	C an..3	C an..3	List of valid codes 380 Commercial invoice 381 Credit note 261 Self billed credit note 389 Self-billed invoice
1131	Code list identification code	C an..17	N	
3055	Code list responsible agency code	C an..3	N	
1000	Document name	C an..35	N	
C106	Document/message identification	C	C	
1004	Document identifier	C an..70	C an..70	General Notes Invoice number
1056	Version identifier	C an..9	C an..9	List of valid codes B Third party pay C Collect P Prepaid
1060	Revision identifier	C an..6	N	
1225	Message function code	C an..3	C an..3	List of valid codes 9 Original
4343	Response type code	C an..3	N	

Segment Remarks:**General Notes**

Message examples:

BGM+380:DK456654+9'

Example:

BGM+380+DK456654:P+9'

No = Consecutive segment number
 MaxOcc = Maximum occurrence of the segment/group
 Counter = Counter of segment/group within the standard

DSV public
 Status
 EDIFACT: M=Mandatory, C=Conditional
 User specific: R=Required, O=Optional, D=Dependent,
 A=Advised, N=Not used



Counter	No	Tag	St	MaxOcc	Level	Name
0020	5	BGM	M	1	0	Beginning of message

Standard			Implementation	
Tag	Name	St Format	St Format	Usage / Remark
BGM				
C002	Document/message name	C	C	
1001	Document name code	C an..3	C an..3	List of valid codes 380 Commercial invoice 389 Self-billed invoice
1131	Code list identification code	C an..17	N	
3055	Code list responsible agency code	C an..3	N	
1000	Document name	C an..35	N	
C106	Document/message identification	C	C	
1004	Document identifier	C an..70	C an..70	General Notes Invoice number
1056	Version identifier	C an..9	N	
1060	Revision identifier	C an..6	N	
1225	Message function code	C an..3	C an..3	List of valid codes 9 Original
4343	Response type code	C an..3	N	

Segment Remarks:**General Notes**

Message examples:

BGM+380:DK456654+9'

Example:

BGM+380+DK456654+9'

No = Consecutive segment number
 MaxOcc = Maximum occurrence of the segment/group
 Counter = Counter of segment/group within the standard

DSV public
 Status
 EDIFACT: M=Mandatory, C=Conditional
 User specific: R=Required, O=Optional, D=Dependent,
 A=Advised, N=Not used



Counter	No	Tag	St	MaxOcc	Level	Name
0020	6	BGM	M	1	0	Beginning of message

Standard			Implementation	
Tag	Name	St Format	St Format	Usage / Remark
BGM				
C002	Document/message name	C	C	
1001	Document name code	C an..3	C an..3	List of valid codes 381 Credit note 261 Self billed credit note
1131	Code list identification code	C an..17	N	
3055	Code list responsible agency code	C an..3	N	
1000	Document name	C an..35	N	
C106	Document/message identification	C	C	
1004	Document identifier	C an..70	C an..70	General Notes Invoice number
1056	Version identifier	C an..9	N	
1060	Revision identifier	C an..6	N	
1225	Message function code	C an..3	C an..3	List of valid codes 9 Original
4343	Response type code	C an..3	N	

Segment Remarks:**General Notes**

Message examples:

BGM+381:DK456654+9'

Example:

BGM+381+DK456654+9'

No = Consecutive segment number
 MaxOcc = Maximum occurrence of the segment/group
 Counter = Counter of segment/group within the standard

DSV public
 Status
 EDIFACT: M=Mandatory, C=Conditional
 User specific: R=Required, O=Optional, D=Dependent,
 A=Advised, N=Not used



Counter	No	Tag	St	MaxOcc	Level	Name
0030	7	DTM	M	35	1	Date/time/period

Standard			Implementation	
Tag	Name	St Format	St Format	Usage / Remark
DTM				
C507	Date/time/period	M	M	
2005	Date or time or period function code qualifier	M an..3	M an..3	General Notes Message examples: DTM+137:202210181549:203' List of valid codes 137 Document issue date time
2380	Date or time or period text	C an..35	C an..35	
2379	Date or time or period format code	C an..3	C an..3	List of valid codes 203 CCYYMMDDHHMM

Segment Remarks:

General Notes

Message examples:
DTM+137:202210181549:203'

Example:

DTM+137:202210181549:203'

No = Consecutive segment number
MaxOcc = Maximum occurrence of the segment/group
Counter = Counter of segment/group within the standard

DSV public
Status
EDIFACT: M=Mandatory, C=Conditional
User specific: R=Required, O=Optional, D=Dependent,
A=Advised, N=Not used



Counter	No	Tag	St	MaxOcc	Level	Name
---------	----	-----	----	--------	-------	------

00308DTMM351Date/time/period

Standard			Implementation	
Tag	Name	St Format	St Format	Usage / Remark
DTM				
C507	Date/time/period	M	M	
2005	Date or time or period function code qualifier	M an..3	M an..3	General Notes Message examples: DTM+3:20221018:102' List of valid codes 3 Invoice document issue date time
2380	Date or time or period text	C an..35	C an..35	
2379	Date or time or period format code	C an..3	C an..3	List of valid codes 102 CCYYMMDD 203 CCYYMMDDHHMM

Segment Remarks:

General Notes

Message examples:
DTM+3:20221018:102'

Example:

DTM+3:20221018:102'

No = Consecutive segment number
MaxOcc = Maximum occurrence of the segment/group
Counter = Counter of segment/group within the standard

DSV public
Status
EDIFACT: M=Mandatory, C=Conditional
User specific: R=Required, O=Optional, D=Dependent,
A=Advised, N=Not used



Counter	No	Tag	St	MaxOcc	Level	Name
0030	9	DTM	M	35	1	Date/time/period

Standard			Implementation	
Tag	Name	St Format	St Format	Usage / Remark
DTM				
C507	Date/time/period	M	M	
2005	Date or time or period function code qualifier	M an..3	M an..3	General Notes Message examples: DTM+131:20221020:102' List of valid codes 131 Tax point date time
2380	Date or time or period text	C an..35	C an..35	
2379	Date or time or period format code	C an..3	C an..3	List of valid codes 102 CCYYMMDD 203 CCYYMMDDHHMM

Segment Remarks:

General Notes

Message examples:
DTM+131:20221020:102'

Example:

DTM+131:20221018:102'

No = Consecutive segment number
MaxOcc = Maximum occurrence of the segment/group
Counter = Counter of segment/group within the standard

DSV public
Status
EDIFACT: M=Mandatory, C=Conditional
User specific: R=Required, O=Optional, D=Dependent,
A=Advised, N=Not used



Counter	No	Tag	St	MaxOcc	Level	Name
0070	10	FTX	C	99	1	Free text

Standard			Implementation	
Tag	Name	St Format	St Format	Usage / Remark
FTX				
4451	Text subject code qualifier	M an..3	M an..3	List of valid codes ADU Note DCL Document issuer declaration
4453	Free text function code	C an..3	N	
C107	Text reference	C	N	
4441	Free text description code	M an..17	N	
1131	Code list identification code	C an..17	N	
3055	Code list responsible agency code	C an..3	N	
C108	Text literal	C	C	
4440	Free text	M an..512	M an..512	
4440	Free text	C an..512	C an..512	
4440	Free text	C an..512	C an..512	
4440	Free text	C an..512	C an..512	
4440	Free text	C an..512	C an..512	
3453	Language name code	C an..3	N	
4447	Free text format code	C an..3	N	

Segment Remarks:

General Notes

Message examples:

FTX+DCL+++Document issuer declaration'

Example:

FTX+DCL+++Document issuer declaration:X:X:X:X'

No = Consecutive segment number
MaxOcc = Maximum occurrence of the segment/group
Counter = Counter of segment/group within the standard

DSV public
Status
EDIFACT: M=Mandatory, C=Conditional
User specific: R=Required, O=Optional, D=Dependent,
A=Advised, N=Not used



Counter	No	Tag	St	MaxOcc	Level	Name
0070	11	FTX	C	99	1	Free text

Standard			Implementation	
Tag	Name	St Format	St Format	Usage / Remark
FTX				
4451	Text subject code qualifier	M an..3	M an..3	List of valid codes DCL Document issuer declaration
4453	Free text function code	C an..3	N	
C107	Text reference	C	N	
4441	Free text description code	M an..17	N	
1131	Code list identification code	C an..17	N	
3055	Code list responsible agency code	C an..3	N	
C108	Text literal	C	C	
4440	Free text	M an..512	M an..512	
4440	Free text	C an..512	C an..512	
4440	Free text	C an..512	C an..512	
4440	Free text	C an..512	C an..512	
4440	Free text	C an..512	C an..512	
3453	Language name code	C an..3	N	
4447	Free text format code	C an..3	N	

Segment Remarks:**General Notes**

Message examples:

FTX+DCL+++Document issuer declaration'

Example:

FTX+DCL+++Document issuer declaration:X:X:X:X'

No = Consecutive segment number
 MaxOcc = Maximum occurrence of the segment/group
 Counter = Counter of segment/group within the standard

DSV public
 Status
 EDIFACT: M=Mandatory, C=Conditional
 User specific: R=Required, O=Optional, D=Dependent,
 A=Advised, N=Not used



Counter	No	Tag	St	MaxOcc	Level	Name
0070	12	FTX	C	99	1	Free text

Standard			Implementation	
Tag	Name	St Format	St Format	Usage / Remark
FTX				
4451	Text subject code qualifier	M an..3	M an..3	List of valid codes ADU Note
4453	Free text function code	C an..3	N	
C107	Text reference	C	N	
4441	Free text description code	M an..17	N	
1131	Code list identification code	C an..17	N	
3055	Code list responsible agency code	C an..3	N	
C108	Text literal	C	C	
4440	Free text	M an..512	M an..512	
4440	Free text	C an..512	C an..512	
4440	Free text	C an..512	C an..512	
4440	Free text	C an..512	C an..512	
4440	Free text	C an..512	C an..512	
3453	Language name code	C an..3	N	
4447	Free text format code	C an..3	N	

Segment Remarks:

General Notes

Message examples:
FTX+ADU+++Document note'

Example:

FTX+ADU+++Document note:X:X:X:X'

No = Consecutive segment number
MaxOcc = Maximum occurrence of the segment/group
Counter = Counter of segment/group within the standard

DSV public
Status
EDIFACT: M=Mandatory, C=Conditional
User specific: R=Required, O=Optional, D=Dependent,
A=Advised, N=Not used



Counter	No	Tag	St	MaxOcc	Level	Name
0080	13	LOC	C	10	1	Place/location identification

Standard			Implementation	
Tag	Name	St Format	St Format	Usage / Remark
LOC				
3227	Location function code qualifier	M an..3	M an..3	General Notes Message examples: LOC+ZBO+DKNOR::6' LOC+ZBO+BRY+FEA' LOC+ZBO+2BO::6+ROA+US' LOC+ZBO+DESWI++DE' List of valid codes ZBO DSV Booking office (Place of business)
C517	Location identification	C	C	
3225	Location identifier	C an..35	C an..35	
1131	Code list identification code	C an..17	N	
3055	Code list responsible agency code	C an..3	C an..3	General Notes DSV Booking office, Place of business description name
3224	Location name	C an..256	C an..256	
C519	Related location one identification	C	C	
3223	First related location identifier	C an..35	C an..35	General Notes DSV Booking office, Place of business
1131	Code list identification code	C an..17	N	
3055	Code list responsible agency code	C an..3	N	
3222	First related location name	C an..70	N	
C553	Related location two identification	C	N	
3233	Second related location identifier	C an..35	N	
1131	Code list identification code	C an..17	N	
3055	Code list responsible agency code	C an..3	N	
3232	Second related location name	C an..70	N	
5479	Relation code	C an..3	N	

Segment Remarks:**Example:**

LOC+ZBO+I382:::DKHOR+DKHOR'

No = Consecutive segment number
 MaxOcc = Maximum occurrence of the segment/group
 Counter = Counter of segment/group within the standard

DSV public
 Status
 EDIFACT: M=Mandatory, C=Conditional
 User specific: R=Required, O=Optional, D=Dependent,
 A=Advised, N=Not used



Counter	No	Tag	St	MaxOcc	Level	Name
0120		SG1	C	99999	1	RFF
0130	14	RFF	M	1	1	Reference

Standard			Implementation	
Tag	Name	St Format	St Format	Usage / Remark
RFF				
C506	Reference	M	M	
1153	Reference code qualifier	M an..3	M an..3	
				List of valid codes AAS Transport contract document identifier AFB Cargo manifest number AHK Payer's reference number AWB Air waybill number BNK Bank reference (DSV specific value) CN Carrier's reference number CRN Transport means journey identifier CU Consignment identifier, consignor assigned CUS External reference (DSV specific value) EST Estimate no (DSV specific value) EQ Vehicle (DSV specific value) FC Issue company (DSV specific value) HBL External reference (DSV specific value) HWB House waybill number IMG Webcost reference (DSV specific value) INI Webcost initials (DSV specific value) LI Document line identifier PQ Payment reference SRN Shipment reference number TYP Tax reference (DSV specific value) VAT VAT number (DSV specific value) XP External XP-reference (DSV specific value) ZCU Customer reference (DSV specific value) ZLD Department (DSV specific value)
1154	Reference identifier	C an..70	C an..70	
1156	Document line identifier	C an..6	N	
1056	Version identifier	C an..9	N	
1060	Revision identifier	C an..6	N	

Segment Remarks:**General Notes**

Message examples:

RFF+AAS:6982842384'

RFF+PQ:1234567890'

RFF+VAT:DK1234567890'

Example:

RFF+AAS:1223559'

No = Consecutive segment number
 MaxOcc = Maximum occurrence of the segment/group
 Counter = Counter of segment/group within the standard

DSV public

EDIFACT: M=Mandatory, C=Conditional
 User specific: R=Required, O=Optional, D=Dependent,
 A=Advised, N=Not used



Counter	No	Tag	St	MaxOcc	Level	Name
0220		SG2	C	99	1	NAD-SG3-SG4-SG5
0230	15	NAD	M	1	1	Name and address

Standard			Implementation	
Tag	Name	St Format	St Format	Usage / Remark
NAD				
3035	Party function code qualifier	M an..3	M an..3	List of valid codes II Invoice issuer
C082	Party identification details	C	C	
3039	Party identifier	M an..35	M an..35	
1131	Code list identification code	C an..17	N	
3055	Code list responsible agency code	C an..3	C an..3	List of valid codes 9 GS1 87 Assigned by carrier 91 Assigned by seller or seller's agent
C058	Name and address	C	N	
3124	Name and address description	M an..35	N	
3124	Name and address description	C an..35	N	
3124	Name and address description	C an..35	N	
3124	Name and address description	C an..35	N	
3124	Name and address description	C an..35	N	
C080	Party name	C	C	
3036	Party name	M an..70	M an..70	General Notes Invoice issuer
3036	Party name	C an..70	N	
3036	Party name	C an..70	N	
3036	Party name	C an..70	N	
3036	Party name	C an..70	N	
3045	Party name format code	C an..3	N	
C059	Street	C	C	
3042	Street and number or post office box identifier	M an..35	M an..35	
3042	Street and number or post office box identifier	C an..35	C an..35	
3042	Street and number or post office box identifier	C an..35	C an..35	
3042	Street and number or post office box identifier	C an..35	N	
3164	City name	C an..35	C an..35	
C819	Country subdivision details	C	N	

No = Consecutive segment number
 MaxOcc = Maximum occurrence of the segment/group
 Counter = Counter of segment/group within the standard

DSV public
 Status
 EDIFACT: M=Mandatory, C=Conditional
 User specific: R=Required, O=Optional, D=Dependent,
 A=Advised, N=Not used



Standard			Implementation	
Tag	Name	St Format	St Format	Usage / Remark
3229	Country subdivision identifier	C an..9	C an..9	
1131	Code list identification code	C an..17	N	
3055	Code list responsible agency code	C an..3	N	
3228	Country subdivision name	C an..70	N	
3251	Postal identification code	C an..17	C an..17	
3207	Country identifier	C an..3	C an..3	

Segment Remarks:**General Notes**

Message examples:

NAD+II+987654321::91++Invoice issuer+East street 20:2nd address:X+City++PostalCode+CountryCode'

Example:

NAD+II+987654321::91++Invoice issuer+East street 20:2nd address:X+City++2630+DK'

No = Consecutive segment number
 MaxOcc = Maximum occurrence of the segment/group
 Counter = Counter of segment/group within the standard

DSV public
 Status
 EDIFACT: M=Mandatory, C=Conditional
 User specific: R=Required, O=Optional, D=Dependent,
 A=Advised, N=Not used



Counter	No	Tag	St	MaxOcc	Level	Name
0270		SG3	C	9999	2	RFF
0280	16	RFF	M	1	2	Reference

Standard			Implementation	
Tag	Name	St Format	St Format	Usage / Remark
RFF				
C506	Reference	M	M	
1153	Reference code qualifier	M an..3	M an..3	List of valid codes VA VAT registration number
1154	Reference identifier	C an..70	C an..70	
1156	Document line identifier	C an..6	N	
1056	Version identifier	C an..9	N	
1060	Revision identifier	C an..6	N	

Segment Remarks:

General Notes

Message examples:

RFF+VAT:DK1234567890'

Example:

RFF+VA:VATNumber'

No = Consecutive segment number
MaxOcc = Maximum occurrence of the segment/group
Counter = Counter of segment/group within the standard

DSV public
Status
EDIFACT: M=Mandatory, C=Conditional
User specific: R=Required, O=Optional, D=Dependent,
A=Advised, N=Not used



Counter	No	Tag	St	MaxOcc	Level	Name
0300		SG4	C	5	2	DOC
0310	17	DOC	M	1	2	Document/message details

Standard			Implementation	
Tag	Name	St Format	St Format	Usage / Remark
DOC				
C002	Document/message name	M	M	
1001	Document name code	C an..3	C an..3	List of valid codes 385 Consolidated invoice 395 Consignment invoice
1131	Code list identification code	C an..17	N	
3055	Code list responsible agency code	C an..3	N	
1000	Document name	C an..35	N	
C503	Document/message details	C	N	
1004	Document identifier	C an..70	N	
1373	Document status code	C an..3	N	
1366	Document source description	C an..70	N	
3453	Language name code	C an..3	N	
1056	Version identifier	C an..9	N	
1060	Revision identifier	C an..6	N	
3153	Communication medium type code	C an..3	N	
1220	Document copies required quantity	C n..2	N	
1218	Document originals required quantity	C n..2	N	

Segment Remarks:**General Notes**

Composite / Single Invoice Flag.

If Consolidated Invoice then this defined as 385

If single Invoice defined as Consignment Invoice (Including Transports) as 395

Message examples:

DOC+385'

Example:

DOC+385'

No = Consecutive segment number
MaxOcc = Maximum occurrence of the segment/group
Counter = Counter of segment/group within the standard

DSV public
Status
EDIFACT: M=Mandatory, C=Conditional
User specific: R=Required, O=Optional, D=Dependent,
A=Advised, N=Not used



Counter	No	Tag	St	MaxOcc	Level	Name
0300		SG4	C	5	2	DOC
0310	18	DOC	M	1	2	Document/message details

Standard			Implementation	
Tag	Name	St Format	St Format	Usage / Remark
DOC				
C002	Document/message name	M	M	
1001	Document name code	C an..3	C an..3	
				List of valid codes
				385 Consolidated invoice
1131	Code list identification code	C an..17	N	
3055	Code list responsible agency code	C an..3	N	
1000	Document name	C an..35	N	
C503	Document/message details	C	N	
1004	Document identifier	C an..70	N	
1373	Document status code	C an..3	N	
1366	Document source description	C an..70	N	
3453	Language name code	C an..3	N	
1056	Version identifier	C an..9	N	
1060	Revision identifier	C an..6	N	
3153	Communication medium type code	C an..3	N	
1220	Document copies required quantity	C n..2	N	
1218	Document originals required quantity	C n..2	N	

Segment Remarks:**General Notes**

Composite / Single Invoice Flag.

If Consolidated Invoice then this defined as 385

If single Invoice defined as Consignment Invoice (Including Transports) as 395

Message examples:

DOC+385'

Example:

DOC+385'

No = Consecutive segment number
 MaxOcc = Maximum occurrence of the segment/group
 Counter = Counter of segment/group within the standard

DSV public

EDIFACT: M=Mandatory, C=Conditional
 User specific: R=Required, O=Optional, D=Dependent,
 A=Advised, N=Not used



Counter	No	Tag	St	MaxOcc	Level	Name
0300		SG4	C	5	2	DOC
0310	19	DOC	M	1	2	Document/message details

Standard			Implementation	
Tag	Name	St Format	St Format	Usage / Remark
DOC				
C002	Document/message name	M	M	
1001	Document name code	C an..3	C an..3	
				List of valid codes
				395 Consignment invoice
1131	Code list identification code	C an..17	N	
3055	Code list responsible agency code	C an..3	N	
1000	Document name	C an..35	N	
C503	Document/message details	C	N	
1004	Document identifier	C an..70	N	
1373	Document status code	C an..3	N	
1366	Document source description	C an..70	N	
3453	Language name code	C an..3	N	
1056	Version identifier	C an..9	N	
1060	Revision identifier	C an..6	N	
3153	Communication medium type code	C an..3	N	
1220	Document copies required quantity	C n..2	N	
1218	Document originals required quantity	C n..2	N	

Segment Remarks:**General Notes**

Composite / Single Invoice Flag.

If Consolidated Invoice then this defined as 385

If single Invoice defined as Consignment Invoice (Including Transports) as 395

Message examples:

DOC+395'

Example:

DOC+395'

No = Consecutive segment number
 MaxOcc = Maximum occurrence of the segment/group
 Counter = Counter of segment/group within the standard

DSV public

EDIFACT: M=Mandatory, C=Conditional
 User specific: R=Required, O=Optional, D=Dependent,
 A=Advised, N=Not used



Counter	No	Tag	St	MaxOcc	Level	Name
0330		SG5	C	5	2	CTA-COM
0340	20	CTA	M	1	2	Contact information

Standard			Implementation	
Tag	Name	St Format	St Format	Usage / Remark
CTA				
3139	Contact function code	C an..3	C an..3	List of valid codes AR Accounts receivable contact
C056	Contact details	C	C	
3413	Contact identifier	C an..17	N	
3412	Contact name	C an..256	C an..256	

Segment Remarks:

General Notes

Message examples:

CTA+AR+:Invoice issuer'

Example:

CTA+AR+:Invoice issuer'

No = Consecutive segment number
MaxOcc = Maximum occurrence of the segment/group
Counter = Counter of segment/group within the standard

DSV public
Status
EDIFACT: M=Mandatory, C=Conditional
User specific: R=Required, O=Optional, D=Dependent,
A=Advised, N=Not used



Counter	No	Tag	St	MaxOcc	Level	Name
0330		SG5	C	5	2	CTA-COM
0350	21	COM	C	5	3	Communication contact

Standard			Implementation	
Tag	Name	St Format	St Format	Usage / Remark
COM				
C076	Communication contact	M	M	
3148	Communication address identifier	M an..512	M an..512	
3155	Communication means type code	M an..3	M an..3	
				List of valid codes
				TE Telephone

Segment Remarks:**General Notes**

Methods of contact - - Repeated for both Email and Telephone

Message examples:

COM+010-4455663388:TE'

Example:

COM+010-4455663388:TE'

No = Consecutive segment number
 MaxOcc = Maximum occurrence of the segment/group
 Counter = Counter of segment/group within the standard

DSV public
 Status
 EDIFACT: M=Mandatory, C=Conditional
 User specific: R=Required, O=Optional, D=Dependent,
 A=Advised, N=Not used



Counter	No	Tag	St	MaxOcc	Level	Name
0330		SG5	C	5	2	CTA-COM
0350	22	COM	C	5	3	Communication contact

Standard			Implementation	
Tag	Name	St Format	St Format	Usage / Remark
COM				
C076	Communication contact	M	M	
3148	Communication address identifier	M an..512	M an..512	
3155	Communication means type code	M an..3	M an..3	
				List of valid codes
				EM Electronic mail

Segment Remarks:**General Notes**

Methods of contact - - Repeated for both Email and Telephone

Message examples:

COM+issuer@email.com:EM'

Example:

COM+abc@email.com:EM'

No = Consecutive segment number
 MaxOcc = Maximum occurrence of the segment/group
 Counter = Counter of segment/group within the standard

DSV public
 Status
 EDIFACT: M=Mandatory, C=Conditional
 User specific: R=Required, O=Optional, D=Dependent,
 A=Advised, N=Not used



Counter	No	Tag	St	MaxOcc	Level	Name
0220		SG2	C	99	1	NAD-SG3-SG5
0230	23	NAD	M	1	1	Name and address

Standard			Implementation	
Tag	Name	St Format	St Format	Usage / Remark
NAD				
3035	Party function code qualifier	M an..3	M an..3	List of valid codes IV Invoicee
C082	Party identification details	C	C	
3039	Party identifier	M an..35	M an..35	
1131	Code list identification code	C an..17	N	
3055	Code list responsible agency code	C an..3	C an..3	List of valid codes 9 GS1 87 Assigned by carrier 91 Assigned by seller or seller's agent
C058	Name and address	C	N	
3124	Name and address description	M an..35	N	
3124	Name and address description	C an..35	N	
3124	Name and address description	C an..35	N	
3124	Name and address description	C an..35	N	
3124	Name and address description	C an..35	N	
C080	Party name	C	C	
3036	Party name	M an..70	M an..70	
3036	Party name	C an..70	N	
3036	Party name	C an..70	N	
3036	Party name	C an..70	N	
3036	Party name	C an..70	N	
3045	Party name format code	C an..3	N	
C059	Street	C	C	
3042	Street and number or post office box identifier	M an..35	M an..35	
3042	Street and number or post office box identifier	C an..35	C an..35	
3042	Street and number or post office box identifier	C an..35	C an..35	
3042	Street and number or post office box identifier	C an..35	N	
3164	City name	C an..35	C an..35	
C819	Country subdivision details	C	N	
3229	Country subdivision identifier	C an..9	C an..9	

No = Consecutive segment number
MaxOcc = Maximum occurrence of the segment/group
Counter = Counter of segment/group within the standard

DSV public
Status
EDIFACT: M=Mandatory, C=Conditional
User specific: R=Required, O=Optional, D=Dependent,
A=Advised, N=Not used



Standard			Implementation	
Tag	Name	St Format	St Format	Usage / Remark
1131	Code list identification code	C an..17	N	
3055	Code list responsible agency code	C an..3	N	
3228	Country subdivision name	C an..70	N	
3251	Postal identification code	C an..17	C an..17	
3207	Country identifier	C an..3	C an..3	

Segment Remarks:

General Notes

Message examples:

NAD+IV+987654321::91++Invoicee+West street 10:2nd address:X+City++PostalCode+CountryCode'

Example:

NAD+IV+123456789::91++Company +West street 12B:Warehouse 8:150+COPENHAGEN++1610+DK'

No = Consecutive segment number
MaxOcc = Maximum occurrence of the segment/group
Counter = Counter of segment/group within the standard

DSV public
Status
EDIFACT: M=Mandatory, C=Conditional
User specific: R=Required, O=Optional, D=Dependent,
A=Advised, N=Not used



Counter	No	Tag	St	MaxOcc	Level	Name
0270		SG3	C	9999	2	RFF
0280	24	RFF	M	1	2	Reference

Standard			Implementation	
Tag	Name	St Format	St Format	Usage / Remark
RFF				
C506	Reference	M	M	
1153	Reference code qualifier	M an..3	M an..3	List of valid codes VA VAT registration number
1154	Reference identifier	C an..70	C an..70	
1156	Document line identifier	C an..6	N	
1056	Version identifier	C an..9	N	
1060	Revision identifier	C an..6	N	

Segment Remarks:

General Notes

Message examples:

RFF+VAT:DK901234678'

Example:

RFF+VA:VATNumber'

No = Consecutive segment number
MaxOcc = Maximum occurrence of the segment/group
Counter = Counter of segment/group within the standard

DSV public
Status
EDIFACT: M=Mandatory, C=Conditional
User specific: R=Required, O=Optional, D=Dependent,
A=Advised, N=Not used



Counter	No	Tag	St	MaxOcc	Level	Name
---------	----	-----	----	--------	-------	------

0330 **SG5** C 5 2 **CTA-COM**

General Notes

Message examples:

0340 25 **CTA** M 1 2 **Contact information**

Standard			Implementation	
Tag	Name	St Format	St Format	Usage / Remark
CTA				
3139	Contact function code	C an..3	C an..3	List of valid codes AP Accounts payable contact
C056	Contact details	C	C	
3413	Contact identifier	C an..17	N	
3412	Contact name	C an..256	C an..256	

Segment Remarks:

General Notes

Message examples:

CTA+AP+:Invoicee'

Example:

CTA+AP+:Invoicee'

No = Consecutive segment number
 MaxOcc = Maximum occurrence of the segment/group
 Counter = Counter of segment/group within the standard

DSV public

EDIFACT: M=Mandatory, C=Conditional
 User specific: R=Required, O=Optional, D=Dependent,
 A=Advised, N=Not used



Counter	No	Tag	St	MaxOcc	Level	Name
0330		SG5	C	5	2	CTA-COM
General Notes Message examples:						
0350	26	COM	C	5	3	Communication contact

Standard			Implementation	
Tag	Name	St Format	St Format	Usage / Remark
COM				
C076	Communication contact	M	M	
3148	Communication address identifier	M an..512	M an..512	
3155	Communication means type code	M an..3	M an..3	
				List of valid codes TE Telephone

Segment Remarks:

General Notes

Methods of contact - - Repeated for both Email and Telephone

Message examples:

COM+010-4455663388:TE'

Example:

COM+010-4455663388:TE'

No = Consecutive segment number
MaxOcc = Maximum occurrence of the segment/group
Counter = Counter of segment/group within the standard

DSV public
Status
EDIFACT: M=Mandatory, C=Conditional
User specific: R=Required, O=Optional, D=Dependent,
A=Advised, N=Not used



Counter	No	Tag	St	MaxOcc	Level	Name
---------	----	-----	----	--------	-------	------

0330		SG5	C	5	2	CTA-COM
------	--	------------	---	---	---	----------------

General Notes

Message examples:

0350	27	COM	C	5	3	Communication contact
------	----	------------	---	---	---	------------------------------

Standard			Implementation	
Tag	Name	St Format	St Format	Usage / Remark
COM				
C076	Communication contact	M	M	
3148	Communication address identifier	M an..512	M an..512	
3155	Communication means type code	M an..3	M an..3	
				List of valid codes
				EM Electronic mail

Segment Remarks:**General Notes**

Methods of contact - - Repeated for both Email and Telephone

Message examples:

COM+issuer@email.com:EM'

Example:

COM+abc@email.com:EM'

No = Consecutive segment number
 MaxOcc = Maximum occurrence of the segment/group
 Counter = Counter of segment/group within the standard

DSV public

St Status
 EDIFACT: M=Mandatory, C=Conditional
 User specific: R=Required, O=Optional, D=Dependent,
 A=Advised, N=Not used



Counter	No	Tag	St	MaxOcc	Level	Name
0400		SG7	C	99	1	CUX-DTM
0410	28	CUX	M	1	1	Currencies

Standard			Implementation	
Tag	Name	St Format	St Format	Usage / Remark
CUX				
C504	Currency details	C	C	
6347	Currency usage code qualifier	M an..3	M an..3	List of valid codes 2 Reference currency
6345	Currency identification code	C an..3	C an..3	
6343	Currency type code qualifier	C an..3	C an..3	List of valid codes 10 Pricing currency
6348	Currency rate	C n..4	N	
C504	Currency details	C	C	
6347	Currency usage code qualifier	M an..3	M an..3	List of valid codes 3 Target currency
6345	Currency identification code	C an..3	C an..3	General Notes All currencies allowed using ISO4217 three alpha character code
6343	Currency type code qualifier	C an..3	C an..3	List of valid codes 11 Payment currency
6348	Currency rate	C n..4	N	
5402	Currency exchange rate	C n..12	C n..12	General Notes Rate of exchange between the currencies
6341	Exchange rate currency market identifier	C an..3	N	

Segment Remarks:**General Notes**

Message examples:

CUX+2:DKK:10+3:EUR:11+1'

Example:

CUX+2:DKK:10+3:EUR:11+1'

No = Consecutive segment number
MaxOcc = Maximum occurrence of the segment/group
Counter = Counter of segment/group within the standard

DSV public

EDIFACT Status

EDIFACT: M=Mandatory, C=Conditional

User specific: R=Required, O=Optional, D=Dependent,

A=Advised, N=Not used



Counter	No	Tag	St	MaxOcc	Level	Name
0400		SG7	C	99	1	CUX-DTM
0420	29	DTM	C	5	2	Date/time/period

Standard			Implementation	
Tag	Name	St Format	St Format	Usage / Remark
DTM				
C507	Date/time/period	M	M	
2005	Date or time or period function code qualifier	M an..3	M an..3	General Notes If Currency same then this segment not required List of valid codes 134 Rate of exchange date/time
2380	Date or time or period text	C an..35	C an..35	
2379	Date or time or period format code	C an..3	C an..3	List of valid codes 102 CCYYMMDD

Segment Remarks:**General Notes**

Message examples:

DTM+134:20221020:102'

Example:

DTM+134:20221020:102'

No = Consecutive segment number
 MaxOcc = Maximum occurrence of the segment/group
 Counter = Counter of segment/group within the standard

DSV public

EDIFACT: M=Mandatory, C=Conditional
 User specific: R=Required, O=Optional, D=Dependent,
 A=Advised, N=Not used



Counter	No	Tag	St	MaxOcc	Level	Name
0430		SG8	C	10	1	PYT-DTM
0440	30	PYT	M	1	1	Payment terms

Standard			Implementation	
Tag	Name	St Format	St Format	Usage / Remark
PYT				
4279	Payment terms type code qualifier	M an..3	M an..3	List of valid codes 2 End of month 3 Fixed date 18 Previously agreed upon 45 Contract basis 47 Dating given
C019	Payment terms	C	C	
4277	Payment terms description identifier	C an..17	N	
1131	Code list identification code	C an..17	N	
3055	Code list responsible agency code	C an..3	N	
4276	Payment terms description	C an..35	C an..35	
2475	Event time reference code	C an..3	N	
2009	Terms time relation code	C an..3	N	
2151	Period type code	C an..3	C an..3	List of valid codes M Month D Day
2152	Period count quantity	C n..3	C n..3	

Segment Remarks:**General Notes**

Terms of Payment

Message examples:

PYT+3+:::Desc. of terms+++D+45'

PYT+2+:::Desc. of terms+++M+1'

PYT+18+:::Desc. of terms+++D+45'

PYT+45+:::Desc. of terms+++D+45'

PYT+47+:::Desc. of terms+++D+45'

Example:

PYT+3+:::Desc. of terms+++D+45'

DSV public

No = Consecutive segment number

MaxOcc = Maximum occurrence of the segment/group

Counter = Counter of segment/group within the standard

Status

EDIFACT: M=Mandatory, C=Conditional

User specific: R=Required, O=Optional, D=Dependent,

A=Advised, N=Not used



Counter	No	Tag	St	MaxOcc	Level	Name
0430		SG8	C	10	1	PYT-DTM
0450	31	DTM	C	5	2	Date/time/period

Standard			Implementation	
Tag	Name	St Format	St Format	Usage / Remark
DTM				
C507	Date/time/period	M	M	
2005	Date or time or period function code qualifier	M an..3	M an..3	
				List of valid codes
				13 Terms net due date
2380	Date or time or period text	C an..35	C an..35	
2379	Date or time or period format code	C an..3	C an..3	
				List of valid codes
				102 CCYYMMDD

Segment Remarks:**General Notes**

Date of Invoice Payment required

Message examples:

DTM+13:20221120:102'

Example:

DTM+13:20221120:102'

No = Consecutive segment number
 MaxOcc = Maximum occurrence of the segment/group
 Counter = Counter of segment/group within the standard

DSV public

EDIFACT: M=Mandatory, C=Conditional
 User specific: R=Required, O=Optional, D=Dependent,
 A=Advised, N=Not used



Counter	No	Tag	St	MaxOcc	Level	Name
0500		SG9	C	10	1	TDT-SG10
0510	32	TDT	M	1	1	Transport information

Standard			Implementation	
Tag	Name	St Format	St Format	Usage / Remark
TDT				
8051	Transport stage code qualifier	M an..3	M an..3	
				List of valid codes
				20 Main-carriage transport
8028	Means of transport journey identifier	C an..17	N	
C220	Mode of transport	C	C	
8067	Transport mode name code	C an..3	C an..3	
				List of valid codes
				1 Maritime transport
				2 Rail transport
				3 Road transport
				4 Air transport
8066	Transport mode name	C an..17	N	
C001	Transport means	C	C	
8179	Transport means description code	C an..8	N	
1131	Code list identification code	C an..17	N	
3055	Code list responsible agency code	C an..3	N	
8178	Transport means description	C an..17	C an..17	
C040	Carrier	C	C	
3127	Carrier identifier	C an..17	C an..17	
1131	Code list identification code	C an..17	N	
3055	Code list responsible agency code	C an..3	N	
3126	Carrier name	C an..35	C an..35	
8101	Transit direction indicator code	C an..3	N	
C401	Excess transportation information	C	N	
8457	Excess transportation reason code	M an..3	N	
8459	Excess transportation responsibility code	M an..3	N	
7130	Customer shipment authorisation identifier	C an..17	N	
C222	Transport identification	C	C	
8213	Transport means identification name identifier	C an..35	N	
1131	Code list identification code	C an..17	N	

No = Consecutive segment number
 MaxOcc = Maximum occurrence of the segment/group
 Counter = Counter of segment/group within the standard

DSV public
 Status
 EDIFACT: M=Mandatory, C=Conditional
 User specific: R=Required, O=Optional, D=Dependent,
 A=Advised, N=Not used



Standard			Implementation	
Tag	Name	St Format	St Format	Usage / Remark
3055	Code list responsible agency code	C an..3	N	
8212	Transport means identification name	C an..70	C an..70	
8453	Transport means nationality code	C an..3	N	
8281	Transport means ownership indicator code	C an..3	N	

Segment Remarks:

General Notes

Message example:

TDT+20++1+:::014W+Carrier code:::Carrier name+++Main:::Vessel:US'

TDT+20++2'

TDT+20++3'

TDT+20++4+:::014W+Carrier code:::Carrier name+++Main:::Vessel:US'

Example:

TDT+20++1+:::LH320+6403864782:::LUFTHANSA+++:::LUFTHANSA'

No = Consecutive segment number
MaxOcc = Maximum occurrence of the segment/group
Counter = Counter of segment/group within the standard

DSV public
EDIFACT: M=Mandatory, C=Conditional
User specific: R=Required, O=Optional, D=Dependent,
A=Advised, N=Not used



Counter	No	Tag	St	MaxOcc	Level	Name
0530		SG10	C	10	2	LOC-DTM
0540	33	LOC	M	1	2	Place/location identification

Standard			Implementation	
Tag	Name	St Format	St Format	Usage / Remark
LOC				
3227	Location function code qualifier	M an..3	M an..3	
				List of valid codes 9 Place of loading
C517	Location identification	C	C	
3225	Location identifier	C an..35	C an..35	
1131	Code list identification code	C an..17	C an..17	
3055	Code list responsible agency code	C an..3	C an..3	
3224	Location name	C an..256	C an..256	
C519	Related location one identification	C	C	
3223	First related location identifier	C an..35	C an..35	
1131	Code list identification code	C an..17	C an..17	
3055	Code list responsible agency code	C an..3	C an..3	
				List of valid codes 3 IATA (International Air Transport Association)
3222	First related location name	C an..70	N	
C553	Related location two identification	C	C	
3233	Second related location identifier	C an..35	C an..35	
1131	Code list identification code	C an..17	N	
3055	Code list responsible agency code	C an..3	N	
3232	Second related location name	C an..70	N	
5479	Relation code	C an..3	N	

Segment Remarks:**General Notes**

Message examples:

LOC+9+DEFRA::Frankfurt am Main+X::X'

Example:

LOC+9+DEFRA::Frankfurt am Main+X::3+X'

No = Consecutive segment number
 MaxOcc = Maximum occurrence of the segment/group
 Counter = Counter of segment/group within the standard

DSV public

EDIFACT: M=Mandatory, C=Conditional
 User specific: R=Required, O=Optional, D=Dependent,
 A=Advised, N=Not used



Counter	No	Tag	St	MaxOcc	Level	Name
0530		SG10	C	10	2	LOC-DTM
0550	34	DTM	C	5	3	Date/time/period

Standard			Implementation	
Tag	Name	St Format	St Format	Usage / Remark
DTM				
C507	Date/time/period	M	M	
2005	Date or time or period function code qualifier	M an..3	M an..3	
				List of valid codes
				757 Departure date/time from place of loading
				186 Transport means departure date/time, actual
2380	Date or time or period text	C an..35	C an..35	
2379	Date or time or period format code	C an..3	C an..3	
				List of valid codes
				102 CCYYMMDD

Segment Remarks:**General Notes**

Message examples:

DTM+757:20221021:102'

DTM+186:20221020:102'

Example:

DTM+757:20210130:102'

No = Consecutive segment number
 MaxOcc = Maximum occurrence of the segment/group
 Counter = Counter of segment/group within the standard

DSV public

EDIFACT: M=Mandatory, C=Conditional
 User specific: R=Required, O=Optional, D=Dependent,
 A=Advised, N=Not used



Counter	No	Tag	St	MaxOcc	Level	Name
0530		SG10	C	10	2	LOC-DTM
0540	35	LOC	M	1	2	Place/location identification

Standard			Implementation	
Tag	Name	St Format	St Format	Usage / Remark
LOC				
3227	Location function code qualifier	M an..3	M an..3	List of valid codes 8 Place of destination
C517	Location identification	C	C	
3225	Location identifier	C an..35	C an..35	
1131	Code list identification code	C an..17	C an..17	
3055	Code list responsible agency code	C an..3	C an..3	
3224	Location name	C an..256	C an..256	
C519	Related location one identification	C	N	
3223	First related location identifier	C an..35	N	
1131	Code list identification code	C an..17	N	
3055	Code list responsible agency code	C an..3	N	
3222	First related location name	C an..70	N	
C553	Related location two identification	C	N	
3233	Second related location identifier	C an..35	N	
1131	Code list identification code	C an..17	N	
3055	Code list responsible agency code	C an..3	N	
3232	Second related location name	C an..70	N	
5479	Relation code	C an..3	N	

Segment Remarks:**General Notes**

Message examples:

LOC+8+DEFRA:::Frankfurt am Main'

Example:

LOC+8+DKCPH:::Copenhagen'

No = Consecutive segment number
 MaxOcc = Maximum occurrence of the segment/group
 Counter = Counter of segment/group within the standard

DSV public
 Status
 EDIFACT: M=Mandatory, C=Conditional
 User specific: R=Required, O=Optional, D=Dependent,
 A=Advised, N=Not used



Counter	No	Tag	St	MaxOcc	Level	Name
0530		SG10	C	10	2	LOC-DTM
0550	36	DTM	C	5	3	Date/time/period

Standard			Implementation	
Tag	Name	St Format	St Format	Usage / Remark
DTM				
C507	Date/time/period	M	M	
2005	Date or time or period function code qualifier	M an..3	M an..3	
				List of valid codes
				132 Transport means arrival date time, estimated
				178 Transport means arrival date time, actual
2380	Date or time or period text	C an..35	C an..35	
2379	Date or time or period format code	C an..3	C an..3	
				List of valid codes
				102 CCYYMMDD

Segment Remarks:**General Notes**

Message examples:

DTM+132:20221021:102'

DTM+178:20221020:102'

Example:

DTM+132:20210130:102'

No = Consecutive segment number
 MaxOcc = Maximum occurrence of the segment/group
 Counter = Counter of segment/group within the standard

DSV public

EDIFACT: M=Mandatory, C=Conditional
 User specific: R=Required, O=Optional, D=Dependent,
 A=Advised, N=Not used



Counter	No	Tag	St	MaxOcc	Level	Name
0530		SG10	C	10	2	LOC-DTM
0540	37	LOC	M	1	2	Place/location identification

Standard			Implementation	
Tag	Name	St Format	St Format	Usage / Remark
LOC				
3227	Location function code qualifier	M an..3	M an..3	
				List of valid codes 5 Place of departure
C517	Location identification	C	C	
3225	Location identifier	C an..35	C an..35	
1131	Code list identification code	C an..17	C an..17	
3055	Code list responsible agency code	C an..3	C an..3	
3224	Location name	C an..256	C an..256	
C519	Related location one identification	C	N	
3223	First related location identifier	C an..35	N	
1131	Code list identification code	C an..17	N	
3055	Code list responsible agency code	C an..3	N	
3222	First related location name	C an..70	N	
C553	Related location two identification	C	N	
3233	Second related location identifier	C an..35	N	
1131	Code list identification code	C an..17	N	
3055	Code list responsible agency code	C an..3	N	
3232	Second related location name	C an..70	N	
5479	Relation code	C an..3	N	

Segment Remarks:**General Notes**

Message examples:

LOC+5+DEFRA:::Frankfurt am Main'

Example:

LOC+5+DEFRA:::Frankfurt am Main'

No = Consecutive segment number
 MaxOcc = Maximum occurrence of the segment/group
 Counter = Counter of segment/group within the standard

DSV public

EDIFACT: M=Mandatory, C=Conditional
 User specific: R=Required, O=Optional, D=Dependent,
 A=Advised, N=Not used



Counter	No	Tag	St	MaxOcc	Level	Name
0530		SG10	C	10	2	LOC-DTM
0550	38	DTM	C	5	3	Date/time/period

Standard			Implementation	
Tag	Name	St Format	St Format	Usage / Remark
DTM				
C507	Date/time/period	M	M	
2005	Date or time or period function code qualifier	M an..3	M an..3	List of valid codes 136 Transport means departure date time, actual 189 Transport means departure date/time, scheduled
2380	Date or time or period text	C an..35	C an..35	
2379	Date or time or period format code	C an..3	C an..3	List of valid codes 102 CCYYMMDD

Segment Remarks:

General Notes

Message examples:

DTM+136:20221021:102'

DTM+189:20221020:102'

Example:

DTM+136:20210130:102'

No = Consecutive segment number
MaxOcc = Maximum occurrence of the segment/group
Counter = Counter of segment/group within the standard

DSV public
Status
EDIFACT: M=Mandatory, C=Conditional
User specific: R=Required, O=Optional, D=Dependent,
A=Advised, N=Not used



Counter	No	Tag	St	MaxOcc	Level	Name
0530		SG10	C	10	2	LOC-DTM
0540	39	LOC	M	1	2	Place/location identification

Standard			Implementation	
Tag	Name	St Format	St Format	Usage / Remark
LOC				
3227	Location function code qualifier	M an..3	M an..3	
				List of valid codes 11 Place of discharge
C517	Location identification	C	C	
3225	Location identifier	C an..35	C an..35	
1131	Code list identification code	C an..17	N	
3055	Code list responsible agency code	C an..3	N	
3224	Location name	C an..256	C an..256	
C519	Related location one identification	C	C	
3223	First related location identifier	C an..35	C an..35	
1131	Code list identification code	C an..17	N	
3055	Code list responsible agency code	C an..3	C an..3	
3222	First related location name	C an..70	N	
C553	Related location two identification	C	C	
3233	Second related location identifier	C an..35	C an..35	
1131	Code list identification code	C an..17	N	
3055	Code list responsible agency code	C an..3	N	
3232	Second related location name	C an..70	N	
5479	Relation code	C an..3	N	

Segment Remarks:**General Notes**

Message examples:

LOC+11+DEFRA::Frankfurt am Main+X::X'

Example:

LOC+11+DKCPH:::Copenhagen+X+X'

No = Consecutive segment number
 MaxOcc = Maximum occurrence of the segment/group
 Counter = Counter of segment/group within the standard

DSV public

EDIFACT: M=Mandatory, C=Conditional
 User specific: R=Required, O=Optional, D=Dependent,
 A=Advised, N=Not used



Counter	No	Tag	St	MaxOcc	Level	Name
0530		SG10	C	10	2	LOC-DTM
0550	40	DTM	C	5	3	Date/time/period

Standard			Implementation	
Tag	Name	St Format	St Format	Usage / Remark
DTM				
C507	Date/time/period	M	M	
2005	Date or time or period function code qualifier	M an..3	M an..3	
				List of valid codes
				232 Transport means arrival date/time, scheduled
2380	Date or time or period text	C an..35	C an..35	
2379	Date or time or period format code	C an..3	C an..3	
				List of valid codes
				102 CCYYMMDD

Segment Remarks:**General Notes**

Message examples:

DTM+232:20221021:102'

Example:

DTM+232:20210130:102'

No = Consecutive segment number
 MaxOcc = Maximum occurrence of the segment/group
 Counter = Counter of segment/group within the standard

DSV public

EDIFACT: M=Mandatory, C=Conditional
 User specific: R=Required, O=Optional, D=Dependent,
 A=Advised, N=Not used



Counter	No	Tag	St	MaxOcc	Level	Name
0500		SG9	C	10	1	TDT-SG10
0510	41	TDT	M	1	1	Transport information

Standard			Implementation	
Tag	Name	St Format	St Format	Usage / Remark
TDT				
8051	Transport stage code qualifier	M an..3	M an..3	List of valid codes 20 Main-carriage transport
8028	Means of transport journey identifier	C an..17	N	
C220	Mode of transport	C	C	
8067	Transport mode name code	C an..3	C an..3	List of valid codes 1 Maritime transport
8066	Transport mode name	C an..17	N	
C001	Transport means	C	C	
8179	Transport means description code	C an..8	N	
1131	Code list identification code	C an..17	N	
3055	Code list responsible agency code	C an..3	N	
8178	Transport means description	C an..17	C an..17	
C040	Carrier	C	C	
3127	Carrier identifier	C an..17	C an..17	
1131	Code list identification code	C an..17	N	
3055	Code list responsible agency code	C an..3	N	
3126	Carrier name	C an..35	C an..35	
8101	Transit direction indicator code	C an..3	N	
C401	Excess transportation information	C	N	
8457	Excess transportation reason code	M an..3	N	
8459	Excess transportation responsibility code	M an..3	N	
7130	Customer shipment authorisation identifier	C an..17	N	
C222	Transport identification	C	C	
8213	Transport means identification name identifier	C an..35	N	
1131	Code list identification code	C an..17	N	
3055	Code list responsible agency code	C an..3	N	
8212	Transport means	C an..70	C an..70	

No = Consecutive segment number
 MaxOcc = Maximum occurrence of the segment/group
 Counter = Counter of segment/group within the standard

DSV public
 Status
 EDIFACT: M=Mandatory, C=Conditional
 User specific: R=Required, O=Optional, D=Dependent,
 A=Advised, N=Not used



Standard			Implementation	
Tag	Name	St Format	St Format	Usage / Remark
	identification name			
8453	Transport means nationality code	C an..3	N	
8281	Transport means ownership indicator code	C an..3	N	

Segment Remarks:

General Notes

Message example:

TDT+20++1+:::014W+Carrier code:::Carrier name+++Main:::Vessel:US'

Example:

TDT+20++1+:::LH320+6403864782:::LUFTHANSA+++:::LUFTHANSA'

No = Consecutive segment number
MaxOcc = Maximum occurrence of the segment/group
Counter = Counter of segment/group within the standard

DSV public
EDIFACT: M=Mandatory, C=Conditional
User specific: R=Required, O=Optional, D=Dependent,
A=Advised, N=Not used



Counter	No	Tag	St	MaxOcc	Level	Name
0530		SG10	C	10	2	LOC-DTM
0540	42	LOC	M	1	2	Place/location identification

Standard			Implementation	
Tag	Name	St Format	St Format	Usage / Remark
LOC				
3227	Location function code qualifier	M an..3	M an..3	List of valid codes 9 Place of loading
C517	Location identification	C	C	
3225	Location identifier	C an..35	C an..35	
1131	Code list identification code	C an..17	C an..17	
3055	Code list responsible agency code	C an..3	C an..3	
3224	Location name	C an..256	C an..256	
C519	Related location one identification	C	C	
3223	First related location identifier	C an..35	C an..35	
1131	Code list identification code	C an..17	C an..17	
3055	Code list responsible agency code	C an..3	C an..3	List of valid codes 3 IATA (International Air Transport Association)
3222	First related location name	C an..70	N	
C553	Related location two identification	C	C	
3233	Second related location identifier	C an..35	C an..35	
1131	Code list identification code	C an..17	N	
3055	Code list responsible agency code	C an..3	N	
3232	Second related location name	C an..70	N	
5479	Relation code	C an..3	N	

Segment Remarks:**General Notes**

Message examples:

LOC+9+DEFRA::Frankfurt am Main+X::X'

Example:

LOC+9+DEFRA::Frankfurt am Main+X::3+X'

No = Consecutive segment number
 MaxOcc = Maximum occurrence of the segment/group
 Counter = Counter of segment/group within the standard

DSV public
 Status
 EDIFACT: M=Mandatory, C=Conditional
 User specific: R=Required, O=Optional, D=Dependent,
 A=Advised, N=Not used



Counter	No	Tag	St	MaxOcc	Level	Name
0530		SG10	C	10	2	LOC-DTM
0550	43	DTM	C	5	3	Date/time/period

Standard			Implementation	
Tag	Name	St Format	St Format	Usage / Remark
DTM				
C507	Date/time/period	M	M	
2005	Date or time or period function code qualifier	M an..3	M an..3	
				List of valid codes
				757 Departure date/time from place of loading
				186 Transport means departure date/time, actual
2380	Date or time or period text	C an..35	C an..35	
2379	Date or time or period format code	C an..3	C an..3	
				List of valid codes
				102 CCYYMMDD

Segment Remarks:**General Notes**

Message examples:

DTM+757:20221021:102'

DTM+186:20221020:102'

Example:

DTM+757:20210130:102'

No = Consecutive segment number
 MaxOcc = Maximum occurrence of the segment/group
 Counter = Counter of segment/group within the standard

DSV public
 Status
 EDIFACT: M=Mandatory, C=Conditional
 User specific: R=Required, O=Optional, D=Dependent,
 A=Advised, N=Not used



Counter	No	Tag	St	MaxOcc	Level	Name
0530		SG10	C	10	2	LOC-DTM
0540	44	LOC	M	1	2	Place/location identification

Standard			Implementation	
Tag	Name	St Format	St Format	Usage / Remark
LOC				
3227	Location function code qualifier	M an..3	M an..3	List of valid codes 8 Place of destination
C517	Location identification	C	C	
3225	Location identifier	C an..35	C an..35	
1131	Code list identification code	C an..17	C an..17	
3055	Code list responsible agency code	C an..3	C an..3	
3224	Location name	C an..256	C an..256	
C519	Related location one identification	C	N	
3223	First related location identifier	C an..35	N	
1131	Code list identification code	C an..17	N	
3055	Code list responsible agency code	C an..3	N	
3222	First related location name	C an..70	N	
C553	Related location two identification	C	N	
3233	Second related location identifier	C an..35	N	
1131	Code list identification code	C an..17	N	
3055	Code list responsible agency code	C an..3	N	
3232	Second related location name	C an..70	N	
5479	Relation code	C an..3	N	

Segment Remarks:**General Notes**

Message examples:

LOC+8+DEFRA:::Frankfurt am Main'

Example:

LOC+8+DKCPH:::Copenhagen'

No = Consecutive segment number
 MaxOcc = Maximum occurrence of the segment/group
 Counter = Counter of segment/group within the standard

DSV public
 Status
 EDIFACT: M=Mandatory, C=Conditional
 User specific: R=Required, O=Optional, D=Dependent,
 A=Advised, N=Not used



Counter	No	Tag	St	MaxOcc	Level	Name
0530		SG10	C	10	2	LOC-DTM
0550	45	DTM	C	5	3	Date/time/period

Standard			Implementation	
Tag	Name	St Format	St Format	Usage / Remark
DTM				
C507	Date/time/period	M	M	
2005	Date or time or period function code qualifier	M an..3	M an..3	
				List of valid codes
				132 Transport means arrival date time, estimated
				178 Transport means arrival date time, actual
2380	Date or time or period text	C an..35	C an..35	
2379	Date or time or period format code	C an..3	C an..3	
				List of valid codes
				102 CCYYMMDD

Segment Remarks:**General Notes**

Message examples:

DTM+132:20221021:102'

DTM+178:20221020:102'

Example:

DTM+132:20210130:102'

No = Consecutive segment number
 MaxOcc = Maximum occurrence of the segment/group
 Counter = Counter of segment/group within the standard

DSV public

EDIFACT: M=Mandatory, C=Conditional
 User specific: R=Required, O=Optional, D=Dependent,
 A=Advised, N=Not used



Counter	No	Tag	St	MaxOcc	Level	Name
0530		SG10	C	10	2	LOC-DTM
0540	46	LOC	M	1	2	Place/location identification

Standard			Implementation	
Tag	Name	St Format	St Format	Usage / Remark
LOC				
3227	Location function code qualifier	M an..3	M an..3	List of valid codes 5 Place of departure
C517	Location identification	C	C	
3225	Location identifier	C an..35	C an..35	
1131	Code list identification code	C an..17	C an..17	
3055	Code list responsible agency code	C an..3	C an..3	
3224	Location name	C an..256	C an..256	
C519	Related location one identification	C	N	
3223	First related location identifier	C an..35	N	
1131	Code list identification code	C an..17	N	
3055	Code list responsible agency code	C an..3	N	
3222	First related location name	C an..70	N	
C553	Related location two identification	C	N	
3233	Second related location identifier	C an..35	N	
1131	Code list identification code	C an..17	N	
3055	Code list responsible agency code	C an..3	N	
3232	Second related location name	C an..70	N	
5479	Relation code	C an..3	N	

Segment Remarks:**General Notes**

Message examples:

LOC+5+DEFRA::Frankfurt am Main'

Example:

LOC+5+DEFRA::Frankfurt am Main'

No = Consecutive segment number
 MaxOcc = Maximum occurrence of the segment/group
 Counter = Counter of segment/group within the standard

DSV public

EDIFACT: M=Mandatory, C=Conditional
 User specific: R=Required, O=Optional, D=Dependent,
 A=Advised, N=Not used



Counter	No	Tag	St	MaxOcc	Level	Name
0530		SG10	C	10	2	LOC-DTM
0550	47	DTM	C	5	3	Date/time/period

Standard			Implementation	
Tag	Name	St Format	St Format	Usage / Remark
DTM				
C507	Date/time/period	M	M	
2005	Date or time or period function code qualifier	M an..3	M an..3	
				List of valid codes
				136 Transport means departure date time, actual
				189 Transport means departure date/time, scheduled
2380	Date or time or period text	C an..35	C an..35	
2379	Date or time or period format code	C an..3	C an..3	
				List of valid codes
				102 CCYYMMDD

Segment Remarks:**General Notes**

Message examples:

DTM+136:20221021:102'

DTM+189:20221020:102'

Example:

DTM+136:20210130:102'

No = Consecutive segment number
 MaxOcc = Maximum occurrence of the segment/group
 Counter = Counter of segment/group within the standard

DSV public
 Status
 EDIFACT: M=Mandatory, C=Conditional
 User specific: R=Required, O=Optional, D=Dependent,
 A=Advised, N=Not used



Counter	No	Tag	St	MaxOcc	Level	Name
0530		SG10	C	10	2	LOC-DTM
0540	48	LOC	M	1	2	Place/location identification

Standard			Implementation	
Tag	Name	St Format	St Format	Usage / Remark
LOC				
3227	Location function code qualifier	M an..3	M an..3	List of valid codes 11 Place of discharge
C517	Location identification	C	C	
3225	Location identifier	C an..35	C an..35	
1131	Code list identification code	C an..17	N	
3055	Code list responsible agency code	C an..3	N	
3224	Location name	C an..256	C an..256	
C519	Related location one identification	C	C	
3223	First related location identifier	C an..35	C an..35	
1131	Code list identification code	C an..17	N	
3055	Code list responsible agency code	C an..3	C an..3	
3222	First related location name	C an..70	N	
C553	Related location two identification	C	C	
3233	Second related location identifier	C an..35	C an..35	
1131	Code list identification code	C an..17	N	
3055	Code list responsible agency code	C an..3	N	
3232	Second related location name	C an..70	N	
5479	Relation code	C an..3	N	

Segment Remarks:**General Notes**

Message examples:

LOC+11+DEFRA::Frankfurt am Main+X::X'

Example:

LOC+11+DKCPH:::Copenhagen+X+X'

No = Consecutive segment number
 MaxOcc = Maximum occurrence of the segment/group
 Counter = Counter of segment/group within the standard

DSV public

EDIFACT: M=Mandatory, C=Conditional
 User specific: R=Required, O=Optional, D=Dependent,
 A=Advised, N=Not used



Counter	No	Tag	St	MaxOcc	Level	Name
0530		SG10	C	10	2	LOC-DTM
0550	49	DTM	C	5	3	Date/time/period

Standard			Implementation	
Tag	Name	St Format	St Format	Usage / Remark
DTM				
C507	Date/time/period	M	M	
2005	Date or time or period function code qualifier	M an..3	M an..3	
				List of valid codes
				232 Transport means arrival date/time, scheduled
2380	Date or time or period text	C an..35	C an..35	
2379	Date or time or period format code	C an..3	C an..3	
				List of valid codes
				102 CCYYMMDD

Segment Remarks:**General Notes**

Message examples:

DTM+232:20221021:102'

Example:

DTM+232:20210130:102'

No = Consecutive segment number
 MaxOcc = Maximum occurrence of the segment/group
 Counter = Counter of segment/group within the standard

DSV public
 Status
 EDIFACT: M=Mandatory, C=Conditional
 User specific: R=Required, O=Optional, D=Dependent,
 A=Advised, N=Not used



Counter	No	Tag	St	MaxOcc	Level	Name
0500		SG9	C	10	1	TDT-SG10
0510	50	TDT	M	1	1	Transport information

Standard			Implementation	
Tag	Name	St Format	St Format	Usage / Remark
TDT				
8051	Transport stage code qualifier	M an..3	M an..3	
				List of valid codes
				20 Main-carriage transport
8028	Means of transport journey identifier	C an..17	N	
C220	Mode of transport	C	C	
8067	Transport mode name code	C an..3	C an..3	
				List of valid codes
				2 Rail transport
8066	Transport mode name	C an..17	N	
C001	Transport means	C	N	
8179	Transport means description code	C an..8	N	
1131	Code list identification code	C an..17	N	
3055	Code list responsible agency code	C an..3	N	
8178	Transport means description	C an..17	N	
C040	Carrier	C	N	
3127	Carrier identifier	C an..17	N	
1131	Code list identification code	C an..17	N	
3055	Code list responsible agency code	C an..3	N	
3126	Carrier name	C an..35	N	
8101	Transit direction indicator code	C an..3	N	
C401	Excess transportation information	C	N	
8457	Excess transportation reason code	M an..3	N	
8459	Excess transportation responsibility code	M an..3	N	
7130	Customer shipment authorisation identifier	C an..17	N	
C222	Transport identification	C	N	
8213	Transport means identification name identifier	C an..35	N	
1131	Code list identification code	C an..17	N	
3055	Code list responsible agency code	C an..3	N	
8212	Transport means	C an..70	N	

No = Consecutive segment number
 MaxOcc = Maximum occurrence of the segment/group
 Counter = Counter of segment/group within the standard

DSV public
 Status
 EDIFACT: M=Mandatory, C=Conditional
 User specific: R=Required, O=Optional, D=Dependent,
 A=Advised, N=Not used



Standard			Implementation	
Tag	Name	St Format	St Format	Usage / Remark
	identification name			
8453	Transport means nationality code	C an..3	N	
8281	Transport means ownership indicator code	C an..3	N	

Segment Remarks:

General Notes

Message examples:
TDT+20++2'

Example:

TDT+20++2 '

No = Consecutive segment number
MaxOcc = Maximum occurrence of the segment/group
Counter = Counter of segment/group within the standard

DSV public
Status
EDIFACT: M=Mandatory, C=Conditional
User specific: R=Required, O=Optional, D=Dependent,
A=Advised, N=Not used



Counter	No	Tag	St	MaxOcc	Level	Name
0530		SG10	C	10	2	LOC-DTM
0540	51	LOC	M	1	2	Place/location identification

Standard			Implementation	
Tag	Name	St Format	St Format	Usage / Remark
LOC				
3227	Location function code qualifier	M an..3	M an..3	
				List of valid codes 9 Place of loading
C517	Location identification	C	C	
3225	Location identifier	C an..35	C an..35	
1131	Code list identification code	C an..17	C an..17	
3055	Code list responsible agency code	C an..3	C an..3	
3224	Location name	C an..256	C an..256	
C519	Related location one identification	C	C	
3223	First related location identifier	C an..35	C an..35	
1131	Code list identification code	C an..17	C an..17	
3055	Code list responsible agency code	C an..3	C an..3	
				List of valid codes 3 IATA (International Air Transport Association)
3222	First related location name	C an..70	N	
C553	Related location two identification	C	C	
3233	Second related location identifier	C an..35	C an..35	
1131	Code list identification code	C an..17	N	
3055	Code list responsible agency code	C an..3	N	
3232	Second related location name	C an..70	N	
5479	Relation code	C an..3	N	

Segment Remarks:**General Notes**

Message examples:

LOC+9+DEFRA::Frankfurt am Main+X::X'

Example:

LOC+9+DEFRA::Frankfurt am Main+X::3+X'

No = Consecutive segment number
 MaxOcc = Maximum occurrence of the segment/group
 Counter = Counter of segment/group within the standard

DSV public
 Status
 EDIFACT: M=Mandatory, C=Conditional
 User specific: R=Required, O=Optional, D=Dependent,
 A=Advised, N=Not used



Counter	No	Tag	St	MaxOcc	Level	Name
0530		SG10	C	10	2	LOC-DTM
0550	52	DTM	C	5	3	Date/time/period

Standard			Implementation	
Tag	Name	St Format	St Format	Usage / Remark
DTM				
C507	Date/time/period	M	M	
2005	Date or time or period function code qualifier	M an..3	M an..3	List of valid codes 757 Departure date/time from place of loading 186 Transport means departure date/time, actual
2380	Date or time or period text	C an..35	C an..35	
2379	Date or time or period format code	C an..3	C an..3	List of valid codes 102 CCYYMMDD

Segment Remarks:

General Notes

Message examples:

DTM+757:20221021:102'

DTM+186:20221020:102'

Example:

DTM+757:20210130:102'

No = Consecutive segment number
MaxOcc = Maximum occurrence of the segment/group
Counter = Counter of segment/group within the standard

DSV public
Status
EDIFACT: M=Mandatory, C=Conditional
User specific: R=Required, O=Optional, D=Dependent,
A=Advised, N=Not used



Counter	No	Tag	St	MaxOcc	Level	Name
0530		SG10	C	10	2	LOC-DTM
0540	53	LOC	M	1	2	Place/location identification

Standard			Implementation	
Tag	Name	St Format	St Format	Usage / Remark
LOC				
3227	Location function code qualifier	M an..3	M an..3	List of valid codes 8 Place of destination
C517	Location identification	C	C	
3225	Location identifier	C an..35	C an..35	
1131	Code list identification code	C an..17	C an..17	
3055	Code list responsible agency code	C an..3	C an..3	
3224	Location name	C an..256	C an..256	
C519	Related location one identification	C	N	
3223	First related location identifier	C an..35	N	
1131	Code list identification code	C an..17	N	
3055	Code list responsible agency code	C an..3	N	
3222	First related location name	C an..70	N	
C553	Related location two identification	C	N	
3233	Second related location identifier	C an..35	N	
1131	Code list identification code	C an..17	N	
3055	Code list responsible agency code	C an..3	N	
3232	Second related location name	C an..70	N	
5479	Relation code	C an..3	N	

Segment Remarks:**General Notes**

Message examples:

LOC+8+DEFRA:::Frankfurt am Main'

Example:

LOC+8+DKCPH:::Copenhagen'

No = Consecutive segment number
 MaxOcc = Maximum occurrence of the segment/group
 Counter = Counter of segment/group within the standard

DSV public

EDIFACT: M=Mandatory, C=Conditional
 User specific: R=Required, O=Optional, D=Dependent,
 A=Advised, N=Not used



Counter	No	Tag	St	MaxOcc	Level	Name
0530		SG10	C	10	2	LOC-DTM
0550	54	DTM	C	5	3	Date/time/period

Standard			Implementation	
Tag	Name	St Format	St Format	Usage / Remark
DTM				
C507	Date/time/period	M	M	
2005	Date or time or period function code qualifier	M an..3	M an..3	
				List of valid codes
				132 Transport means arrival date time, estimated
				178 Transport means arrival date time, actual
2380	Date or time or period text	C an..35	C an..35	
2379	Date or time or period format code	C an..3	C an..3	
				List of valid codes
				102 CCYYMMDD

Segment Remarks:**General Notes**

Message examples:

DTM+132:20221021:102'

DTM+178:20221020:102'

Example:

DTM+132:20210130:102'

No = Consecutive segment number
 MaxOcc = Maximum occurrence of the segment/group
 Counter = Counter of segment/group within the standard

DSV public

EDIFACT: M=Mandatory, C=Conditional
 User specific: R=Required, O=Optional, D=Dependent,
 A=Advised, N=Not used



Counter	No	Tag	St	MaxOcc	Level	Name
0530		SG10	C	10	2	LOC-DTM
0540	55	LOC	M	1	2	Place/location identification

Standard			Implementation	
Tag	Name	St Format	St Format	Usage / Remark
LOC				
3227	Location function code qualifier	M an..3	M an..3	
				List of valid codes 5 Place of departure
C517	Location identification	C	C	
3225	Location identifier	C an..35	C an..35	
1131	Code list identification code	C an..17	C an..17	
3055	Code list responsible agency code	C an..3	C an..3	
3224	Location name	C an..256	C an..256	
C519	Related location one identification	C	N	
3223	First related location identifier	C an..35	N	
1131	Code list identification code	C an..17	N	
3055	Code list responsible agency code	C an..3	N	
3222	First related location name	C an..70	N	
C553	Related location two identification	C	N	
3233	Second related location identifier	C an..35	N	
1131	Code list identification code	C an..17	N	
3055	Code list responsible agency code	C an..3	N	
3232	Second related location name	C an..70	N	
5479	Relation code	C an..3	N	

Segment Remarks:**General Notes**

Message examples:

LOC+5+DEFRA:::Frankfurt am Main'

Example:

LOC+5+DEFRA:::Frankfurt am Main'

No = Consecutive segment number
 MaxOcc = Maximum occurrence of the segment/group
 Counter = Counter of segment/group within the standard

DSV public

EDIFACT: M=Mandatory, C=Conditional
 User specific: R=Required, O=Optional, D=Dependent,
 A=Advised, N=Not used



Counter	No	Tag	St	MaxOcc	Level	Name
0530		SG10	C	10	2	LOC-DTM
0550	56	DTM	C	5	3	Date/time/period

Standard			Implementation	
Tag	Name	St Format	St Format	Usage / Remark
DTM				
C507	Date/time/period	M	M	
2005	Date or time or period function code qualifier	M an..3	M an..3	List of valid codes 136 Transport means departure date time, actual 189 Transport means departure date/time, scheduled
2380	Date or time or period text	C an..35	C an..35	
2379	Date or time or period format code	C an..3	C an..3	List of valid codes 102 CCYYMMDD

Segment Remarks:

General Notes

Message examples:

DTM+136:20221021:102'

DTM+189:20221020:102'

Example:

DTM+136:20210130:102'

No = Consecutive segment number
MaxOcc = Maximum occurrence of the segment/group
Counter = Counter of segment/group within the standard

DSV public
Status
EDIFACT: M=Mandatory, C=Conditional
User specific: R=Required, O=Optional, D=Dependent,
A=Advised, N=Not used



Counter	No	Tag	St	MaxOcc	Level	Name
0530		SG10	C	10	2	LOC-DTM
0540	57	LOC	M	1	2	Place/location identification

Standard			Implementation	
Tag	Name	St Format	St Format	Usage / Remark
LOC				
3227	Location function code qualifier	M an..3	M an..3	
				List of valid codes 11 Place of discharge
C517	Location identification	C	C	
3225	Location identifier	C an..35	C an..35	
1131	Code list identification code	C an..17	N	
3055	Code list responsible agency code	C an..3	N	
3224	Location name	C an..256	C an..256	
C519	Related location one identification	C	C	
3223	First related location identifier	C an..35	C an..35	
1131	Code list identification code	C an..17	N	
3055	Code list responsible agency code	C an..3	C an..3	
3222	First related location name	C an..70	N	
C553	Related location two identification	C	C	
3233	Second related location identifier	C an..35	C an..35	
1131	Code list identification code	C an..17	N	
3055	Code list responsible agency code	C an..3	N	
3232	Second related location name	C an..70	N	
5479	Relation code	C an..3	N	

Segment Remarks:**General Notes**

Message examples:

LOC+11+DEFRA::Frankfurt am Main+X::X'

Example:

LOC+11+DKCPH::Copenhagen+X+X'

No = Consecutive segment number
 MaxOcc = Maximum occurrence of the segment/group
 Counter = Counter of segment/group within the standard

DSV public

EDIFACT: M=Mandatory, C=Conditional
 User specific: R=Required, O=Optional, D=Dependent,
 A=Advised, N=Not used



Counter	No	Tag	St	MaxOcc	Level	Name
0530		SG10	C	10	2	LOC-DTM
0550	58	DTM	C	5	3	Date/time/period

Standard			Implementation	
Tag	Name	St Format	St Format	Usage / Remark
DTM				
C507	Date/time/period	M	M	
2005	Date or time or period function code qualifier	M an..3	M an..3	
				List of valid codes
				232 Transport means arrival date/time, scheduled
2380	Date or time or period text	C an..35	C an..35	
2379	Date or time or period format code	C an..3	C an..3	
				List of valid codes
				102 CCYYMMDD

Segment Remarks:**General Notes**

Message examples:

DTM+232:20221021:102'

Example:

DTM+232:20210130:102'

No = Consecutive segment number
 MaxOcc = Maximum occurrence of the segment/group
 Counter = Counter of segment/group within the standard

DSV public
 Status
 EDIFACT: M=Mandatory, C=Conditional
 User specific: R=Required, O=Optional, D=Dependent,
 A=Advised, N=Not used



Counter	No	Tag	St	MaxOcc	Level	Name
0500		SG9	C	10	1	TDT-SG10
0510	59	TDT	M	1	1	Transport information

Standard			Implementation	
Tag	Name	St Format	St Format	Usage / Remark
TDT				
8051	Transport stage code qualifier	M an..3	M an..3	List of valid codes 20 Main-carriage transport
8028	Means of transport journey identifier	C an..17	N	
C220	Mode of transport	C	C	
8067	Transport mode name code	C an..3	C an..3	List of valid codes 3 Road transport
8066	Transport mode name	C an..17	N	
C001	Transport means	C	N	
8179	Transport means description code	C an..8	N	
1131	Code list identification code	C an..17	N	
3055	Code list responsible agency code	C an..3	N	
8178	Transport means description	C an..17	N	
C040	Carrier	C	N	
3127	Carrier identifier	C an..17	N	
1131	Code list identification code	C an..17	N	
3055	Code list responsible agency code	C an..3	N	
3126	Carrier name	C an..35	N	
8101	Transit direction indicator code	C an..3	N	
C401	Excess transportation information	C	N	
8457	Excess transportation reason code	M an..3	N	
8459	Excess transportation responsibility code	M an..3	N	
7130	Customer shipment authorisation identifier	C an..17	N	
C222	Transport identification	C	N	
8213	Transport means identification name identifier	C an..35	N	
1131	Code list identification code	C an..17	N	
3055	Code list responsible agency code	C an..3	N	
8212	Transport means	C an..70	N	

No = Consecutive segment number
 MaxOcc = Maximum occurrence of the segment/group
 Counter = Counter of segment/group within the standard

DSV public
 Status
 EDIFACT: M=Mandatory, C=Conditional
 User specific: R=Required, O=Optional, D=Dependent,
 A=Advised, N=Not used



Standard			Implementation	
Tag	Name	St Format	St Format	Usage / Remark
	identification name			
8453	Transport means nationality code	C an..3	N	
8281	Transport means ownership indicator code	C an..3	N	

Segment Remarks:

General Notes

Message examples:
TDT+20++3'

Example:

TDT+20++3 '

No = Consecutive segment number
MaxOcc = Maximum occurrence of the segment/group
Counter = Counter of segment/group within the standard

DSV public
Status
EDIFACT: M=Mandatory, C=Conditional
User specific: R=Required, O=Optional, D=Dependent,
A=Advised, N=Not used



Counter	No	Tag	St	MaxOcc	Level	Name
0530		SG10	C	10	2	LOC-DTM
0540	60	LOC	M	1	2	Place/location identification

Standard			Implementation	
Tag	Name	St Format	St Format	Usage / Remark
LOC				
3227	Location function code qualifier	M an..3	M an..3	List of valid codes 9 Place of loading
C517	Location identification	C	C	
3225	Location identifier	C an..35	C an..35	
1131	Code list identification code	C an..17	C an..17	
3055	Code list responsible agency code	C an..3	C an..3	
3224	Location name	C an..256	C an..256	
C519	Related location one identification	C	C	
3223	First related location identifier	C an..35	C an..35	
1131	Code list identification code	C an..17	C an..17	
3055	Code list responsible agency code	C an..3	C an..3	List of valid codes 3 IATA (International Air Transport Association)
3222	First related location name	C an..70	N	
C553	Related location two identification	C	C	
3233	Second related location identifier	C an..35	C an..35	
1131	Code list identification code	C an..17	N	
3055	Code list responsible agency code	C an..3	N	
3232	Second related location name	C an..70	N	
5479	Relation code	C an..3	N	

Segment Remarks:**General Notes**

Message examples:

LOC+9+DEFRA::Frankfurt am Main+X::X'

Example:

LOC+9+DEFRA::Frankfurt am Main+X::3+X'

No = Consecutive segment number
 MaxOcc = Maximum occurrence of the segment/group
 Counter = Counter of segment/group within the standard

DSV public

EDIFACT: M=Mandatory, C=Conditional
 User specific: R=Required, O=Optional, D=Dependent,
 A=Advised, N=Not used



Counter	No	Tag	St	MaxOcc	Level	Name
0530		SG10	C	10	2	LOC-DTM
0550	61	DTM	C	5	3	Date/time/period

Standard			Implementation	
Tag	Name	St Format	St Format	Usage / Remark
DTM				
C507	Date/time/period	M	M	
2005	Date or time or period function code qualifier	M an..3	M an..3	List of valid codes 757 Departure date/time from place of loading 186 Transport means departure date/time, actual
2380	Date or time or period text	C an..35	C an..35	
2379	Date or time or period format code	C an..3	C an..3	List of valid codes 102 CCYYMMDD

Segment Remarks:

General Notes

Message examples:

DTM+757:20221021:102'

DTM+186:20221020:102'

Example:

DTM+757:20210130:102'

No = Consecutive segment number
MaxOcc = Maximum occurrence of the segment/group
Counter = Counter of segment/group within the standard

DSV public
Status
EDIFACT: M=Mandatory, C=Conditional
User specific: R=Required, O=Optional, D=Dependent,
A=Advised, N=Not used



Counter	No	Tag	St	MaxOcc	Level	Name
0530		SG10	C	10	2	LOC-DTM
0540	62	LOC	M	1	2	Place/location identification

Standard			Implementation	
Tag	Name	St Format	St Format	Usage / Remark
LOC				
3227	Location function code qualifier	M an..3	M an..3	List of valid codes 8 Place of destination
C517	Location identification	C	C	
3225	Location identifier	C an..35	C an..35	
1131	Code list identification code	C an..17	C an..17	
3055	Code list responsible agency code	C an..3	C an..3	
3224	Location name	C an..256	C an..256	
C519	Related location one identification	C	N	
3223	First related location identifier	C an..35	N	
1131	Code list identification code	C an..17	N	
3055	Code list responsible agency code	C an..3	N	
3222	First related location name	C an..70	N	
C553	Related location two identification	C	N	
3233	Second related location identifier	C an..35	N	
1131	Code list identification code	C an..17	N	
3055	Code list responsible agency code	C an..3	N	
3232	Second related location name	C an..70	N	
5479	Relation code	C an..3	N	

Segment Remarks:**General Notes**

Message examples:

LOC+8+DEFRA:::Frankfurt am Main'

Example:

LOC+8+DKCPH:::Copenhagen'

No = Consecutive segment number
 MaxOcc = Maximum occurrence of the segment/group
 Counter = Counter of segment/group within the standard

DSV public
 Status
 EDIFACT: M=Mandatory, C=Conditional
 User specific: R=Required, O=Optional, D=Dependent,
 A=Advised, N=Not used



Counter	No	Tag	St	MaxOcc	Level	Name
0530		SG10	C	10	2	LOC-DTM
0550	63	DTM	C	5	3	Date/time/period

Standard			Implementation	
Tag	Name	St Format	St Format	Usage / Remark
DTM				
C507	Date/time/period	M	M	
2005	Date or time or period function code qualifier	M an..3	M an..3	
				List of valid codes
				132 Transport means arrival date time, estimated
				178 Transport means arrival date time, actual
2380	Date or time or period text	C an..35	C an..35	
2379	Date or time or period format code	C an..3	C an..3	
				List of valid codes
				102 CCYYMMDD

Segment Remarks:**General Notes**

Message examples:

DTM+132:20221021:102'

DTM+178:20221020:102'

Example:

DTM+132:20210130:102'

No = Consecutive segment number
 MaxOcc = Maximum occurrence of the segment/group
 Counter = Counter of segment/group within the standard

DSV public

EDIFACT: M=Mandatory, C=Conditional
 User specific: R=Required, O=Optional, D=Dependent,
 A=Advised, N=Not used



Counter	No	Tag	St	MaxOcc	Level	Name
0530		SG10	C	10	2	LOC-DTM
0540	64	LOC	M	1	2	Place/location identification

Standard			Implementation	
Tag	Name	St Format	St Format	Usage / Remark
LOC				
3227	Location function code qualifier	M an..3	M an..3	
				List of valid codes 5 Place of departure
C517	Location identification	C	C	
3225	Location identifier	C an..35	C an..35	
1131	Code list identification code	C an..17	C an..17	
3055	Code list responsible agency code	C an..3	C an..3	
3224	Location name	C an..256	C an..256	
C519	Related location one identification	C	N	
3223	First related location identifier	C an..35	N	
1131	Code list identification code	C an..17	N	
3055	Code list responsible agency code	C an..3	N	
3222	First related location name	C an..70	N	
C553	Related location two identification	C	N	
3233	Second related location identifier	C an..35	N	
1131	Code list identification code	C an..17	N	
3055	Code list responsible agency code	C an..3	N	
3232	Second related location name	C an..70	N	
5479	Relation code	C an..3	N	

Segment Remarks:**General Notes**

Message examples:

LOC+5+DEFRA::Frankfurt am Main'

Example:

LOC+5+DEFRA::Frankfurt am Main'

No = Consecutive segment number
 MaxOcc = Maximum occurrence of the segment/group
 Counter = Counter of segment/group within the standard

DSV public

EDIFACT: M=Mandatory, C=Conditional
 User specific: R=Required, O=Optional, D=Dependent,
 A=Advised, N=Not used



Counter	No	Tag	St	MaxOcc	Level	Name
0530		SG10	C	10	2	LOC-DTM
0550	65	DTM	C	5	3	Date/time/period

Standard			Implementation	
Tag	Name	St Format	St Format	Usage / Remark
DTM				
C507	Date/time/period	M	M	
2005	Date or time or period function code qualifier	M an..3	M an..3	List of valid codes 136 Transport means departure date time, actual 189 Transport means departure date/time, scheduled
2380	Date or time or period text	C an..35	C an..35	
2379	Date or time or period format code	C an..3	C an..3	List of valid codes 102 CCYYMMDD

Segment Remarks:

General Notes

Message examples:

DTM+136:20221021:102'

DTM+189:20221020:102'

Example:

DTM+136:20210130:102'

No = Consecutive segment number
MaxOcc = Maximum occurrence of the segment/group
Counter = Counter of segment/group within the standard

DSV public
Status
EDIFACT: M=Mandatory, C=Conditional
User specific: R=Required, O=Optional, D=Dependent,
A=Advised, N=Not used



Counter	No	Tag	St	MaxOcc	Level	Name
0530		SG10	C	10	2	LOC-DTM
0540	66	LOC	M	1	2	Place/location identification

Standard			Implementation	
Tag	Name	St Format	St Format	Usage / Remark
LOC				
3227	Location function code qualifier	M an..3	M an..3	
				List of valid codes 11 Place of discharge
C517	Location identification	C	C	
3225	Location identifier	C an..35	C an..35	
1131	Code list identification code	C an..17	N	
3055	Code list responsible agency code	C an..3	N	
3224	Location name	C an..256	C an..256	
C519	Related location one identification	C	C	
3223	First related location identifier	C an..35	C an..35	
1131	Code list identification code	C an..17	N	
3055	Code list responsible agency code	C an..3	C an..3	
3222	First related location name	C an..70	N	
C553	Related location two identification	C	C	
3233	Second related location identifier	C an..35	C an..35	
1131	Code list identification code	C an..17	N	
3055	Code list responsible agency code	C an..3	N	
3232	Second related location name	C an..70	N	
5479	Relation code	C an..3	N	

Segment Remarks:**General Notes**

Message examples:

LOC+11+DEFRA::Frankfurt am Main+X::X'

Example:

LOC+11+DKCPH:::Copenhagen+X+X'

No = Consecutive segment number
 MaxOcc = Maximum occurrence of the segment/group
 Counter = Counter of segment/group within the standard

DSV public

EDIFACT: M=Mandatory, C=Conditional
 User specific: R=Required, O=Optional, D=Dependent,
 A=Advised, N=Not used



Counter	No	Tag	St	MaxOcc	Level	Name
0530		SG10	C	10	2	LOC-DTM
0550	67	DTM	C	5	3	Date/time/period

Standard			Implementation	
Tag	Name	St Format	St Format	Usage / Remark
DTM				
C507	Date/time/period	M	M	
2005	Date or time or period function code qualifier	M an..3	M an..3	
				List of valid codes
				232 Transport means arrival date/time, scheduled
2380	Date or time or period text	C an..35	C an..35	
2379	Date or time or period format code	C an..3	C an..3	
				List of valid codes
				102 CCYYMMDD

Segment Remarks:**General Notes**

Message examples:

DTM+232:20221021:102'

Example:

DTM+232:20210130:102'

No = Consecutive segment number
 MaxOcc = Maximum occurrence of the segment/group
 Counter = Counter of segment/group within the standard

DSV public

EDIFACT: M=Mandatory, C=Conditional
 User specific: R=Required, O=Optional, D=Dependent,
 A=Advised, N=Not used



Counter	No	Tag	St	MaxOcc	Level	Name
0500		SG9	C	10	1	TDT-SG10
0510	68	TDT	M	1	1	Transport information

Standard			Implementation	
Tag	Name	St Format	St Format	Usage / Remark
TDT				
8051	Transport stage code qualifier	M an..3	M an..3	List of valid codes 20 Main-carriage transport
8028	Means of transport journey identifier	C an..17	N	
C220	Mode of transport	C	C	
8067	Transport mode name code	C an..3	C an..3	List of valid codes 4 Air transport
8066	Transport mode name	C an..17	N	
C001	Transport means	C	C	
8179	Transport means description code	C an..8	N	
1131	Code list identification code	C an..17	N	
3055	Code list responsible agency code	C an..3	N	
8178	Transport means description	C an..17	C an..17	
C040	Carrier	C	C	
3127	Carrier identifier	C an..17	C an..17	
1131	Code list identification code	C an..17	N	
3055	Code list responsible agency code	C an..3	N	
3126	Carrier name	C an..35	C an..35	
8101	Transit direction indicator code	C an..3	N	
C401	Excess transportation information	C	N	
8457	Excess transportation reason code	M an..3	N	
8459	Excess transportation responsibility code	M an..3	N	
7130	Customer shipment authorisation identifier	C an..17	N	
C222	Transport identification	C	C	
8213	Transport means identification name identifier	C an..35	N	
1131	Code list identification code	C an..17	N	
3055	Code list responsible agency code	C an..3	N	
8212	Transport means	C an..70	C an..70	

No = Consecutive segment number
 MaxOcc = Maximum occurrence of the segment/group
 Counter = Counter of segment/group within the standard

DSV public
 Status
 EDIFACT: M=Mandatory, C=Conditional
 User specific: R=Required, O=Optional, D=Dependent,
 A=Advised, N=Not used



Standard			Implementation	
Tag	Name	St Format	St Format	Usage / Remark
	identification name			
8453	Transport means nationality code	C an..3	N	
8281	Transport means ownership indicator code	C an..3	N	

Segment Remarks:

General Notes

Message example:

TDT+20++4+:::014W+Carrier code:::Carrier name+++Main:::Vessel:US'

Example:

TDT+20++4+:::LH320+6403864782:::LUFTHANSA+++:::LUFTHANSA'

No = Consecutive segment number
MaxOcc = Maximum occurrence of the segment/group
Counter = Counter of segment/group within the standard

DSV public
EDIFACT: M=Mandatory, C=Conditional
User specific: R=Required, O=Optional, D=Dependent,
A=Advised, N=Not used



Counter	No	Tag	St	MaxOcc	Level	Name
0530		SG10	C	10	2	LOC-DTM
0540	69	LOC	M	1	2	Place/location identification

Standard			Implementation	
Tag	Name	St Format	St Format	Usage / Remark
LOC				
3227	Location function code qualifier	M an..3	M an..3	
				List of valid codes 9 Place of loading
C517	Location identification	C	C	
3225	Location identifier	C an..35	C an..35	
1131	Code list identification code	C an..17	C an..17	
3055	Code list responsible agency code	C an..3	C an..3	
3224	Location name	C an..256	C an..256	
C519	Related location one identification	C	C	
3223	First related location identifier	C an..35	C an..35	
1131	Code list identification code	C an..17	C an..17	
3055	Code list responsible agency code	C an..3	C an..3	
				List of valid codes 3 IATA (International Air Transport Association)
3222	First related location name	C an..70	N	
C553	Related location two identification	C	C	
3233	Second related location identifier	C an..35	C an..35	
1131	Code list identification code	C an..17	N	
3055	Code list responsible agency code	C an..3	N	
3232	Second related location name	C an..70	N	
5479	Relation code	C an..3	N	

Segment Remarks:**General Notes**

Message examples:

LOC+9+DEFRA::Frankfurt am Main+X::X'

Example:

LOC+9+DEFRA::Frankfurt am Main+X::3+X'

No = Consecutive segment number
 MaxOcc = Maximum occurrence of the segment/group
 Counter = Counter of segment/group within the standard

DSV public
 Status
 EDIFACT: M=Mandatory, C=Conditional
 User specific: R=Required, O=Optional, D=Dependent,
 A=Advised, N=Not used



Counter	No	Tag	St	MaxOcc	Level	Name
0530		SG10	C	10	2	LOC-DTM
0550	70	DTM	C	5	3	Date/time/period

Standard			Implementation	
Tag	Name	St Format	St Format	Usage / Remark
DTM				
C507	Date/time/period	M	M	
2005	Date or time or period function code qualifier	M an..3	M an..3	List of valid codes 757 Departure date/time from place of loading 186 Transport means departure date/time, actual
2380	Date or time or period text	C an..35	C an..35	
2379	Date or time or period format code	C an..3	C an..3	List of valid codes 102 CCYYMMDD

Segment Remarks:**General Notes**

Message examples:

DTM+757:20221021:102'

DTM+186:20221020:102'

Example:

DTM+757:20210130:102'

No = Consecutive segment number
 MaxOcc = Maximum occurrence of the segment/group
 Counter = Counter of segment/group within the standard

DSV public

EDIFACT: M=Mandatory, C=Conditional
 User specific: R=Required, O=Optional, D=Dependent,
 A=Advised, N=Not used



Counter	No	Tag	St	MaxOcc	Level	Name
0530		SG10	C	10	2	LOC-DTM
0540	71	LOC	M	1	2	Place/location identification

Standard			Implementation	
Tag	Name	St Format	St Format	Usage / Remark
LOC				
3227	Location function code qualifier	M an..3	M an..3	List of valid codes 8 Place of destination
C517	Location identification	C	C	
3225	Location identifier	C an..35	C an..35	
1131	Code list identification code	C an..17	C an..17	
3055	Code list responsible agency code	C an..3	C an..3	
3224	Location name	C an..256	C an..256	
C519	Related location one identification	C	N	
3223	First related location identifier	C an..35	N	
1131	Code list identification code	C an..17	N	
3055	Code list responsible agency code	C an..3	N	
3222	First related location name	C an..70	N	
C553	Related location two identification	C	N	
3233	Second related location identifier	C an..35	N	
1131	Code list identification code	C an..17	N	
3055	Code list responsible agency code	C an..3	N	
3232	Second related location name	C an..70	N	
5479	Relation code	C an..3	N	

Segment Remarks:**General Notes**

Message examples:

LOC+8+DEFRA:::Frankfurt am Main'

Example:

LOC+8+DKCPH:::Copenhagen'

No = Consecutive segment number
 MaxOcc = Maximum occurrence of the segment/group
 Counter = Counter of segment/group within the standard

DSV public
 Status
 EDIFACT: M=Mandatory, C=Conditional
 User specific: R=Required, O=Optional, D=Dependent,
 A=Advised, N=Not used



Counter	No	Tag	St	MaxOcc	Level	Name
0530		SG10	C	10	2	LOC-DTM
0550	72	DTM	C	5	3	Date/time/period

Standard			Implementation	
Tag	Name	St Format	St Format	Usage / Remark
DTM				
C507	Date/time/period	M	M	
2005	Date or time or period function code qualifier	M an..3	M an..3	List of valid codes 132 Transport means arrival date time, estimated 178 Transport means arrival date time, actual
2380	Date or time or period text	C an..35	C an..35	
2379	Date or time or period format code	C an..3	C an..3	List of valid codes 102 CCYYMMDD

Segment Remarks:

General Notes

Message examples:

DTM+132:20221021:102'

DTM+178:20221020:102'

Example:

DTM+132:20210130:102'

No = Consecutive segment number
MaxOcc = Maximum occurrence of the segment/group
Counter = Counter of segment/group within the standard

DSV public
Status
EDIFACT: M=Mandatory, C=Conditional
User specific: R=Required, O=Optional, D=Dependent,
A=Advised, N=Not used



Counter	No	Tag	St	MaxOcc	Level	Name
0530		SG10	C	10	2	LOC-DTM
0540	73	LOC	M	1	2	Place/location identification

Standard			Implementation	
Tag	Name	St Format	St Format	Usage / Remark
LOC				
3227	Location function code qualifier	M an..3	M an..3	
				List of valid codes 5 Place of departure
C517	Location identification	C	C	
3225	Location identifier	C an..35	C an..35	
1131	Code list identification code	C an..17	C an..17	
3055	Code list responsible agency code	C an..3	C an..3	
3224	Location name	C an..256	C an..256	
C519	Related location one identification	C	N	
3223	First related location identifier	C an..35	N	
1131	Code list identification code	C an..17	N	
3055	Code list responsible agency code	C an..3	N	
3222	First related location name	C an..70	N	
C553	Related location two identification	C	N	
3233	Second related location identifier	C an..35	N	
1131	Code list identification code	C an..17	N	
3055	Code list responsible agency code	C an..3	N	
3232	Second related location name	C an..70	N	
5479	Relation code	C an..3	N	

Segment Remarks:**General Notes**

Message examples:

LOC+5+DEFRA:::Frankfurt am Main'

Example:

LOC+5+DEFRA:::Frankfurt am Main'

No = Consecutive segment number
 MaxOcc = Maximum occurrence of the segment/group
 Counter = Counter of segment/group within the standard

DSV public

EDIFACT: M=Mandatory, C=Conditional
 User specific: R=Required, O=Optional, D=Dependent,
 A=Advised, N=Not used



Counter	No	Tag	St	MaxOcc	Level	Name
0530		SG10	C	10	2	LOC-DTM
0550	74	DTM	C	5	3	Date/time/period

Standard			Implementation	
Tag	Name	St Format	St Format	Usage / Remark
DTM				
C507	Date/time/period	M	M	
2005	Date or time or period function code qualifier	M an..3	M an..3	
				List of valid codes
				136 Transport means departure date time, actual
				189 Transport means departure date/time, scheduled
2380	Date or time or period text	C an..35	C an..35	
2379	Date or time or period format code	C an..3	C an..3	
				List of valid codes
				102 CCYYMMDD

Segment Remarks:**General Notes**

Message examples:

DTM+136:20221021:102'

DTM+189:20221020:102'

Example:

DTM+136:20210130:102'

No = Consecutive segment number
 MaxOcc = Maximum occurrence of the segment/group
 Counter = Counter of segment/group within the standard

DSV public
 Status
 EDIFACT: M=Mandatory, C=Conditional
 User specific: R=Required, O=Optional, D=Dependent,
 A=Advised, N=Not used



Counter	No	Tag	St	MaxOcc	Level	Name
0530		SG10	C	10	2	LOC-DTM
0540	75	LOC	M	1	2	Place/location identification

Standard			Implementation	
Tag	Name	St Format	St Format	Usage / Remark
LOC				
3227	Location function code qualifier	M an..3	M an..3	
				List of valid codes 11 Place of discharge
C517	Location identification	C	C	
3225	Location identifier	C an..35	C an..35	
1131	Code list identification code	C an..17	N	
3055	Code list responsible agency code	C an..3	N	
3224	Location name	C an..256	C an..256	
C519	Related location one identification	C	C	
3223	First related location identifier	C an..35	C an..35	
1131	Code list identification code	C an..17	N	
3055	Code list responsible agency code	C an..3	C an..3	
3222	First related location name	C an..70	N	
C553	Related location two identification	C	C	
3233	Second related location identifier	C an..35	C an..35	
1131	Code list identification code	C an..17	N	
3055	Code list responsible agency code	C an..3	N	
3232	Second related location name	C an..70	N	
5479	Relation code	C an..3	N	

Segment Remarks:**General Notes**

Message examples:

LOC+11+DEFRA::Frankfurt am Main+X::X'

Example:

LOC+11+DKCPH:::Copenhagen+X+X'

No = Consecutive segment number
 MaxOcc = Maximum occurrence of the segment/group
 Counter = Counter of segment/group within the standard

DSV public

EDIFACT: M=Mandatory, C=Conditional
 User specific: R=Required, O=Optional, D=Dependent,
 A=Advised, N=Not used



Counter	No	Tag	St	MaxOcc	Level	Name
0530		SG10	C	10	2	LOC-DTM
0550	76	DTM	C	5	3	Date/time/period

Standard			Implementation	
Tag	Name	St Format	St Format	Usage / Remark
DTM				
C507	Date/time/period	M	M	
2005	Date or time or period function code qualifier	M an..3	M an..3	
				List of valid codes
				232 Transport means arrival date/time, scheduled
2380	Date or time or period text	C an..35	C an..35	
2379	Date or time or period format code	C an..3	C an..3	
				List of valid codes
				102 CCYYMMDD

Segment Remarks:**General Notes**

Message examples:

DTM+232:20221021:102'

Example:

DTM+232:20210130:102'

No = Consecutive segment number
 MaxOcc = Maximum occurrence of the segment/group
 Counter = Counter of segment/group within the standard

DSV public

EDIFACT: M=Mandatory, C=Conditional
 User specific: R=Required, O=Optional, D=Dependent,
 A=Advised, N=Not used



Counter	No	Tag	St	MaxOcc	Level	Name
1160		SG27	C	9999999	1	LIN-IMD-MEA-DTM-SG28-SG31-SG32-SG35-SG36-SG40
1170	77	LIN	M	1	1	Line item

Standard			Implementation	
Tag	Name	St Format	St Format	Usage / Remark
LIN				
1082	Line item identifier	C an..6	C an..6	
1229	Action code	C an..3	N	
C212	Item number identification	C	N	
7140	Item identifier	C an..35	N	
7143	Item type identification code	C an..3	N	
1131	Code list identification code	C an..17	N	
3055	Code list responsible agency code	C an..3	N	
C829	Sub-line information	C	N	
5495	Sub-line indicator code	C an..3	N	
1082	Line item identifier	C an..6	N	
1222	Configuration level number	C n..2	N	
7083	Configuration operation code	C an..3	N	

Segment Remarks:

General Notes

Message examples:

LIN+1'

Example:

LIN+1'

No = Consecutive segment number
MaxOcc = Maximum occurrence of the segment/group
Counter = Counter of segment/group within the standard

DSV public
Status
EDIFACT: M=Mandatory, C=Conditional
User specific: R=Required, O=Optional, D=Dependent,
A=Advised, N=Not used



Counter	No	Tag	St	MaxOcc	Level	Name
1160		SG27	C	9999999	1	LIN-IMD-MEA-DTM-SG28-SG31-SG32-SG35-SG36-SG40
1200	78	IMD	C	99	2	Item description

Standard			Implementation	
Tag	Name	St Format	St Format	Usage / Remark
IMD				
7077	Description format code	C an..3	C an..3	List of valid codes X Semi-structured (code + text)
C272	Item characteristic	C	C	
7081	Item characteristic code	C an..3	C an..3	
1131	Code list identification code	C an..17	N	
3055	Code list responsible agency code	C an..3	N	
C273	Item description	C	C	
7009	Item description code	C an..17	C an..17	
1131	Code list identification code	C an..17	N	
3055	Code list responsible agency code	C an..3	N	
7008	Item description	C an..256	C an..256	
7008	Item description	C an..256	N	
3453	Language name code	C an..3	N	
7383	Surface or layer code	C an..3	N	

Segment Remarks:**General Notes**

Message examples:

IMD+X+1+:::Freight'

Example:

IMD+X+1+:::Freight'

No = Consecutive segment number
 MaxOcc = Maximum occurrence of the segment/group
 Counter = Counter of segment/group within the standard

DSV public
 Status
 EDIFACT: M=Mandatory, C=Conditional
 User specific: R=Required, O=Optional, D=Dependent,
 A=Advised, N=Not used



Counter	No	Tag	St	MaxOcc	Level	Name
1160		SG27	C	9999999	1	LIN-IMD-MEA-DTM-SG28-SG31-SG32-SG35-SG36-SG40
1210	79	MEA	C	5	2	Measurements

Standard			Implementation	
Tag	Name	St Format	St Format	Usage / Remark
MEA				
6311	Measurement purpose code qualifier	M an..3	M an..3	List of valid codes WT Weights
C502	Measurement details	C	C	
6313	Measured attribute code	C an..3	C an..3	List of valid codes AAD Consignment gross weight
6321	Measurement significance code	C an..3	N	
6155	Non-discrete measurement name code	C an..17	N	
6154	Non-discrete measurement name	C an..70	N	
C174	Value/range	C	C	
6411	Measurement unit code	M an..8	M an..8	List of valid codes KGM kilogram
6314	Measure	C an..18	C an..18	
6162	Range minimum quantity	C n..18	N	
6152	Range maximum quantity	C n..18	N	
6432	Significant digits quantity	C n..2	N	
7383	Surface or layer code	C an..3	N	

Segment Remarks:**General Notes**

Consignment Gross weight

Message examples:

MEA+WT+AAD+KGM:100'

Example:

MEA+WT+AAD+KGM:100'

No = Consecutive segment number
 MaxOcc = Maximum occurrence of the segment/group
 Counter = Counter of segment/group within the standard

DSV public

EDIFACT: M=Mandatory, C=Conditional
 User specific: R=Required, O=Optional, D=Dependent,
 A=Advised, N=Not used



Counter	No	Tag	St	MaxOcc	Level	Name
1160		SG27	C	9999999	1	LIN-IMD-MEA-DTM-SG28-SG31-SG32-SG35-SG36-SG40
1210	80	MEA	C	5	2	Measurements

Standard			Implementation	
Tag	Name	St Format	St Format	Usage / Remark
MEA				
6311	Measurement purpose code qualifier	M an..3	M an..3	List of valid codes WT Weights
C502	Measurement details	C	C	
6313	Measured attribute code	C an..3	C an..3	List of valid codes ACG Chargeable weight
6321	Measurement significance code	C an..3	N	
6155	Non-discrete measurement name code	C an..17	N	
6154	Non-discrete measurement name	C an..70	N	
C174	Value/range	C	C	
6411	Measurement unit code	M an..8	M an..8	List of valid codes KGM kilogram
6314	Measure	C an..18	C an..18	
6162	Range minimum quantity	C n..18	N	
6152	Range maximum quantity	C n..18	N	
6432	Significant digits quantity	C n..2	N	
7383	Surface or layer code	C an..3	N	

Segment Remarks:**General Notes**

Chargeable weight

Message examples:

MEA+WT+ACG+KGM:100'

Example:

MEA+WT+ACG+KGM:100'

No = Consecutive segment number
 MaxOcc = Maximum occurrence of the segment/group
 Counter = Counter of segment/group within the standard

DSV public

EDIFACT: M=Mandatory, C=Conditional
 User specific: R=Required, O=Optional, D=Dependent,
 A=Advised, N=Not used



Counter	No	Tag	St	MaxOcc	Level	Name
1160		SG27	C	9999999	1	LIN-IMD-MEA-DTM-SG28-SG31-SG32-SG35-SG36-SG40
1210	81	MEA	C	5	2	Measurements

Standard			Implementation	
Tag	Name	St Format	St Format	Usage / Remark
MEA				
6311	Measurement purpose code qualifier	M an..3	M an..3	List of valid codes VOL Volume
C502	Measurement details	C	N	
6313	Measured attribute code	C an..3	N	
6321	Measurement significance code	C an..3	N	
6155	Non-discrete measurement name code	C an..17	N	
6154	Non-discrete measurement name	C an..70	N	
C174	Value/range	C	C	
6411	Measurement unit code	M an..8	M an..8	List of valid codes MTQ cubic metre
6314	Measure	C an..18	C an..18	
6162	Range minimum quantity	C n..18	N	
6152	Range maximum quantity	C n..18	N	
6432	Significant digits quantity	C n..2	N	
7383	Surface or layer code	C an..3	N	

Segment Remarks:**General Notes**

Volume

Message examples:

MEA+VOL++MTQ:23'

Example:

MEA+VOL++MTQ:23'

No = Consecutive segment number
 MaxOcc = Maximum occurrence of the segment/group
 Counter = Counter of segment/group within the standard

DSV public
 Status
 EDIFACT: M=Mandatory, C=Conditional
 User specific: R=Required, O=Optional, D=Dependent,
 A=Advised, N=Not used



Counter	No	Tag	St	MaxOcc	Level	Name
1160		SG27	C	9999999	1	LIN-IMD-MEA-DTM-SG28-SG31-SG32-SG35-SG36-SG40
1210	82	MEA	C	5	2	Measurements

Standard			Implementation	
Tag	Name	St Format	St Format	Usage / Remark
MEA				
6311	Measurement purpose code qualifier	M an..3	M an..3	List of valid codes LMT Loading meters
C502	Measurement details	C	N	
6313	Measured attribute code	C an..3	N	
6321	Measurement significance code	C an..3	N	
6155	Non-discrete measurement name code	C an..17	N	
6154	Non-discrete measurement name	C an..70	N	
C174	Value/range	C	C	
6411	Measurement unit code	M an..8	M an..8	List of valid codes MTR metre
6314	Measure	C an..18	C an..18	
6162	Range minimum quantity	C n..18	N	
6152	Range maximum quantity	C n..18	N	
6432	Significant digits quantity	C n..2	N	
7383	Surface or layer code	C an..3	N	

Segment Remarks:**General Notes**

Loading meters

Message examples:

MEA+LMT++MTR:2'

Example:

MEA+LMT++MTR:2'

No = Consecutive segment number
 MaxOcc = Maximum occurrence of the segment/group
 Counter = Counter of segment/group within the standard

DSV public
 Status
 EDIFACT: M=Mandatory, C=Conditional
 User specific: R=Required, O=Optional, D=Dependent,
 A=Advised, N=Not used



Counter	No	Tag	St	MaxOcc	Level	Name
1160		SG27	C	9999999	1	LIN-IMD-MEA-DTM-SG28-SG31-SG32-SG35-SG36-SG40
1250	83	DTM	C	35	2	Date/time/period

Standard			Implementation	
Tag	Name	St Format	St Format	Usage / Remark
DTM				
C507	Date/time/period	M	M	
2005	Date or time or period function code qualifier	M an..3	M an..3	List of valid codes 2 Delivery date/time, requested 10 Shipment date/time, requested 17 Delivery date/time, estimated 35 Delivery date/time, actual 65 Delivery date/time, 1st schedule 178 Transport means arrival date time, actual 186 Transport means departure date/time, actual 189 Transport means departure date/time, scheduled 200 Cargo pick-up date / time 232 Transport means arrival date/time, scheduled 234 Collection date/time, earliest 235 Collection date/time, latest 342 Consignment loading date time 478 Start date or time, scheduled 479 Completion date or time, scheduled
2380	Date or time or period text	C an..35	C an..35	
2379	Date or time or period format code	C an..3	C an..3	List of valid codes 102 CCYYMMDD 203 CCYYMMDDHHMM 204 CCYYMMDDHHMMSS

Segment Remarks:**General Notes**

Message examples:

DTM+2:20221021:102'
 DTM+10:20221021:102'
 DTM+232:20221021:102'
 DTM+136:20221021:102'
 DTM+189:20221020:102'
 DTM+132:20221021:102'
 DTM+178:20221020:102'
 DTM+478:20221021:102'
 DTM+479:20221020:102'

Example:

DTM+2:20221020:102'

No = Consecutive segment number
 MaxOcc = Maximum occurrence of the segment/group
 Counter = Counter of segment/group within the standard

DSV public

EDIFACT: M=Mandatory, C=Conditional
 User specific: R=Required, O=Optional, D=Dependent,
 A=Advised, N=Not used



Counter	No	Tag	St	MaxOcc	Level	Name
1320		SG28	C	99	2	MOA
1330	84	MOA	M	1	2	Monetary amount

Standard			Implementation	
Tag	Name	St Format	St Format	Usage / Remark
MOA				
C516	Monetary amount	M	M	
5025	Monetary amount type code qualifier	M an..3	M an..3	
				List of valid codes
				128 Total amount
5004	Monetary amount	C n..35	C n..35	
6345	Currency identification code	C an..3	C an..3	
6343	Currency type code qualifier	C an..3	C an..3	
				List of valid codes
				4 Invoicing currency
4405	Status description code	C an..3	N	

Segment Remarks:**General Notes**

Total Amounts of Line before ALC

Message examples:

MOA+128:9:EUR:4'

Example:

MOA+128:9:EUR:4'

No = Consecutive segment number
 MaxOcc = Maximum occurrence of the segment/group
 Counter = Counter of segment/group within the standard

DSV public
 Status
 EDIFACT: M=Mandatory, C=Conditional
 User specific: R=Required, O=Optional, D=Dependent,
 A=Advised, N=Not used



Counter	No	Tag	St	MaxOcc	Level	Name
1460		SG31	C	999	2	RFF
1470	85	RFF	M	1	2	Reference

Standard			Implementation	
Tag	Name	St Format	St Format	Usage / Remark
RFF				
C506	Reference	M	M	
1153	Reference code qualifier	M an..3	M an..3	
				List of valid codes AAS Transport contract document identifier AFB Cargo manifest number AHK Payer's reference number AWB Air waybill number BNK Bank reference (DSV specific value) CN Carrier's reference number CRN Transport means journey identifier CU Consignment identifier, consignor assigned CUS External reference (DSV specific value) EQ Vehicle (DSV specific value) EST Estimate no (DSV specific value) FC Issue company (DSV specific value) HBL External reference (DSV specific value) HWB House waybill number IMG Webcost reference (DSV specific value) INI Webcost initials (DSV specific value) LI Document line identifier PQ Payment reference SRN Shipment reference number TYP Tax reference (DSV specific value) XP External XP-reference (DSV specific value) ZCU Customer reference (DSV specific value) ZLD Department (DSV specific value) VAT VAT number (DSV specific value) ZGD ItemDescription (DSV specific value)
1154	Reference identifier	C an..70	C an..70	
1156	Document line identifier	C an..6	N	
1056	Version identifier	C an..9	N	
1060	Revision identifier	C an..6	N	

Segment Remarks:**General Notes**

Message examples:

RFF+AAS:6982842384'

RFF+SRN:1234567890987'

RFF+PQ:1234567890'

RFF+VAT:DK1234567890'

Example:

RFF+SRN:1234567890987'

No = Consecutive segment number
 MaxOcc = Maximum occurrence of the segment/group
 Counter = Counter of segment/group within the standard

DSV public
 Status
 EDIFACT: M=Mandatory, C=Conditional
 User specific: R=Required, O=Optional, D=Dependent,
 A=Advised, N=Not used



Counter	No	Tag	St	MaxOcc	Level	Name
1490		SG32	C	10	2	PAC-MEA
1500	86	PAC	M	1	2	Package

Standard			Implementation	
Tag	Name	St Format	St Format	Usage / Remark
PAC				
7224	Package quantity	C n..8	C n..8	
C531	Packaging details	C	N	
7075	Packaging level code	C an..3	N	
7233	Packaging related description code	C an..3	N	
7073	Packaging terms and conditions code	C an..3	N	
C202	Package type	C	C	
7065	Package type description code	C an..17	C an..17	
				List of valid codes
				PLL Pallet
1131	Code list identification code	C an..17	N	
3055	Code list responsible agency code	C an..3	N	
7064	Type of packages	C an..35	N	
C402	Package type identification	C	N	
7077	Description format code	M an..3	N	
7064	Type of packages	M an..35	N	
7143	Item type identification code	C an..3	N	
7064	Type of packages	C an..35	N	
7143	Item type identification code	C an..3	N	
C532	Returnable package details	C	N	
8395	Returnable package freight payment responsibility code	C an..3	N	
8393	Returnable package load contents code	C an..3	N	

Segment Remarks:**General Notes**

Message examples:

PAC+9++PLL'

Example:

PAC+9++PLL'

No = Consecutive segment number
 MaxOcc = Maximum occurrence of the segment/group
 Counter = Counter of segment/group within the standard

DSV public

St Status
 EDIFACT: M=Mandatory, C=Conditional
 User specific: R=Required, O=Optional, D=Dependent,
 A=Advised, N=Not used



Counter	No	Tag	St	MaxOcc	Level	Name
1490		SG32	C	10	2	PAC-MEA
1510	87	MEA	C	10	3	Measurements

Standard			Implementation	
Tag	Name	St Format	St Format	Usage / Remark
MEA				
6311	Measurement purpose code qualifier	M an..3	M an..3	General Notes Message examples: MEA+WT+AAB+KGM:259' List of valid codes WT Weights
C502	Measurement details	C	C	
6313	Measured attribute code	C an..3	C an..3	List of valid codes AAB Goods item gross weight
6321	Measurement significance code	C an..3	N	
6155	Non-discrete measurement name code	C an..17	N	
6154	Non-discrete measurement name	C an..70	N	
C174	Value/range	C	C	
6411	Measurement unit code	M an..8	M an..8	List of valid codes KGM kilogram
6314	Measure	C an..18	C an..18	
6162	Range minimum quantity	C n..18	N	
6152	Range maximum quantity	C n..18	N	
6432	Significant digits quantity	C n..2	N	
7383	Surface or layer code	C an..3	N	

Segment Remarks:**Example:**

MEA+WT+AAB+KGM:100'

No = Consecutive segment number
 MaxOcc = Maximum occurrence of the segment/group
 Counter = Counter of segment/group within the standard

DSV public
 Status
 EDIFACT: M=Mandatory, C=Conditional
 User specific: R=Required, O=Optional, D=Dependent,
 A=Advised, N=Not used



Counter	No	Tag	St	MaxOcc	Level	Name
1490		SG32	C	10	2	PAC-MEA
1510	88	MEA	C	10	3	Measurements

Standard			Implementation	
Tag	Name	St Format	St Format	Usage / Remark
MEA				
6311	Measurement purpose code qualifier	M an..3	M an..3	General Notes Message examples: MEA+VOL++MTQ:12.096' List of valid codes VOL Volume
C502	Measurement details	C	N	
6313	Measured attribute code	C an..3	N	
6321	Measurement significance code	C an..3	N	
6155	Non-discrete measurement name code	C an..17	N	
6154	Non-discrete measurement name	C an..70	N	
C174	Value/range	C	C	
6411	Measurement unit code	M an..8	M an..8	List of valid codes MTQ cubic metre
6314	Measure	C an..18	C an..18	
6162	Range minimum quantity	C n..18	N	
6152	Range maximum quantity	C n..18	N	
6432	Significant digits quantity	C n..2	N	
7383	Surface or layer code	C an..3	N	

Segment Remarks:**Example:**

MEA+VOL++MTQ:2'

No = Consecutive segment number
 MaxOcc = Maximum occurrence of the segment/group
 Counter = Counter of segment/group within the standard

DSV public
 Status
 EDIFACT: M=Mandatory, C=Conditional
 User specific: R=Required, O=Optional, D=Dependent,
 A=Advised, N=Not used



Counter	No	Tag	St	MaxOcc	Level	Name
1490		SG32	C	10	2	PAC-MEA
1510	89	MEA	C	10	3	Measurements

Standard			Implementation	
Tag	Name	St Format	St Format	Usage / Remark
MEA				
6311	Measurement purpose code qualifier	M an..3	M an..3	General Notes Message examples: MEA+LMT++MTR:2.5' List of valid codes LMT Loading meters
C502	Measurement details	C	N	
6313	Measured attribute code	C an..3	N	
6321	Measurement significance code	C an..3	N	
6155	Non-discrete measurement name code	C an..17	N	
6154	Non-discrete measurement name	C an..70	N	
C174	Value/range	C	C	
6411	Measurement unit code	M an..8	M an..8	List of valid codes MTR metre
6314	Measure	C an..18	C an..18	
6162	Range minimum quantity	C n..18	N	
6152	Range maximum quantity	C n..18	N	
6432	Significant digits quantity	C n..2	N	
7383	Surface or layer code	C an..3	N	

Segment Remarks:**Example:**

MEA+LMT++MTR:2'

No = Consecutive segment number
 MaxOcc = Maximum occurrence of the segment/group
 Counter = Counter of segment/group within the standard

DSV public
 Status
 EDIFACT: M=Mandatory, C=Conditional
 User specific: R=Required, O=Optional, D=Dependent,
 A=Advised, N=Not used



Counter	No	Tag	St	MaxOcc	Level	Name
1620		SG35	C	99	2	TAX-MOA
1630	90	TAX	M	1	2	Duty/tax/fee details

Standard			Implementation	
Tag	Name	St Format	St Format	Usage / Remark
TAX				
5283	Duty or tax or fee function code qualifier	M an..3	M an..3	List of valid codes 7 Tax
C241	Duty/tax/fee type	C	C	
5153	Duty or tax or fee type name code	C an..3	C an..3	List of valid codes VAT Value added tax
1131	Code list identification code	C an..17	N	
3055	Code list responsible agency code	C an..3	N	
5152	Duty or tax or fee type name	C an..35	N	
C533	Duty/tax/fee account detail	C	N	
5289	Duty or tax or fee account code	M an..6	N	
1131	Code list identification code	C an..17	N	
3055	Code list responsible agency code	C an..3	N	
5286	Duty or tax or fee assessment basis quantity	C an..15	N	
C243	Duty/tax/fee detail	C	C	
5279	Duty or tax or fee rate code	C an..7	N	
1131	Code list identification code	C an..17	N	
3055	Code list responsible agency code	C an..3	N	
5278	Duty or tax or fee rate	C an..17	C an..17	
5273	Duty or tax or fee rate basis code	C an..12	N	
1131	Code list identification code	C an..17	N	
3055	Code list responsible agency code	C an..3	N	
5305	Duty or tax or fee category code	C an..3	C an..3	List of valid codes E Exempt from tax S Standard rate Z Zero rated goods
3446	Party tax identifier	C an..20	N	
1227	Calculation sequence code	C an..3	N	
5307	Tax or duty or fee payment	C an..3	N	

No = Consecutive segment number
MaxOcc = Maximum occurrence of the segment/group
Counter = Counter of segment/group within the standard

DSV public
Status
EDIFACT: M=Mandatory, C=Conditional
User specific: R=Required, O=Optional, D=Dependent,
A=Advised, N=Not used



Standard			Implementation	
Tag	Name	St Format	St Format	Usage / Remark
	due date code			

Segment Remarks:

General Notes

Message examples:

TAX+7+VAT+++:::25.00+S'

Example:

TAX+7+VAT+++:::25.00+S'

No = Consecutive segment number
MaxOcc = Maximum occurrence of the segment/group
Counter = Counter of segment/group within the standard

DSV public
EDIFACT: M=Mandatory, C=Conditional
User specific: R=Required, O=Optional, D=Dependent,
A=Advised, N=Not used



Counter	No	Tag	St	MaxOcc	Level	Name
1620		SG35	C	99	2	TAX-MOA
1640	91	MOA	C	2	3	Monetary amount

Standard			Implementation	
Tag	Name	St Format	St Format	Usage / Remark
MOA				
C516	Monetary amount	M	M	
5025	Monetary amount type code qualifier	M an..3	M an..3	List of valid codes 124 Tax amount
5004	Monetary amount	C n..35	C n..35	
6345	Currency identification code	C an..3	C an..3	
6343	Currency type code qualifier	C an..3	C an..3	List of valid codes 4 Invoicing currency
4405	Status description code	C an..3	N	

Segment Remarks:**General Notes**

Message examples:

MOA+124:99:99:EUR:4'

Example:

MOA+124:99:99:EUR:4'

No = Consecutive segment number
 MaxOcc = Maximum occurrence of the segment/group
 Counter = Counter of segment/group within the standard

DSV public

St = Status
 EDIFACT: M=Mandatory, C=Conditional
 User specific: R=Required, O=Optional, D=Dependent,
 A=Advised, N=Not used



Counter	No	Tag	St	MaxOcc	Level	Name
1660		SG36	C	99	2	NAD
1670	92	NAD	M	1	2	Name and address

Standard			Implementation	
Tag	Name	St Format	St Format	Usage / Remark
NAD				
3035	Party function code qualifier	M an..3	M an..3	List of valid codes CN Consignee CZ Consignor DP Delivery party PW Despatch party
C082	Party identification details	C	C	
3039	Party identifier	M an..35	M an..35	
1131	Code list identification code	C an..17	N	
3055	Code list responsible agency code	C an..3	C an..3	List of valid codes 9 GS1 87 Assigned by carrier 91 Assigned by seller or seller's agent
C058	Name and address	C	N	
3124	Name and address description	M an..35	N	
3124	Name and address description	C an..35	N	
3124	Name and address description	C an..35	N	
3124	Name and address description	C an..35	N	
3124	Name and address description	C an..35	N	
C080	Party name	C	C	
3036	Party name	M an..70	M an..70	
3036	Party name	C an..70	N	
3036	Party name	C an..70	N	
3036	Party name	C an..70	N	
3036	Party name	C an..70	N	
3045	Party name format code	C an..3	N	
C059	Street	C	C	
3042	Street and number or post office box identifier	M an..35	M an..35	
3042	Street and number or post office box identifier	C an..35	C an..35	
3042	Street and number or post office box identifier	C an..35	C an..35	
3042	Street and number or post office box identifier	C an..35	N	
3164	City name	C an..35	C an..35	

No = Consecutive segment number
MaxOcc = Maximum occurrence of the segment/group
Counter = Counter of segment/group within the standard

DSV public
Status
EDIFACT: M=Mandatory, C=Conditional
User specific: R=Required, O=Optional, D=Dependent,
A=Advised, N=Not used



Standard			Implementation	
Tag	Name	St Format	St Format	Usage / Remark
C819	Country subdivision details	C	N	
3229	Country subdivision identifier	C an..9	C an..9	
1131	Code list identification code	C an..17	N	
3055	Code list responsible agency code	C an..3	N	
3228	Country subdivision name	C an..70	N	
3251	Postal identification code	C an..17	C an..17	
3207	Country identifier	C an..3	C an..3	

Segment Remarks:**General Notes**

Message examples:

NAD+CN+123456789::91++Consignee+West street 10+CITY++134408+XX'

NAD+CZ+987654321::87++Consignor+East street 5+CITY++12345+XX'

NAD+DP+123456789::91++Consignee+West street 10+CITY++134408+XX'

NAD+PW+987654321::87++Consignor+East street 5+CITY++12345+XX'

Example:

NAD+CN+123456789::87++Consignor+North street:Warehouse 2+PARIS++8260+FR'

No = Consecutive segment number
 MaxOcc = Maximum occurrence of the segment/group
 Counter = Counter of segment/group within the standard

DSV public
 Status
 EDIFACT: M=Mandatory, C=Conditional
 User specific: R=Required, O=Optional, D=Dependent,
 A=Advised, N=Not used



Counter	No	Tag	St	MaxOcc	Level	Name
1660		SG36	C	99	2	NAD
1670	93	NAD	M	1	2	Name and address

Standard			Implementation	
Tag	Name	St Format	St Format	Usage / Remark
NAD				
3035	Party function code qualifier	M an..3	M an..3	List of valid codes CN Consignee
C082	Party identification details	C	C	
3039	Party identifier	M an..35	M an..35	
1131	Code list identification code	C an..17	N	
3055	Code list responsible agency code	C an..3	C an..3	List of valid codes 9 GS1 87 Assigned by carrier 91 Assigned by seller or seller's agent
C058	Name and address	C	N	
3124	Name and address description	M an..35	N	
3124	Name and address description	C an..35	N	
3124	Name and address description	C an..35	N	
3124	Name and address description	C an..35	N	
3124	Name and address description	C an..35	N	
C080	Party name	C	C	
3036	Party name	M an..70	M an..70	
3036	Party name	C an..70	N	
3036	Party name	C an..70	N	
3036	Party name	C an..70	N	
3036	Party name	C an..70	N	
3045	Party name format code	C an..3	N	
C059	Street	C	C	
3042	Street and number or post office box identifier	M an..35	M an..35	
3042	Street and number or post office box identifier	C an..35	C an..35	
3042	Street and number or post office box identifier	C an..35	C an..35	
3042	Street and number or post office box identifier	C an..35	N	
3164	City name	C an..35	C an..35	
C819	Country subdivision details	C	N	
3229	Country subdivision identifier	C an..9	C an..9	

No = Consecutive segment number
MaxOcc = Maximum occurrence of the segment/group
Counter = Counter of segment/group within the standard

DSV public
Status
EDIFACT: M=Mandatory, C=Conditional
User specific: R=Required, O=Optional, D=Dependent,
A=Advised, N=Not used



Standard			Implementation	
Tag	Name	St Format	St Format	Usage / Remark
1131	Code list identification code	C an..17	N	
3055	Code list responsible agency code	C an..3	N	
3228	Country subdivision name	C an..70	N	
3251	Postal identification code	C an..17	C an..17	
3207	Country identifier	C an..3	C an..3	

Segment Remarks:**General Notes**

Message examples:

NAD+CN+123456789::91++Consignee+West street 10+CITY++134408+XX'

NAD+CZ+987654321::87++Consignor+East street 5+CITY++12345+XX'

NAD+DP+123456789::91++Consignee+West street 10+CITY++134408+XX'

NAD+PW+987654321::87++Consignor+East street 5+CITY++12345+XX'

Example:

NAD+CN+123456789::87++Consignor+North street:Warehouse 2+PARIS++8260+FR'

No = Consecutive segment number
 MaxOcc = Maximum occurrence of the segment/group
 Counter = Counter of segment/group within the standard

DSV public
 Status
 EDIFACT: M=Mandatory, C=Conditional
 User specific: R=Required, O=Optional, D=Dependent,
 A=Advised, N=Not used



Counter	No	Tag	St	MaxOcc	Level	Name
1660		SG36	C	99	2	NAD
1670	94	NAD	M	1	2	Name and address

Standard			Implementation	
Tag	Name	St Format	St Format	Usage / Remark
NAD				
3035	Party function code qualifier	M an..3	M an..3	List of valid codes CZ Consignor
C082	Party identification details	C	C	
3039	Party identifier	M an..35	M an..35	
1131	Code list identification code	C an..17	N	
3055	Code list responsible agency code	C an..3	C an..3	List of valid codes 9 GS1 87 Assigned by carrier 91 Assigned by seller or seller's agent
C058	Name and address	C	N	
3124	Name and address description	M an..35	N	
3124	Name and address description	C an..35	N	
3124	Name and address description	C an..35	N	
3124	Name and address description	C an..35	N	
3124	Name and address description	C an..35	N	
C080	Party name	C	C	
3036	Party name	M an..70	M an..70	
3036	Party name	C an..70	N	
3036	Party name	C an..70	N	
3036	Party name	C an..70	N	
3036	Party name	C an..70	N	
3045	Party name format code	C an..3	N	
C059	Street	C	C	
3042	Street and number or post office box identifier	M an..35	M an..35	
3042	Street and number or post office box identifier	C an..35	C an..35	
3042	Street and number or post office box identifier	C an..35	C an..35	
3042	Street and number or post office box identifier	C an..35	N	
3164	City name	C an..35	C an..35	
C819	Country subdivision details	C	N	
3229	Country subdivision identifier	C an..9	C an..9	

No = Consecutive segment number
MaxOcc = Maximum occurrence of the segment/group
Counter = Counter of segment/group within the standard

DSV public
Status
EDIFACT: M=Mandatory, C=Conditional
User specific: R=Required, O=Optional, D=Dependent,
A=Advised, N=Not used



Standard			Implementation	
Tag	Name	St Format	St Format	Usage / Remark
1131	Code list identification code	C an..17	N	
3055	Code list responsible agency code	C an..3	N	
3228	Country subdivision name	C an..70	N	
3251	Postal identification code	C an..17	C an..17	
3207	Country identifier	C an..3	C an..3	

Segment Remarks:**General Notes**

Message examples:

NAD+CN+123456789::91++Consignee+West street 10+CITY++134408+XX'

NAD+CZ+987654321::87++Consignor+East street 5+CITY++12345+XX'

NAD+DP+123456789::91++Consignee+West street 10+CITY++134408+XX'

NAD+PW+987654321::87++Consignor+East street 5+CITY++12345+XX'

Example:

NAD+CZ+123456789::87++Consignee+North street:Warehouse 2+PARIS++8260+FR'

No = Consecutive segment number
 MaxOcc = Maximum occurrence of the segment/group
 Counter = Counter of segment/group within the standard

DSV public

EDIFACT: M=Mandatory, C=Conditional
 User specific: R=Required, O=Optional, D=Dependent,
 A=Advised, N=Not used



Counter	No	Tag	St	MaxOcc	Level	Name
1660		SG36	C	99	2	NAD
1670	95	NAD	M	1	2	Name and address

Standard			Implementation	
Tag	Name	St Format	St Format	Usage / Remark
NAD				
3035	Party function code qualifier	M an..3	M an..3	List of valid codes DP Delivery party
C082	Party identification details	C	C	
3039	Party identifier	M an..35	M an..35	
1131	Code list identification code	C an..17	N	
3055	Code list responsible agency code	C an..3	C an..3	List of valid codes 9 GS1 87 Assigned by carrier 91 Assigned by seller or seller's agent
C058	Name and address	C	N	
3124	Name and address description	M an..35	N	
3124	Name and address description	C an..35	N	
3124	Name and address description	C an..35	N	
3124	Name and address description	C an..35	N	
3124	Name and address description	C an..35	N	
3124	Name and address description	C an..35	N	
C080	Party name	C	C	
3036	Party name	M an..70	M an..70	
3036	Party name	C an..70	N	
3036	Party name	C an..70	N	
3036	Party name	C an..70	N	
3045	Party name format code	C an..3	N	
C059	Street	C	C	
3042	Street and number or post office box identifier	M an..35	M an..35	
3042	Street and number or post office box identifier	C an..35	C an..35	
3042	Street and number or post office box identifier	C an..35	C an..35	
3042	Street and number or post office box identifier	C an..35	N	
3164	City name	C an..35	C an..35	
C819	Country subdivision details	C	N	
3229	Country subdivision identifier	C an..9	C an..9	

No = Consecutive segment number
 MaxOcc = Maximum occurrence of the segment/group
 Counter = Counter of segment/group within the standard

DSV public
 Status
 EDIFACT: M=Mandatory, C=Conditional
 User specific: R=Required, O=Optional, D=Dependent,
 A=Advised, N=Not used



Standard			Implementation	
Tag	Name	St Format	St Format	Usage / Remark
1131	Code list identification code	C an..17	N	
3055	Code list responsible agency code	C an..3	N	
3228	Country subdivision name	C an..70	N	
3251	Postal identification code	C an..17	C an..17	
3207	Country identifier	C an..3	C an..3	

Segment Remarks:**General Notes**

Message examples:

NAD+CN+123456789::91++Consignee+West street 10+CITY++134408+XX'

NAD+CZ+987654321::87++Consignor+East street 5+CITY++12345+XX'

NAD+DP+123456789::91++Consignee+West street 10+CITY++134408+XX'

NAD+PW+987654321::87++Consignor+East street 5+CITY++12345+XX'

Example:

NAD+DP+123456789::87++Delivery party+North street:Warehouse 2+PARIS++8260+FR'

No = Consecutive segment number
MaxOcc = Maximum occurrence of the segment/group
Counter = Counter of segment/group within the standard

DSV public

EDIFACT: M=Mandatory, C=Conditional
User specific: R=Required, O=Optional, D=Dependent,
A=Advised, N=Not used



Counter	No	Tag	St	MaxOcc	Level	Name
1660		SG36	C	99	2	NAD
1670	96	NAD	M	1	2	Name and address

Standard			Implementation	
Tag	Name	St Format	St Format	Usage / Remark
NAD				
3035	Party function code qualifier	M an..3	M an..3	List of valid codes PW Despatch party
C082	Party identification details	C	C	
3039	Party identifier	M an..35	M an..35	
1131	Code list identification code	C an..17	N	
3055	Code list responsible agency code	C an..3	C an..3	List of valid codes 9 GS1 87 Assigned by carrier 91 Assigned by seller or seller's agent
C058	Name and address	C	N	
3124	Name and address description	M an..35	N	
3124	Name and address description	C an..35	N	
3124	Name and address description	C an..35	N	
3124	Name and address description	C an..35	N	
3124	Name and address description	C an..35	N	
C080	Party name	C	C	
3036	Party name	M an..70	M an..70	
3036	Party name	C an..70	N	
3036	Party name	C an..70	N	
3036	Party name	C an..70	N	
3036	Party name	C an..70	N	
3045	Party name format code	C an..3	N	
C059	Street	C	C	
3042	Street and number or post office box identifier	M an..35	M an..35	
3042	Street and number or post office box identifier	C an..35	C an..35	
3042	Street and number or post office box identifier	C an..35	C an..35	
3042	Street and number or post office box identifier	C an..35	N	
3164	City name	C an..35	C an..35	
C819	Country subdivision details	C	N	
3229	Country subdivision identifier	C an..9	C an..9	

No = Consecutive segment number
 MaxOcc = Maximum occurrence of the segment/group
 Counter = Counter of segment/group within the standard

DSV public
 Status
 EDIFACT: M=Mandatory, C=Conditional
 User specific: R=Required, O=Optional, D=Dependent,
 A=Advised, N=Not used



Standard			Implementation	
Tag	Name	St Format	St Format	Usage / Remark
1131	Code list identification code	C an..17	N	
3055	Code list responsible agency code	C an..3	N	
3228	Country subdivision name	C an..70	N	
3251	Postal identification code	C an..17	C an..17	
3207	Country identifier	C an..3	C an..3	

Segment Remarks:**General Notes**

Message examples:

NAD+CN+123456789::91++Consignee+West street 10+CITY++134408+XX'

NAD+CZ+987654321::87++Consignor+East street 5+CITY++12345+XX'

NAD+DP+123456789::91++Consignee+West street 10+CITY++134408+XX'

NAD+PW+987654321::87++Consignor+East street 5+CITY++12345+XX'

Example:

NAD+PW+123456789::87++Despatch party+North street:Warehouse 2+PARIS++8260+FR'

No = Consecutive segment number
 MaxOcc = Maximum occurrence of the segment/group
 Counter = Counter of segment/group within the standard

DSV public

EDIFACT Status

EDIFACT: M=Mandatory, C=Conditional

User specific: R=Required, O=Optional, D=Dependent,

A=Advised, N=Not used



Counter	No	Tag	St	MaxOcc	Level	Name
1790		SG40	C	30	2	ALC-ALI-FTX-SG41-SG43-SG45
1800	97	ALC	M	1	2	Allowance or charge

Standard			Implementation	
Tag	Name	St Format	St Format	Usage / Remark
ALC				
5463	Allowance or charge code qualifier	M an..3	M an..3	List of valid codes A Allowance C Charge
C552	Allowance/charge information	C	C	
1230	Allowance or charge identifier	C an..35	C an..35	
5189	Allowance or charge identification code	C an..3	N	
4471	Settlement means code	C an..3	N	
1227	Calculation sequence code	C an..3	N	
C214	Special services identification	C	C	
7161	Special service description code	C an..3	C an..3	
1131	Code list identification code	C an..17	N	
3055	Code list responsible agency code	C an..3	N	
7160	Special service description	C an..35	C an..35	
7160	Special service description	C an..35	N	

Segment Remarks:**General Notes**

Message examples:

ALC+A+0112:+++FRT:::Freight'

ALC+C+0112:+++FRT:::Freight'

Example:

ALC+A+0112+++FRT:::Freight'

No = Consecutive segment number
 MaxOcc = Maximum occurrence of the segment/group
 Counter = Counter of segment/group within the standard

DSV public

Status

EDIFACT: M=Mandatory, C=Conditional

User specific: R=Required, O=Optional, D=Dependent,

A=Advised, N=Not used



Counter	No	Tag	St	MaxOcc	Level	Name
1790		SG40	C	30	2	ALC-ALI-FTX-SG41-SG43-SG45
1810	98	ALI	C	5	3	Additional information

Standard			Implementation	
Tag	Name	St Format	St Format	Usage / Remark
ALI				
3239	Country of origin identifier	C an..3	N	
9213	Duty regime type code	C an..3	N	
4183	Special condition code	C an..3	C an..3	List of valid codes
				110 Final settlement
4183	Special condition code	C an..3	N	
4183	Special condition code	C an..3	N	
4183	Special condition code	C an..3	N	
4183	Special condition code	C an..3	N	

Segment Remarks:

Example:
ALI+++110'

No = Consecutive segment number
MaxOcc = Maximum occurrence of the segment/group
Counter = Counter of segment/group within the standard

DSV public
Status
EDIFACT: M=Mandatory, C=Conditional
User specific: R=Required, O=Optional, D=Dependent,
A=Advised, N=Not used



Counter	No	Tag	St	MaxOcc	Level	Name
1790		SG40	C	30	2	ALC-ALI-FTX-SG41-SG43-SG45
1830	99	FTX	C	1	3	Free text

Standard			Implementation	
Tag	Name	St Format	St Format	Usage / Remark
FTX				
4451	Text subject code qualifier	M an..3	M an..3	List of valid codes ALC Allowance/charge information
4453	Free text function code	C an..3	N	
C107	Text reference	C	N	
4441	Free text description code	M an..17	N	
1131	Code list identification code	C an..17	N	
3055	Code list responsible agency code	C an..3	N	
C108	Text literal	C	C	
4440	Free text	M an..512	M an..512	
4440	Free text	C an..512	C an..512	
4440	Free text	C an..512	C an..512	
4440	Free text	C an..512	N	
4440	Free text	C an..512	N	
3453	Language name code	C an..3	N	
4447	Free text format code	C an..3	N	

Segment Remarks:**Example:**

FTX+ALC+++Description:ChargeCodeDescription:ChargeCodeLocalDescription'

No = Consecutive segment number
 MaxOcc = Maximum occurrence of the segment/group
 Counter = Counter of segment/group within the standard

DSV public
 Status
 EDIFACT: M=Mandatory, C=Conditional
 User specific: R=Required, O=Optional, D=Dependent,
 A=Advised, N=Not used



Counter	No	Tag	St	MaxOcc	Level	Name
1840		SG41	C	1	3	QTY
1850	100	QTY	M	1	3	Quantity

Standard			Implementation	
Tag	Name	St Format	St Format	Usage / Remark
QTY				
C186	Quantity details	M	M	
6063	Quantity type code qualifier	M an..3	M an..3	List of valid codes 12 Despatch quantity
6060	Quantity	M an..35	M an..35	
6411	Measurement unit code	C an..8	C an..8	List of valid codes ZZ mutually defined

Segment Remarks:

Example:

QTY+12:2:ZZ'

No = Consecutive segment number
MaxOcc = Maximum occurrence of the segment/group
Counter = Counter of segment/group within the standard

DSV public
Status
EDIFACT: M=Mandatory, C=Conditional
User specific: R=Required, O=Optional, D=Dependent,
A=Advised, N=Not used



Counter	No	Tag	St	MaxOcc	Level	Name
1900		SG43	C	2	3	MOA-CUX
1910	101	MOA	M	1	3	Monetary amount

Standard			Implementation	
Tag	Name	St Format	St Format	Usage / Remark
MOA				
C516	Monetary amount	M	M	
5025	Monetary amount type code qualifier	M an..3	M an..3	
				List of valid codes
				8 Allowance or charge amount
5004	Monetary amount	C n..35	C n..35	
6345	Currency identification code	C an..3	C an..3	
6343	Currency type code qualifier	C an..3	C an..3	
				List of valid codes
				4 Invoicing currency
4405	Status description code	C an..3	N	

Segment Remarks:**General Notes**

Message examples:

MOA+8:1000:EUR:4'

Example:

MOA+8:1000:EUR:4'

No = Consecutive segment number
 MaxOcc = Maximum occurrence of the segment/group
 Counter = Counter of segment/group within the standard

DSV public

St = Status
 EDIFACT: M=Mandatory, C=Conditional
 User specific: R=Required, O=Optional, D=Dependent,
 A=Advised, N=Not used



Counter	No	Tag	St	MaxOcc	Level	Name
1900		SG43	C	2	3	MOA-CUX
1930	102	CUX	C	1	4	Currencies

Standard			Implementation	
Tag	Name	St Format	St Format	Usage / Remark
CUX				
C504	Currency details	C	C	
6347	Currency usage code qualifier	M an..3	M an..3	List of valid codes 2 Reference currency
6345	Currency identification code	C an..3	C an..3	
6343	Currency type code qualifier	C an..3	C an..3	List of valid codes 4 Invoicing currency
6348	Currency rate	C n..4	N	
C504	Currency details	C	C	
6347	Currency usage code qualifier	M an..3	M an..3	List of valid codes 3 Target currency
6345	Currency identification code	C an..3	C an..3	
6343	Currency type code qualifier	C an..3	C an..3	List of valid codes 3 Home currency
6348	Currency rate	C n..4	N	
5402	Currency exchange rate	C n..12	C n..12	
6341	Exchange rate currency market identifier	C an..3	N	

Segment Remarks:**General Notes**

Message examples:

CUX+2:EUR:4+3:SEK:3+0.80'

Example:

CUX+2:EUR:4+3:SEK:3+0.80'

No = Consecutive segment number
 MaxOcc = Maximum occurrence of the segment/group
 Counter = Counter of segment/group within the standard

DSV public

Status

EDIFACT: M=Mandatory, C=Conditional

User specific: R=Required, O=Optional, D=Dependent,

A=Advised, N=Not used



Counter	No	Tag	St	MaxOcc	Level	Name
1900		SG43	C	2	3	MOA
1910	103	MOA	M	1	3	Monetary amount

Standard			Implementation	
Tag	Name	St Format	St Format	Usage / Remark
MOA				
C516	Monetary amount	M	M	
5025	Monetary amount type code qualifier	M an..3	M an..3	List of valid codes 10 Amount in charge currency
5004	Monetary amount	C n..35	C n..35	
6345	Currency identification code	C an..3	C an..3	
6343	Currency type code qualifier	C an..3	C an..3	List of valid codes 3 Home currency
4405	Status description code	C an..3	N	

Segment Remarks:**General Notes**

Message examples:

MOA+10:1000:EUR:3'

Example:

MOA+10:1000:EUR:3'

No = Consecutive segment number
 MaxOcc = Maximum occurrence of the segment/group
 Counter = Counter of segment/group within the standard

DSV public

St = Status
 EDIFACT: M=Mandatory, C=Conditional
 User specific: R=Required, O=Optional, D=Dependent,
 A=Advised, N=Not used



Counter	No	Tag	St	MaxOcc	Level	Name
1980		SG45	C	5	3	TAX-MOA
1990	104	TAX	M	1	3	Duty/tax/fee details

Standard			Implementation	
Tag	Name	St Format	St Format	Usage / Remark
TAX				
5283	Duty or tax or fee function code qualifier	M an..3	M an..3	List of valid codes 7 Tax 9 Tax related information
C241	Duty/tax/fee type	C	C	
5153	Duty or tax or fee type name code	C an..3	C an..3	List of valid codes VAT Value added tax
1131	Code list identification code	C an..17	N	
3055	Code list responsible agency code	C an..3	N	
5152	Duty or tax or fee type name	C an..35	C an..35	
C533	Duty/tax/fee account detail	C	N	
5289	Duty or tax or fee account code	M an..6	N	
1131	Code list identification code	C an..17	N	
3055	Code list responsible agency code	C an..3	N	
5286	Duty or tax or fee assessment basis quantity	C an..15	C an..15	General Notes Used when agreed for TaxCode up to an..15 chars.
C243	Duty/tax/fee detail	C	C	
5279	Duty or tax or fee rate code	C an..7	N	
1131	Code list identification code	C an..17	N	
3055	Code list responsible agency code	C an..3	N	
5278	Duty or tax or fee rate	C an..17	C an..17	
5273	Duty or tax or fee rate basis code	C an..12	N	
1131	Code list identification code	C an..17	N	
3055	Code list responsible agency code	C an..3	N	
5305	Duty or tax or fee category code	C an..3	C an..3	List of valid codes S Standard rate Z Zero rated goods
3446	Party tax identifier	C an..20	N	
1227	Calculation sequence code	C an..3	N	
5307	Tax or duty or fee payment	C an..3	N	

No = Consecutive segment number
MaxOcc = Maximum occurrence of the segment/group
Counter = Counter of segment/group within the standard

DSV public
Status
EDIFACT: M=Mandatory, C=Conditional
User specific: R=Required, O=Optional, D=Dependent,
A=Advised, N=Not used



Standard			Implementation	
Tag	Name	St Format	St Format	Usage / Remark
	due date code			

Segment Remarks:

General Notes

Message examples:

TAX+7+VAT+++:::25.00+S'

TAX+9+VAT+++:::25.00+S'

Example:

TAX+7+VAT:::250++DICH.INT+:::25+S'

No = Consecutive segment number
MaxOcc = Maximum occurrence of the segment/group
Counter = Counter of segment/group within the standard

DSV public
Status
EDIFACT: M=Mandatory, C=Conditional
User specific: R=Required, O=Optional, D=Dependent,
A=Advised, N=Not used



Counter	No	Tag	St	MaxOcc	Level	Name
1980		SG45	C	5	3	TAX-MOA
2000	105	MOA	C	2	4	Monetary amount

Standard			Implementation	
Tag	Name	St Format	St Format	Usage / Remark
MOA				
C516	Monetary amount	M	M	
5025	Monetary amount type code qualifier	M an..3	M an..3	List of valid codes 124 Tax amount
5004	Monetary amount	C n..35	C n..35	
6345	Currency identification code	C an..3	C an..3	
6343	Currency type code qualifier	C an..3	C an..3	List of valid codes 4 Invoicing currency
4405	Status description code	C an..3	N	

Segment Remarks:

General Notes

Message examples:

MOA+124:250:EUR:4'

Example:

MOA+124:250:EUR:4'

No = Consecutive segment number
MaxOcc = Maximum occurrence of the segment/group
Counter = Counter of segment/group within the standard

DSV public
Status
EDIFACT: M=Mandatory, C=Conditional
User specific: R=Required, O=Optional, D=Dependent,
A=Advised, N=Not used



Counter	No	Tag	St	MaxOcc	Level	Name
1980		SG45	C	5	3	TAX-MOA
2000	106	MOA	C	2	4	Monetary amount

Standard			Implementation	
Tag	Name	St Format	St Format	Usage / Remark
MOA				
C516	Monetary amount	M	M	
5025	Monetary amount type code qualifier	M an..3	M an..3	List of valid codes 124 Tax amount
5004	Monetary amount	C n..35	C n..35	
6345	Currency identification code	C an..3	C an..3	
6343	Currency type code qualifier	C an..3	C an..3	List of valid codes 3 Home currency
4405	Status description code	C an..3	N	

Segment Remarks:**General Notes**

Message examples:

MOA+124:250:EUR:3'

Example:

MOA+124:250:EUR:3'

No = Consecutive segment number
 MaxOcc = Maximum occurrence of the segment/group
 Counter = Counter of segment/group within the standard

DSV public
 Status
 EDIFACT: M=Mandatory, C=Conditional
 User specific: R=Required, O=Optional, D=Dependent,
 A=Advised, N=Not used



Counter	No	Tag	St	MaxOcc	Level	Name
1790		SG40	C	30	2	ALC-SG43-SG45
1800	107	ALC	M	1	2	Allowance or charge

Standard			Implementation	
Tag	Name	St Format	St Format	Usage / Remark
ALC				
5463	Allowance or charge code qualifier	M an..3	M an..3	List of valid codes A Allowance
C552	Allowance/charge information	C	C	
1230	Allowance or charge identifier	C an..35	C an..35	
5189	Allowance or charge identification code	C an..3	N	
4471	Settlement means code	C an..3	N	
1227	Calculation sequence code	C an..3	N	
C214	Special services identification	C	C	
7161	Special service description code	C an..3	C an..3	
1131	Code list identification code	C an..17	N	
3055	Code list responsible agency code	C an..3	N	
7160	Special service description	C an..35	C an..35	
7160	Special service description	C an..35	N	

Segment Remarks:**General Notes**

Message examples:

ALC+A+0112:+++FRT:::Freight'

ALC+C+0112:+++FRT:::Freight'

Example:

ALC+A+0112+++FRT:::Freight'

No = Consecutive segment number
 MaxOcc = Maximum occurrence of the segment/group
 Counter = Counter of segment/group within the standard

DSV public
 Status
 EDIFACT: M=Mandatory, C=Conditional
 User specific: R=Required, O=Optional, D=Dependent,
 A=Advised, N=Not used



Counter	No	Tag	St	MaxOcc	Level	Name
1900		SG43	C	2	3	MOA-CUX
1910	108	MOA	M	1	3	Monetary amount

Standard			Implementation	
Tag	Name	St Format	St Format	Usage / Remark
MOA				
C516	Monetary amount	M	M	
5025	Monetary amount type code qualifier	M an..3	M an..3	
				List of valid codes
				8 Allowance or charge amount
5004	Monetary amount	C n..35	C n..35	
6345	Currency identification code	C an..3	C an..3	
6343	Currency type code qualifier	C an..3	C an..3	
				List of valid codes
				4 Invoicing currency
4405	Status description code	C an..3	N	

Segment Remarks:**General Notes**

Message examples:

MOA+8:1000:EUR:4'

Example:

MOA+8:1000:EUR:4'

No = Consecutive segment number
 MaxOcc = Maximum occurrence of the segment/group
 Counter = Counter of segment/group within the standard

DSV public

St = Status
 EDIFACT: M=Mandatory, C=Conditional
 User specific: R=Required, O=Optional, D=Dependent,
 A=Advised, N=Not used



Counter	No	Tag	St	MaxOcc	Level	Name
1900		SG43	C	2	3	MOA-CUX
1930	109	CUX	C	1	4	Currencies

Standard			Implementation	
Tag	Name	St Format	St Format	Usage / Remark
CUX				
C504	Currency details	C	C	
6347	Currency usage code qualifier	M an..3	M an..3	List of valid codes 2 Reference currency
6345	Currency identification code	C an..3	C an..3	
6343	Currency type code qualifier	C an..3	C an..3	List of valid codes 4 Invoicing currency
6348	Currency rate	C n..4	N	
C504	Currency details	C	C	
6347	Currency usage code qualifier	M an..3	M an..3	List of valid codes 3 Target currency
6345	Currency identification code	C an..3	C an..3	
6343	Currency type code qualifier	C an..3	C an..3	List of valid codes 3 Home currency
6348	Currency rate	C n..4	N	
5402	Currency exchange rate	C n..12	C n..12	
6341	Exchange rate currency market identifier	C an..3	N	

Segment Remarks:**General Notes**

Message examples:

CUX+2:EUR:4+3:SEK:3+0.80'

Example:

CUX+2:EUR:4+3:SEK:3+0.80'

No = Consecutive segment number
 MaxOcc = Maximum occurrence of the segment/group
 Counter = Counter of segment/group within the standard

DSV public
 Status
 EDIFACT: M=Mandatory, C=Conditional
 User specific: R=Required, O=Optional, D=Dependent,
 A=Advised, N=Not used



Counter	No	Tag	St	MaxOcc	Level	Name
1900		SG43	C	2	3	MOA
1910	110	MOA	M	1	3	Monetary amount

Standard			Implementation	
Tag	Name	St Format	St Format	Usage / Remark
MOA				
C516	Monetary amount	M	M	
5025	Monetary amount type code qualifier	M an..3	M an..3	List of valid codes 10 Amount in charge currency
5004	Monetary amount	C n..35	C n..35	
6345	Currency identification code	C an..3	C an..3	
6343	Currency type code qualifier	C an..3	C an..3	List of valid codes 3 Home currency
4405	Status description code	C an..3	N	

Segment Remarks:**General Notes**

Message examples:

MOA+10:1000:EUR:3'

Example:

MOA+10:1000:EUR:3'

No = Consecutive segment number
 MaxOcc = Maximum occurrence of the segment/group
 Counter = Counter of segment/group within the standard

DSV public
 Status
 EDIFACT: M=Mandatory, C=Conditional
 User specific: R=Required, O=Optional, D=Dependent,
 A=Advised, N=Not used



Counter	No	Tag	St	MaxOcc	Level	Name
1980		SG45	C	5	3	TAX-MOA
1990	111	TAX	M	1	3	Duty/tax/fee details

Standard			Implementation	
Tag	Name	St Format	St Format	Usage / Remark
TAX				
5283	Duty or tax or fee function code qualifier	M an..3	M an..3	List of valid codes 7 Tax 9 Tax related information
C241	Duty/tax/fee type	C	C	
5153	Duty or tax or fee type name code	C an..3	C an..3	List of valid codes VAT Value added tax
1131	Code list identification code	C an..17	N	
3055	Code list responsible agency code	C an..3	N	
5152	Duty or tax or fee type name	C an..35	C an..35	
C533	Duty/tax/fee account detail	C	N	
5289	Duty or tax or fee account code	M an..6	N	
1131	Code list identification code	C an..17	N	
3055	Code list responsible agency code	C an..3	N	
5286	Duty or tax or fee assessment basis quantity	C an..15	C an..15	
C243	Duty/tax/fee detail	C	C	
5279	Duty or tax or fee rate code	C an..7	C an..7	
1131	Code list identification code	C an..17	N	
3055	Code list responsible agency code	C an..3	N	
5278	Duty or tax or fee rate	C an..17	C an..17	
5273	Duty or tax or fee rate basis code	C an..12	N	
1131	Code list identification code	C an..17	N	
3055	Code list responsible agency code	C an..3	N	
5305	Duty or tax or fee category code	C an..3	C an..3	List of valid codes S Standard rate Z Zero rated goods
3446	Party tax identifier	C an..20	N	
1227	Calculation sequence code	C an..3	N	
5307	Tax or duty or fee payment	C an..3	N	

No = Consecutive segment number
MaxOcc = Maximum occurrence of the segment/group
Counter = Counter of segment/group within the standard

DSV public
Status
EDIFACT: M=Mandatory, C=Conditional
User specific: R=Required, O=Optional, D=Dependent,
A=Advised, N=Not used



Standard			Implementation	
Tag	Name	St Format	St Format	Usage / Remark
	due date code			

Segment Remarks:

General Notes

Message examples:

TAX+7+VAT+++:::25.00+S'

TAX+9+VAT+++:::25.00+S'

Example:

TAX+7+VAT:::250++DICH.INT+X:::25+S'

No = Consecutive segment number
MaxOcc = Maximum occurrence of the segment/group
Counter = Counter of segment/group within the standard

DSV public
EDIFACT: M=Mandatory, C=Conditional
User specific: R=Required, O=Optional, D=Dependent,
A=Advised, N=Not used



Counter	No	Tag	St	MaxOcc	Level	Name
1980		SG45	C	5	3	TAX-MOA
2000	112	MOA	C	2	4	Monetary amount

Standard			Implementation	
Tag	Name	St Format	St Format	Usage / Remark
MOA				
C516	Monetary amount	M	M	
5025	Monetary amount type code qualifier	M an..3	M an..3	
				List of valid codes
				124 Tax amount
5004	Monetary amount	C n..35	C n..35	
6345	Currency identification code	C an..3	C an..3	
6343	Currency type code qualifier	C an..3	C an..3	
				List of valid codes
				4 Invoicing currency
4405	Status description code	C an..3	N	

Segment Remarks:**General Notes**

Message examples:

MOA+124:250:EUR:4'

Example:

MOA+124:250:EUR:4'

No = Consecutive segment number
 MaxOcc = Maximum occurrence of the segment/group
 Counter = Counter of segment/group within the standard

DSV public

St = Status
 EDIFACT: M=Mandatory, C=Conditional
 User specific: R=Required, O=Optional, D=Dependent,
 A=Advised, N=Not used



Counter	No	Tag	St	MaxOcc	Level	Name
1980		SG45	C	5	3	TAX-MOA
2000	113	MOA	C	2	4	Monetary amount

Standard			Implementation	
Tag	Name	St Format	St Format	Usage / Remark
MOA				
C516	Monetary amount	M	M	
5025	Monetary amount type code qualifier	M an..3	M an..3	List of valid codes 124 Tax amount
5004	Monetary amount	C n..35	C n..35	
6345	Currency identification code	C an..3	C an..3	
6343	Currency type code qualifier	C an..3	C an..3	List of valid codes 3 Home currency
4405	Status description code	C an..3	N	

Segment Remarks:**General Notes**

Message examples:

MOA+124:250:EUR:3'

Example:

MOA+124:250:EUR:3'

No = Consecutive segment number
 MaxOcc = Maximum occurrence of the segment/group
 Counter = Counter of segment/group within the standard

DSV public

St = Status
 EDIFACT: M=Mandatory, C=Conditional
 User specific: R=Required, O=Optional, D=Dependent,
 A=Advised, N=Not used



Counter	No	Tag	St	MaxOcc	Level	Name
1790		SG40	C	30	2	ALC-SG43-SG45
1800	114	ALC	M	1	2	Allowance or charge

Standard			Implementation	
Tag	Name	St Format	St Format	Usage / Remark
ALC				
5463	Allowance or charge code qualifier	M an..3	M an..3	List of valid codes C Charge
C552	Allowance/charge information	C	C	
1230	Allowance or charge identifier	C an..35	C an..35	
5189	Allowance or charge identification code	C an..3	N	
4471	Settlement means code	C an..3	N	
1227	Calculation sequence code	C an..3	N	
C214	Special services identification	C	C	
7161	Special service description code	C an..3	C an..3	
1131	Code list identification code	C an..17	N	
3055	Code list responsible agency code	C an..3	N	
7160	Special service description	C an..35	C an..35	
7160	Special service description	C an..35	N	

Segment Remarks:**General Notes**

Message examples:

ALC+A+0112:+++FRT:::Freight'

ALC+C+0112:+++FRT:::Freight'

Example:

ALC+C+0112+++FRT:::Freight'

No = Consecutive segment number
 MaxOcc = Maximum occurrence of the segment/group
 Counter = Counter of segment/group within the standard

DSV public
 Status
 EDIFACT: M=Mandatory, C=Conditional
 User specific: R=Required, O=Optional, D=Dependent,
 A=Advised, N=Not used



Counter	No	Tag	St	MaxOcc	Level	Name
1900		SG43	C	2	3	MOA-CUX
1910	115	MOA	M	1	3	Monetary amount

Standard			Implementation	
Tag	Name	St Format	St Format	Usage / Remark
MOA				
C516	Monetary amount	M	M	
5025	Monetary amount type code qualifier	M an..3	M an..3	List of valid codes 8 Allowance or charge amount
5004	Monetary amount	C n..35	C n..35	
6345	Currency identification code	C an..3	C an..3	
6343	Currency type code qualifier	C an..3	C an..3	List of valid codes 4 Invoicing currency
4405	Status description code	C an..3	N	

Segment Remarks:

General Notes

Message examples:

MOA+8:1000:EUR:4'

Example:

MOA+8:1000:EUR:4'

No = Consecutive segment number
MaxOcc = Maximum occurrence of the segment/group
Counter = Counter of segment/group within the standard

DSV public
Status
EDIFACT: M=Mandatory, C=Conditional
User specific: R=Required, O=Optional, D=Dependent,
A=Advised, N=Not used



Counter	No	Tag	St	MaxOcc	Level	Name
1900		SG43	C	2	3	MOA-CUX
1930	116	CUX	C	1	4	Currencies

Standard			Implementation	
Tag	Name	St Format	St Format	Usage / Remark
CUX				
C504	Currency details	C	C	
6347	Currency usage code qualifier	M an..3	M an..3	List of valid codes 2 Reference currency
6345	Currency identification code	C an..3	C an..3	
6343	Currency type code qualifier	C an..3	C an..3	List of valid codes 4 Invoicing currency
6348	Currency rate	C n..4	N	
C504	Currency details	C	C	
6347	Currency usage code qualifier	M an..3	M an..3	List of valid codes 3 Target currency
6345	Currency identification code	C an..3	C an..3	
6343	Currency type code qualifier	C an..3	C an..3	List of valid codes 3 Home currency
6348	Currency rate	C n..4	N	
5402	Currency exchange rate	C n..12	C n..12	
6341	Exchange rate currency market identifier	C an..3	N	

Segment Remarks:**General Notes**

Message examples:

CUX+2:EUR:4+3:SEK:3+0.80'

Example:

CUX+2:EUR:4+3:SEK:3+0.80'

No = Consecutive segment number
 MaxOcc = Maximum occurrence of the segment/group
 Counter = Counter of segment/group within the standard

DSV public

EDIFACT: M=Mandatory, C=Conditional
 User specific: R=Required, O=Optional, D=Dependent,
 A=Advised, N=Not used



Counter	No	Tag	St	MaxOcc	Level	Name
1900		SG43	C	2	3	MOA
1910	117	MOA	M	1	3	Monetary amount

Standard			Implementation	
Tag	Name	St Format	St Format	Usage / Remark
MOA				
C516	Monetary amount	M	M	
5025	Monetary amount type code qualifier	M an..3	M an..3	
				List of valid codes
				10 Amount in charge currency
5004	Monetary amount	C n..35	C n..35	
6345	Currency identification code	C an..3	C an..3	
6343	Currency type code qualifier	C an..3	C an..3	
				List of valid codes
				3 Home currency
4405	Status description code	C an..3	N	

Segment Remarks:**General Notes**

Message examples:

MOA+10:1000:EUR:3'

Example:

MOA+10:1000:EUR:3'

No = Consecutive segment number
 MaxOcc = Maximum occurrence of the segment/group
 Counter = Counter of segment/group within the standard

DSV public

St = Status
 EDIFACT: M=Mandatory, C=Conditional
 User specific: R=Required, O=Optional, D=Dependent,
 A=Advised, N=Not used



Counter	No	Tag	St	MaxOcc	Level	Name
1980		SG45	C	5	3	TAX-MOA
1990	118	TAX	M	1	3	Duty/tax/fee details

Standard			Implementation	
Tag	Name	St Format	St Format	Usage / Remark
TAX				
5283	Duty or tax or fee function code qualifier	M an..3	M an..3	List of valid codes 7 Tax 9 Tax related information
C241	Duty/tax/fee type	C	C	
5153	Duty or tax or fee type name code	C an..3	C an..3	List of valid codes VAT Value added tax
1131	Code list identification code	C an..17	N	
3055	Code list responsible agency code	C an..3	N	
5152	Duty or tax or fee type name	C an..35	C an..35	
C533	Duty/tax/fee account detail	C	N	
5289	Duty or tax or fee account code	M an..6	N	
1131	Code list identification code	C an..17	N	
3055	Code list responsible agency code	C an..3	N	
5286	Duty or tax or fee assessment basis quantity	C an..15	C an..15	
C243	Duty/tax/fee detail	C	C	
5279	Duty or tax or fee rate code	C an..7	C an..7	
1131	Code list identification code	C an..17	N	
3055	Code list responsible agency code	C an..3	N	
5278	Duty or tax or fee rate	C an..17	C an..17	
5273	Duty or tax or fee rate basis code	C an..12	N	
1131	Code list identification code	C an..17	N	
3055	Code list responsible agency code	C an..3	N	
5305	Duty or tax or fee category code	C an..3	C an..3	List of valid codes S Standard rate Z Zero rated goods
3446	Party tax identifier	C an..20	N	
1227	Calculation sequence code	C an..3	N	
5307	Tax or duty or fee payment	C an..3	N	

No = Consecutive segment number
MaxOcc = Maximum occurrence of the segment/group
Counter = Counter of segment/group within the standard

DSV public
Status
EDIFACT: M=Mandatory, C=Conditional
User specific: R=Required, O=Optional, D=Dependent,
A=Advised, N=Not used



Standard			Implementation	
Tag	Name	St Format	St Format	Usage / Remark
	due date code			

Segment Remarks:

General Notes

Message examples:

TAX+7+VAT+++:::25.00+S'

TAX+9+VAT+++:::25.00+S'

Example:

TAX+7+VAT:::250++DICH.INT+X:::25+S'

No = Consecutive segment number
MaxOcc = Maximum occurrence of the segment/group
Counter = Counter of segment/group within the standard

DSV public
EDIFACT: M=Mandatory, C=Conditional
User specific: R=Required, O=Optional, D=Dependent,
A=Advised, N=Not used



Counter	No	Tag	St	MaxOcc	Level	Name
1980		SG45	C	5	3	TAX-MOA
2000	119	MOA	C	2	4	Monetary amount

Standard			Implementation	
Tag	Name	St Format	St Format	Usage / Remark
MOA				
C516	Monetary amount	M	M	
5025	Monetary amount type code qualifier	M an..3	M an..3	List of valid codes 124 Tax amount
5004	Monetary amount	C n..35	C n..35	
6345	Currency identification code	C an..3	C an..3	
6343	Currency type code qualifier	C an..3	C an..3	List of valid codes 4 Invoicing currency
4405	Status description code	C an..3	N	

Segment Remarks:

General Notes

Message examples:

MOA+124:250:EUR:4'

Example:

MOA+124:250:EUR:4'

No = Consecutive segment number
MaxOcc = Maximum occurrence of the segment/group
Counter = Counter of segment/group within the standard

DSV public
Status
EDIFACT: M=Mandatory, C=Conditional
User specific: R=Required, O=Optional, D=Dependent,
A=Advised, N=Not used



Counter	No	Tag	St	MaxOcc	Level	Name
1980		SG45	C	5	3	TAX-MOA
2000	120	MOA	C	2	4	Monetary amount

Standard			Implementation	
Tag	Name	St Format	St Format	Usage / Remark
MOA				
C516	Monetary amount	M	M	
5025	Monetary amount type code qualifier	M an..3	M an..3	List of valid codes 124 Tax amount
5004	Monetary amount	C n..35	C n..35	
6345	Currency identification code	C an..3	C an..3	
6343	Currency type code qualifier	C an..3	C an..3	List of valid codes 3 Home currency
4405	Status description code	C an..3	N	

Segment Remarks:**General Notes**

Message examples:

MOA+124:250:EUR:3'

Example:

MOA+124:250:EUR:3'

No = Consecutive segment number
 MaxOcc = Maximum occurrence of the segment/group
 Counter = Counter of segment/group within the standard

DSV public

St = Status
 EDIFACT: M=Mandatory, C=Conditional
 User specific: R=Required, O=Optional, D=Dependent,
 A=Advised, N=Not used



Counter	No	Tag	St	MaxOcc	Level	Name
2320	121	UNS	M	1	0	Section control

Standard			Implementation	
Tag	Name	St Format	St Format	Usage / Remark
UNS				
0081	Section identification	M a1	M a1	

Segment Remarks:

Example:

UNS+D'

No = Consecutive segment number
MaxOcc = Maximum occurrence of the segment/group
Counter = Counter of segment/group within the standard

DSV public
Status
EDIFACT: M=Mandatory, C=Conditional
User specific: R=Required, O=Optional, D=Dependent,
A=Advised, N=Not used



Counter	No	Tag	St	MaxOcc	Level	Name
2330	122	CNT	C	10	1	Control total

Standard			Implementation	
Tag	Name	St Format	St Format	Usage / Remark
CNT				
C270	Control	M	M	
6069	Control total type code qualifier	M an..3	M an..3	List of valid codes 7 Total gross weight 11 Consignment package quantity 15 Total consignment, cube 57 Total loading metres
6066	Control total quantity	M n..18	M n..18	
6411	Measurement unit code	C an..8	C an..8	List of valid codes KGM kilogram MTQ cubic metre

Segment Remarks:**General Notes**

Message examples:

CNT+15:0.002:MTQ'

CNT+7:259.0:KGM'

CNT+11:1:PCE'

Example:

CNT+7:9:KGM'

No = Consecutive segment number
 MaxOcc = Maximum occurrence of the segment/group
 Counter = Counter of segment/group within the standard

DSV public
 Status
 EDIFACT: M=Mandatory, C=Conditional
 User specific: R=Required, O=Optional, D=Dependent,
 A=Advised, N=Not used



Counter	No	Tag	St	MaxOcc	Level	Name
2340		SG52	M	100	1	MOA
2350	123	MOA	M	1	1	Monetary amount

Standard			Implementation	
Tag	Name	St Format	St Format	Usage / Remark
MOA				
C516	Monetary amount	M	M	
5025	Monetary amount type code qualifier	M an..3	M an..3	List of valid codes 128 Total amount
5004	Monetary amount	C n..35	C n..35	
6345	Currency identification code	C an..3	C an..3	
6343	Currency type code qualifier	C an..3	C an..3	List of valid codes 4 Invoicing currency
4405	Status description code	C an..3	N	

Segment Remarks:**General Notes**

Message examples:

MOA+128:2000:EUR:4'

Example:

MOA+128:2000:EUR:4'

No = Consecutive segment number
 MaxOcc = Maximum occurrence of the segment/group
 Counter = Counter of segment/group within the standard

DSV public

St = Status
 EDIFACT: M=Mandatory, C=Conditional
 User specific: R=Required, O=Optional, D=Dependent,
 A=Advised, N=Not used



Counter	No	Tag	St	MaxOcc	Level	Name
2340		SG52	M	100	1	MOA
2350	124	MOA	M	1	1	Monetary amount

Standard			Implementation	
Tag	Name	St Format	St Format	Usage / Remark
MOA				
C516	Monetary amount	M	M	
5025	Monetary amount type code qualifier	M an..3	M an..3	List of valid codes 128 Total amount
5004	Monetary amount	C n..35	C n..35	
6345	Currency identification code	C an..3	C an..3	
6343	Currency type code qualifier	C an..3	C an..3	List of valid codes 3 Home currency
4405	Status description code	C an..3	N	

Segment Remarks:**General Notes**

Message examples:

MOA+128:2000:EUR:3'

Example:

MOA+128:2000:EUR:3'

No = Consecutive segment number
 MaxOcc = Maximum occurrence of the segment/group
 Counter = Counter of segment/group within the standard

DSV public

St = Status
 EDIFACT: M=Mandatory, C=Conditional
 User specific: R=Required, O=Optional, D=Dependent,
 A=Advised, N=Not used



Counter	No	Tag	St	MaxOcc	Level	Name
2340		SG52	M	100	1	MOA
2350	125	MOA	M	1	1	Monetary amount

Standard			Implementation	
Tag	Name	St Format	St Format	Usage / Remark
MOA				
C516	Monetary amount	M	M	
5025	Monetary amount type code qualifier	M an..3	M an..3	
				List of valid codes
				125 Taxable amount
5004	Monetary amount	C n..35	C n..35	
6345	Currency identification code	C an..3	C an..3	
6343	Currency type code qualifier	C an..3	C an..3	
				List of valid codes
				4 Invoicing currency
4405	Status description code	C an..3	N	

Segment Remarks:**General Notes**

Message examples:

MOA+125:1250:EUR:4'

Example:

MOA+125:1250:EUR:4'

No = Consecutive segment number
 MaxOcc = Maximum occurrence of the segment/group
 Counter = Counter of segment/group within the standard

DSV public

St = Status
 EDIFACT: M=Mandatory, C=Conditional
 User specific: R=Required, O=Optional, D=Dependent,
 A=Advised, N=Not used



Counter	No	Tag	St	MaxOcc	Level	Name
2340		SG52	M	100	1	MOA
2350	126	MOA	M	1	1	Monetary amount

Standard			Implementation	
Tag	Name	St Format	St Format	Usage / Remark
MOA				
C516	Monetary amount	M	M	
5025	Monetary amount type code qualifier	M an..3	M an..3	List of valid codes 125 Taxable amount
5004	Monetary amount	C n..35	C n..35	
6345	Currency identification code	C an..3	C an..3	
6343	Currency type code qualifier	C an..3	C an..3	List of valid codes 3 Home currency
4405	Status description code	C an..3	N	

Segment Remarks:

General Notes

Message examples:

MOA+125:1250:EUR:3'

Example:

MOA+125:1250:EUR:3'

No = Consecutive segment number
MaxOcc = Maximum occurrence of the segment/group
Counter = Counter of segment/group within the standard

DSV public
Status
EDIFACT: M=Mandatory, C=Conditional
User specific: R=Required, O=Optional, D=Dependent,
A=Advised, N=Not used



Counter	No	Tag	St	MaxOcc	Level	Name
2340		SG52	M	100	1	MOA
2350	127	MOA	M	1	1	Monetary amount

Standard			Implementation	
Tag	Name	St Format	St Format	Usage / Remark
MOA				
C516	Monetary amount	M	M	
5025	Monetary amount type code qualifier	M an..3	M an..3	
				List of valid codes
				176 Message total duty/tax/fee amount
5004	Monetary amount	C n..35	C n..35	
6345	Currency identification code	C an..3	C an..3	
6343	Currency type code qualifier	C an..3	C an..3	
				List of valid codes
				4 Invoicing currency
4405	Status description code	C an..3	N	

Segment Remarks:**General Notes**

Message examples:

MOA+176:5000:EUR:4'

Example:

MOA+176:5000:EUR:4'

No = Consecutive segment number
 MaxOcc = Maximum occurrence of the segment/group
 Counter = Counter of segment/group within the standard

DSV public
 Status
 EDIFACT: M=Mandatory, C=Conditional
 User specific: R=Required, O=Optional, D=Dependent,
 A=Advised, N=Not used



Counter	No	Tag	St	MaxOcc	Level	Name
2340		SG52	M	100	1	MOA
2350	128	MOA	M	1	1	Monetary amount

Standard			Implementation	
Tag	Name	St Format	St Format	Usage / Remark
MOA				
C516	Monetary amount	M	M	
5025	Monetary amount type code qualifier	M an..3	M an..3	
				List of valid codes
				176 Message total duty/tax/fee amount
5004	Monetary amount	C n..35	C n..35	
6345	Currency identification code	C an..3	C an..3	
6343	Currency type code qualifier	C an..3	C an..3	
				List of valid codes
				3 Home currency
4405	Status description code	C an..3	N	

Segment Remarks:**General Notes**

Message examples:

MOA+176:5000:EUR:3'

Example:

MOA+176:5000:EUR:3'

No = Consecutive segment number
 MaxOcc = Maximum occurrence of the segment/group
 Counter = Counter of segment/group within the standard

DSV public

St = Status
 EDIFACT: M=Mandatory, C=Conditional
 User specific: R=Required, O=Optional, D=Dependent,
 A=Advised, N=Not used



Counter	No	Tag	St	MaxOcc	Level	Name
2390		SG54	C	10	1	TAX-MOA
2400	129	TAX	M	1	1	Duty/tax/fee details

Standard			Implementation	
Tag	Name	St Format	St Format	Usage / Remark
TAX				
5283	Duty or tax or fee function code qualifier	M an..3	M an..3	List of valid codes 7 Tax 9 Tax related information
C241	Duty/tax/fee type	C	C	
5153	Duty or tax or fee type name code	C an..3	C an..3	List of valid codes VAT Value added tax
1131	Code list identification code	C an..17	N	
3055	Code list responsible agency code	C an..3	N	
5152	Duty or tax or fee type name	C an..35	N	
C533	Duty/tax/fee account detail	C	N	
5289	Duty or tax or fee account code	M an..6	N	
1131	Code list identification code	C an..17	N	
3055	Code list responsible agency code	C an..3	N	
5286	Duty or tax or fee assessment basis quantity	C an..15	N	
C243	Duty/tax/fee detail	C	C	
5279	Duty or tax or fee rate code	C an..7	N	
1131	Code list identification code	C an..17	N	
3055	Code list responsible agency code	C an..3	N	
5278	Duty or tax or fee rate	C an..17	C an..17	
5273	Duty or tax or fee rate basis code	C an..12	N	
1131	Code list identification code	C an..17	N	
3055	Code list responsible agency code	C an..3	N	
5305	Duty or tax or fee category code	C an..3	C an..3	List of valid codes A Mixed tax rate AE VAT Reverse Charge E Exempt from tax S Standard rate
3446	Party tax identifier	C an..20	N	

No = Consecutive segment number
MaxOcc = Maximum occurrence of the segment/group
Counter = Counter of segment/group within the standard

DSV public
Status
EDIFACT: M=Mandatory, C=Conditional
User specific: R=Required, O=Optional, D=Dependent,
A=Advised, N=Not used



Standard			Implementation	
Tag	Name	St Format	St Format	Usage / Remark
1227	Calculation sequence code	C an..3	N	
5307	Tax or duty or fee payment due date code	C an..3	N	

Segment Remarks:

General Notes

Message examples:

TAX+7+VAT+++:::25.00+S'

TAX+9+VAT+++:::25.00+S'

Example:

TAX+7+VAT+++:::25+S'

No = Consecutive segment number
MaxOcc = Maximum occurrence of the segment/group
Counter = Counter of segment/group within the standard

DSV public
EDIFACT: M=Mandatory, C=Conditional
User specific: R=Required, O=Optional, D=Dependent,
A=Advised, N=Not used



Counter	No	Tag	St	MaxOcc	Level	Name
2390		SG54	C	10	1	TAX-MOA
2410	130	MOA	C	9	2	Monetary amount

Standard			Implementation	
Tag	Name	St Format	St Format	Usage / Remark
MOA				
C516	Monetary amount	M	M	
5025	Monetary amount type code qualifier	M an..3	M an..3	
				List of valid codes
				176 Message total duty/tax/fee amount
5004	Monetary amount	C n..35	C n..35	
6345	Currency identification code	C an..3	C an..3	
6343	Currency type code qualifier	C an..3	C an..3	
				List of valid codes
				4 Invoicing currency
4405	Status description code	C an..3	N	

Segment Remarks:**General Notes**

Message examples:

MOA+176:5000:EUR:4'

Example:

MOA+176:5000:EUR:4'

No = Consecutive segment number
 MaxOcc = Maximum occurrence of the segment/group
 Counter = Counter of segment/group within the standard

DSV public

St = Status
 EDIFACT: M=Mandatory, C=Conditional
 User specific: R=Required, O=Optional, D=Dependent,
 A=Advised, N=Not used



Counter	No	Tag	St	MaxOcc	Level	Name
2390		SG54	C	10	1	TAX-MOA
2410	131	MOA	C	9	2	Monetary amount

Standard			Implementation	
Tag	Name	St Format	St Format	Usage / Remark
MOA				
C516	Monetary amount	M	M	
5025	Monetary amount type code qualifier	M an..3	M an..3	
				List of valid codes
				176 Message total duty/tax/fee amount
5004	Monetary amount	C n..35	C n..35	
6345	Currency identification code	C an..3	C an..3	
6343	Currency type code qualifier	C an..3	C an..3	
				List of valid codes
				3 Home currency
4405	Status description code	C an..3	N	

Segment Remarks:**General Notes**

Message examples:

MOA+176:5000:EUR:3'

Example:

MOA+176:5000:EUR:3'

No = Consecutive segment number
 MaxOcc = Maximum occurrence of the segment/group
 Counter = Counter of segment/group within the standard

DSV public

St Status
 EDIFACT: M=Mandatory, C=Conditional
 User specific: R=Required, O=Optional, D=Dependent,
 A=Advised, N=Not used



Counter	No	Tag	St	MaxOcc	Level	Name
2390		SG54	C	10	1	TAX-MOA
2410	132	MOA	C	9	2	Monetary amount

Standard			Implementation	
Tag	Name	St Format	St Format	Usage / Remark
MOA				
C516	Monetary amount	M	M	
5025	Monetary amount type code qualifier	M an..3	M an..3	List of valid codes 125 Taxable amount
5004	Monetary amount	C n..35	C n..35	
6345	Currency identification code	C an..3	C an..3	
6343	Currency type code qualifier	C an..3	C an..3	List of valid codes 4 Invoicing currency
4405	Status description code	C an..3	N	

Segment Remarks:**General Notes**

Message examples:

MOA+125:5000:EUR:4'

Example:

MOA+125:5000:EUR:4'

No = Consecutive segment number
 MaxOcc = Maximum occurrence of the segment/group
 Counter = Counter of segment/group within the standard

DSV public

St = Status
 EDIFACT: M=Mandatory, C=Conditional
 User specific: R=Required, O=Optional, D=Dependent,
 A=Advised, N=Not used



Counter	No	Tag	St	MaxOcc	Level	Name
2390		SG54	C	10	1	TAX-MOA
2410	133	MOA	C	9	2	Monetary amount

Standard			Implementation	
Tag	Name	St Format	St Format	Usage / Remark
MOA				
C516	Monetary amount	M	M	
5025	Monetary amount type code qualifier	M an..3	M an..3	List of valid codes 125 Taxable amount
5004	Monetary amount	C n..35	C n..35	
6345	Currency identification code	C an..3	C an..3	
6343	Currency type code qualifier	C an..3	C an..3	List of valid codes 3 Home currency
4405	Status description code	C an..3	N	

Segment Remarks:**General Notes**

Message examples:

MOA+125:5000:EUR:3'

Example:

MOA+125:5000:EUR:3'

No = Consecutive segment number
 MaxOcc = Maximum occurrence of the segment/group
 Counter = Counter of segment/group within the standard

DSV public
 Status
 EDIFACT: M=Mandatory, C=Conditional
 User specific: R=Required, O=Optional, D=Dependent,
 A=Advised, N=Not used



Counter	No	Tag	St	MaxOcc	Level	Name
2470	134	UNT	M	1	0	Message trailer

Standard			Implementation	
Tag	Name	St Format	St Format	Usage / Remark
UNT				
0074	Number of segments in a message	M n..10	M n..10	
0062	Message reference number	M an..14	M an..14	

Segment Remarks:

Example:

UNT+192+123456 '

No = Consecutive segment number
MaxOcc = Maximum occurrence of the segment/group
Counter = Counter of segment/group within the standard

DSV public
Status
EDIFACT: M=Mandatory, C=Conditional
User specific: R=Required, O=Optional, D=Dependent,
A=Advised, N=Not used



Counter	No	Tag	St	MaxOcc	Level	Name
0000	135	UNZ	M	1	0	Interchange trailer

Standard			Implementation	
Tag	Name	St Format	St Format	Usage / Remark
UNZ				
0036	Interchange control count	M n..6	M n..6	
0020	Interchange control reference	M an..14	M an..14	

Segment Remarks:

Example:
UNZ+0+X'

No = Consecutive segment number
MaxOcc = Maximum occurrence of the segment/group
Counter = Counter of segment/group within the standard

DSV public
Status
EDIFACT: M=Mandatory, C=Conditional
User specific: R=Required, O=Optional, D=Dependent,
A=Advised, N=Not used



Example Message

No	Tag	Example
01	UNA	UNA:+.? '
02	UNB	UNB+UNOC:4+PartnerId:14+5790000834129:14+00210120:1500+00000000012345+ +++++1 '
03	UNH	UNH+123456+INVOIC:D:10B:UN '
04	BGM	BGM+380+DK456654:P+9 '
05	BGM	BGM+380+DK456654+9 '
06	BGM	BGM+381+DK456654+9 '
07	DTM	DTM+137:202210181549:203 '
08	DTM	DTM+3:20221018:102 '
09	DTM	DTM+131:20221018:102 '
10	FTX	FTX+DCL+++Document issuer declaration:X:X:X:X '
11	FTX	FTX+DCL+++Document issuer declaration:X:X:X:X '
12	FTX	FTX+ADU+++Document note:X:X:X:X '
13	LOC	LOC+ZBO+I382:::DKHOR+DKHOR '
SG1		
14	RFF	RFF+AAS:1223559 '
SG2		
15	NAD	NAD+II+987654321::91++Invoice issuer+East street 20:2nd address:X+City ++2630+DK '
SG3		
16	RFF	RFF+VA:VATNumber '
SG4		
17	DOC	DOC+385 '
SG4		
18	DOC	DOC+385 '
SG4		
19	DOC	DOC+395 '
SG5		
20	CTA	CTA+AR+:Invoice issuer '
21	COM	COM+010-4455663388:TE '
22	COM	COM+abc@email.com:EM '
SG2		
23	NAD	NAD+IV+123456789::91++Company +West street 12B:Warehouse 8:150+COPENHA GEN++1610+DK '
SG3		
24	RFF	RFF+VA:VATNumber '
SG5		

No = Consecutive segment number

DSV public



No	Tag	Example
25	CTA	CTA+AP+:Invoicee'
26	COM	COM+010-4455663388:TE'
27	COM	COM+abc@email.com:EM'
SG7		
28	CUX	CUX+2:DKK:10+3:EUR:11+1'
29	DTM	DTM+134:20221020:102'
SG8		
30	PYT	PYT+3+:::Desc. of terms+++D+45'
31	DTM	DTM+13:20221120:102'
SG9		
32	TDT	TDT+20++1+:::LH320+6403864782:::LUFTHANSA+++:::LUFTHANSA'
SG10		
33	LOC	LOC+9+DEFRA:::Frankfurt am Main+X::3+X'
34	DTM	DTM+757:20210130:102'
SG10		
35	LOC	LOC+8+DKCPH:::Copenhagen'
36	DTM	DTM+132:20210130:102'
SG10		
37	LOC	LOC+5+DEFRA:::Frankfurt am Main'
38	DTM	DTM+136:20210130:102'
SG10		
39	LOC	LOC+11+DKCPH:::Copenhagen+X+X'
40	DTM	DTM+232:20210130:102'
SG9		
41	TDT	TDT+20++1+:::LH320+6403864782:::LUFTHANSA+++:::LUFTHANSA'
SG10		
42	LOC	LOC+9+DEFRA:::Frankfurt am Main+X::3+X'
43	DTM	DTM+757:20210130:102'
SG10		
44	LOC	LOC+8+DKCPH:::Copenhagen'
45	DTM	DTM+132:20210130:102'
SG10		
46	LOC	LOC+5+DEFRA:::Frankfurt am Main'
47	DTM	DTM+136:20210130:102'
SG10		
48	LOC	LOC+11+DKCPH:::Copenhagen+X+X'
49	DTM	DTM+232:20210130:102'

No = Consecutive segment number

DSV public



No	Tag	Example
	SG9	
50	TDT	TDT+20++2'
	SG10	
51	LOC	LOC+9+DEFRA::Frankfurt am Main+X::3+X'
52	DTM	DTM+757:20210130:102'
	SG10	
53	LOC	LOC+8+DKCPH::Copenhagen'
54	DTM	DTM+132:20210130:102'
	SG10	
55	LOC	LOC+5+DEFRA::Frankfurt am Main'
56	DTM	DTM+136:20210130:102'
	SG10	
57	LOC	LOC+11+DKCPH::Copenhagen+X+X'
58	DTM	DTM+232:20210130:102'
	SG9	
59	TDT	TDT+20++3'
	SG10	
60	LOC	LOC+9+DEFRA::Frankfurt am Main+X::3+X'
61	DTM	DTM+757:20210130:102'
	SG10	
62	LOC	LOC+8+DKCPH::Copenhagen'
63	DTM	DTM+132:20210130:102'
	SG10	
64	LOC	LOC+5+DEFRA::Frankfurt am Main'
65	DTM	DTM+136:20210130:102'
	SG10	
66	LOC	LOC+11+DKCPH::Copenhagen+X+X'
67	DTM	DTM+232:20210130:102'
	SG9	
68	TDT	TDT+20++4+:::LH320+6403864782:::LUFTHANSA+++:::LUFTHANSA'
	SG10	
69	LOC	LOC+9+DEFRA::Frankfurt am Main+X::3+X'
70	DTM	DTM+757:20210130:102'
	SG10	
71	LOC	LOC+8+DKCPH::Copenhagen'
72	DTM	DTM+132:20210130:102'
	SG10	

No = Consecutive segment number

DSV public



No	Tag	Example
73	LOC	LOC+5+DEFRA::Frankfurt am Main'
74	DTM	DTM+136:20210130:102'
SG10		
75	LOC	LOC+11+DKCPH::Copenhagen+X+X'
76	DTM	DTM+232:20210130:102'
SG27		
77	LIN	LIN+1'
78	IMD	IMD+X+1+:::Freight'
79	MEA	MEA+WT+AAD+KGM:100'
80	MEA	MEA+WT+ACG+KGM:100'
81	MEA	MEA+VOL++MTQ:23'
82	MEA	MEA+LMT++MTR:2'
83	DTM	DTM+2:20221020:102'
SG28		
84	MOA	MOA+128:9:EUR:4'
SG31		
85	RFF	RFF+SRN:1234567890987'
SG32		
86	PAC	PAC+9++PLL'
87	MEA	MEA+WT+AAB+KGM:100'
88	MEA	MEA+VOL++MTQ:2'
89	MEA	MEA+LMT++MTR:2'
SG35		
90	TAX	TAX+7+VAT+++:::25.00+S'
91	MOA	MOA+124:99.99:EUR:4'
SG36		
92	NAD	NAD+CN+123456789::87++Consignor+North street:Warehouse 2+PARIS++8260+FR'
SG36		
93	NAD	NAD+CN+123456789::87++Consignor+North street:Warehouse 2+PARIS++8260+FR'
SG36		
94	NAD	NAD+CZ+123456789::87++Consignee+North street:Warehouse 2+PARIS++8260+FR'
SG36		
95	NAD	NAD+DP+123456789::87++Delivery party+North street:Warehouse 2+PARIS++8260+FR'
SG36		

No = Consecutive segment number

DSV public



No	Tag	Example
96	NAD	NAD+PW+123456789::87++Despatch party+North street:Warehouse 2+PARIS++8260+FR'
	SG40	
97	ALC	ALC+A+0112+++FRT::Freight'
98	ALI	ALI+++110'
99	FTX	FTX+ALC+++Description:ChargeCodeDescription:ChargeCodeLocalDescription'
	SG41	
100	QTY	QTY+12:2:ZZ'
	SG43	
101	MOA	MOA+8:1000:EUR:4'
102	CUX	CUX+2:EUR:4+3:SEK:3+0.80'
	SG43	
103	MOA	MOA+10:1000:EUR:3'
	SG45	
104	TAX	TAX+7+VAT:::250++DICH.INT+:::25+S'
105	MOA	MOA+124:250:EUR:4'
106	MOA	MOA+124:250:EUR:3'
	SG40	
107	ALC	ALC+A+0112+++FRT::Freight'
	SG43	
108	MOA	MOA+8:1000:EUR:4'
109	CUX	CUX+2:EUR:4+3:SEK:3+0.80'
	SG43	
110	MOA	MOA+10:1000:EUR:3'
	SG45	
111	TAX	TAX+7+VAT:::250++DICH.INT+X:::25+S'
112	MOA	MOA+124:250:EUR:4'
113	MOA	MOA+124:250:EUR:3'
	SG40	
114	ALC	ALC+C+0112+++FRT::Freight'
	SG43	
115	MOA	MOA+8:1000:EUR:4'
116	CUX	CUX+2:EUR:4+3:SEK:3+0.80'
	SG43	
117	MOA	MOA+10:1000:EUR:3'
	SG45	

No = Consecutive segment number

DSV public



No	Tag	Example
118	TAX	TAX+7+VAT:::250++DICH.INT+X:::25+S'
119	MOA	MOA+124:250:EUR:4'
120	MOA	MOA+124:250:EUR:3'
121	UNS	UNS+D'
122	CNT	CNT+7:9:KGM'
SG52		
123	MOA	MOA+128:2000:EUR:4'
SG52		
124	MOA	MOA+128:2000:EUR:3'
SG52		
125	MOA	MOA+125:1250:EUR:4'
SG52		
126	MOA	MOA+125:1250:EUR:3'
SG52		
127	MOA	MOA+176:5000:EUR:4'
SG52		
128	MOA	MOA+176:5000:EUR:3'
SG54		
129	TAX	TAX+7+VAT+++:::25+S'
130	MOA	MOA+176:5000:EUR:4'
131	MOA	MOA+176:5000:EUR:3'
132	MOA	MOA+125:5000:EUR:4'
133	MOA	MOA+125:5000:EUR:3'
134	UNT	UNT+192+123456'
135	UNZ	UNZ+0+X'

No = Consecutive segment number

DSV public