



Message Implementation Guideline

DSV INVOIC D10B Out

based on

INVOIC

Invoice message

UN D.10B S4

Version: v1.8
Issue date: 2026-08-27
Author: DSV A/S, EDI

2 Message Structure	2
3 Branching Diagram	6
4 Segments.....	16
5 Example.....	127



Structure / Table of Contents

Counter	No	Tag	St	MaxOcc	Level	Content
0000	1	UNA	C	1	0	Service string advice
0000	2	UNB	M	1	0	Interchange header
0010	3	UNH	M	1	0	Message header
0020	4	BGM	M	1	0	Beginning of message
0030	5	DTM	M	35	1	Date/time/period
0030	6	DTM	M	35	1	Date/time/period
0070	7	FTX	C	99	1	Free text
0070	8	FTX	C	99	1	Free text
0080	9	LOC	C	10	1	Place/location identification
0120		SG1	C	99999	1	RFF
0130	10	RFF	M	1	1	Reference
0120		SG1	C	99999	1	RFF
0130	11	RFF	M	1	1	Reference
0120		SG1	C	99999	1	RFF
0130	12	RFF	M	1	1	Reference
0220		SG2	C	99	1	NAD-FII-SG3-SG4-SG5
0230	13	NAD	M	1	1	Name and address
0250	14	FII	C	5	2	Financial institution information
0270		SG3	C	9999	2	RFF
0280	15	RFF	M	1	2	Reference
0300		SG4	C	5	2	DOC
0310	16	DOC	M	1	2	Document/message details
0330		SG5	C	5	2	CTA-COM
0340	17	CTA	M	1	2	Contact information
0350	18	COM	C	5	3	Communication contact
0350	19	COM	C	5	3	Communication contact
0220		SG2	C	99	1	NAD-SG3-SG5
0230	20	NAD	M	1	1	Name and address
0270		SG3	C	9999	2	RFF
0280	21	RFF	M	1	2	Reference
0330		SG5	C	5	2	CTA-COM
0340	22	CTA	M	1	2	Contact information
0350	23	COM	C	5	3	Communication contact
0350	24	COM	C	5	3	Communication contact
0400		SG7	C	99	1	CUX-DTM
0410	25	CUX	M	1	1	Currencies
0420	26	DTM	C	5	2	Date/time/period
0430		SG8	C	10	1	PYT-DTM

Counter = Counter of segment/group within the standard
 No = Consecutive segment number
 MaxOcc = Maximum occurrence of the segment/group

DSV public
 Status
 EDIFACT: M=Mandatory, C=Conditional
 User specific: R=Required, O=Optional, D=Dependent,
 A=Advised, N=Not used



Counter	No	Tag	St	MaxOcc	Level	Content
0440	27	PYT	M	1	1	Payment terms
0450	28	DTM	C	5	2	Date/time/period
0500		SG9	C	10	1	TDT-TSR-SG10-SG11
0510	29	TDT	M	1	1	Transport information
0520	30	TSR	C	1	2	Transport service requirements
0530		SG10	C	10	2	LOC-DTM
0540	31	LOC	M	1	2	Place/location identification
0550	32	DTM	C	5	3	Date/time/period
0530		SG10	C	10	2	LOC-DTM
0540	33	LOC	M	1	2	Place/location identification
0550	34	DTM	C	5	3	Date/time/period
0530		SG10	C	10	2	LOC-DTM
0540	35	LOC	M	1	2	Place/location identification
0550	36	DTM	C	5	3	Date/time/period
0530		SG10	C	10	2	LOC-DTM
0540	37	LOC	M	1	2	Place/location identification
0550	38	DTM	C	5	3	Date/time/period
0560		SG11	C	9999	2	RFF
0570	39	RFF	M	1	2	Reference
0590		SG12	C	5	1	TOD-LOC
0600	40	TOD	M	1	1	Terms of delivery or transport
0610	41	LOC	C	2	2	Place/location identification
0620		SG13	C	99	1	EQD-SEL
0630	42	EQD	M	1	1	Equipment details
0640	43	SEL	C	9	2	Seal number
1160		SG27	C	9999999	1	LIN-IMD-MEA-QTY-DTM-EQD-FTX-SG28-SG31-SG32-SG34-SG35-SG36-SG40-SG46-SG48
1170	44	LIN	M	1	1	Line item
1200	45	IMD	C	99	2	Item description
1210	46	MEA	C	5	2	Measurements
1210	47	MEA	C	5	2	Measurements
1210	48	MEA	C	5	2	Measurements
1210	49	MEA	C	5	2	Measurements
1220	50	QTY	C	5	2	Quantity
1250	51	DTM	C	35	2	Date/time/period
1290	52	EQD	C	1	2	Equipment details
1300	53	FTX	C	99	2	Free text
1300	54	FTX	C	99	2	Free text
1320		SG28	C	99	2	MOA
1330	55	MOA	M	1	2	Monetary amount

Counter = Counter of segment/group within the standard
 No = Consecutive segment number
 MaxOcc = Maximum occurrence of the segment/group

DSV public
 Status
 EDIFACT: M=Mandatory, C=Conditional
 User specific: R=Required, O=Optional, D=Dependent,
 A=Advised, N=Not used



Counter	No	Tag	St	MaxOcc	Level	Content
	1460	SG31	C	10	2	RFF
	1470	56 RFF	M	1	2	Reference
	1460	SG31	C	10	2	RFF
	1470	57 RFF	M	1	2	Reference
	1490	SG32	C	10	2	PAC-SG33
	1500	58 PAC	M	1	2	Package
	1530	SG33	C	10	3	PCI
	1540	59 PCI	M	1	3	Package identification
	1580	SG34	C	9999	2	LOC
	1590	60 LOC	M	1	2	Place/location identification
	1580	SG34	C	9999	2	LOC
	1590	61 LOC	M	1	2	Place/location identification
	1580	SG34	C	9999	2	LOC
	1590	62 LOC	M	1	2	Place/location identification
	1580	SG34	C	9999	2	LOC
	1590	63 LOC	M	1	2	Place/location identification
	1620	SG35	C	99	2	TAX-MOA
	1630	64 TAX	M	1	2	Duty/tax/fee details
	1640	65 MOA	C	2	3	Monetary amount
	1660	SG36	C	99	2	NAD
	1670	66 NAD	M	1	2	Name and address
	1790	SG40	C	30	2	ALC-SG43-SG44-SG45
	1800	67 ALC	M	1	2	Allowance or charge
	1900	SG43	C	2	3	MOA-CUX
	1910	68 MOA	M	1	3	Monetary amount
	1930	69 CUX	C	1	4	Currencies
	1900	SG43	C	2	3	MOA-CUX
	1910	70 MOA	M	1	3	Monetary amount
	1930	71 CUX	C	1	4	Currencies
	1900	SG43	C	2	3	MOA-CUX
	1910	72 MOA	M	1	3	Monetary amount
	1930	73 CUX	C	1	4	Currencies
	1950	SG44	C	1	3	RTE
	1960	74 RTE	M	1	3	Rate details
	1980	SG45	C	5	3	TAX-MOA
	1990	75 TAX	M	1	3	Duty/tax/fee details
	2000	76 MOA	C	2	4	Monetary amount
	2000	77 MOA	C	2	4	Monetary amount
	2000	78 MOA	C	2	4	Monetary amount

Counter = Counter of segment/group within the standard
 No = Consecutive segment number
 MaxOcc = Maximum occurrence of the segment/group

DSV public
 Status
 EDIFACT: M=Mandatory, C=Conditional
 User specific: R=Required, O=Optional, D=Dependent,
 A=Advised, N=Not used




Counter	No	Tag	St	MaxOcc	Level	Content
	2010	SG46	C	10	2	TDT-SG47
	2020	79 TDT	M	1	2	Transport information
	2030	SG47	C	10	3	LOC
	2040	80 LOC	M	1	3	Place/location identification
	2030	SG47	C	10	3	LOC
	2040	81 LOC	M	1	3	Place/location identification
	2030	SG47	C	10	3	LOC
	2040	82 LOC	M	1	3	Place/location identification
	2030	SG47	C	10	3	LOC
	2040	83 LOC	M	1	3	Place/location identification
	2060	SG48	C	5	2	TOD-LOC
	2070	84 TOD	M	1	2	Terms of delivery or transport
	2080	85 LOC	C	2	3	Place/location identification
	2320	86 UNS	M	1	0	Section control
	2340	SG52	M	100	1	MOA
	2350	87 MOA	M	1	1	Monetary amount
	2340	SG52	M	100	1	MOA
	2350	88 MOA	M	1	1	Monetary amount
	2340	SG52	M	100	1	MOA
	2350	89 MOA	M	1	1	Monetary amount
	2340	SG52	M	100	1	MOA
	2350	90 MOA	M	1	1	Monetary amount
	2340	SG52	M	100	1	MOA
	2350	91 MOA	M	1	1	Monetary amount
	2340	SG52	M	100	1	MOA
	2350	92 MOA	M	1	1	Monetary amount
	2390	SG54	C	10	1	TAX-MOA
	2400	93 TAX	M	1	1	Duty/tax/fee details
	2410	94 MOA	C	9	2	Monetary amount
	2410	95 MOA	C	9	2	Monetary amount
	2390	SG54	C	10	1	TAX-MOA
	2400	96 TAX	M	1	1	Duty/tax/fee details
	2410	97 MOA	C	9	2	Monetary amount
	2410	98 MOA	C	9	2	Monetary amount
	2470	99 UNT	M	1	0	Message trailer

Counter = Counter of segment/group within the standard
 No = Consecutive segment number
 MaxOcc = Maximum occurrence of the segment/group

DSV public
 Status
 EDIFACT: M=Mandatory, C=Conditional
 User specific: R=Required, O=Optional, D=Dependent,
 A=Advised, N=Not used




Branching Diagram of Used Segments/Groups



DSV public

Tag
St MaxOcc
No
Counter


Tag = Segment/Group Tag
St = Status (M=Mandatory, C=Conditional, R=Required, O=Optional, A=Advised, D=Dependent)
MaxOcc = Maximum occurrence of the segment/group
No = Consecutive segment number
Counter = Counter of segment/group within the standard



DSV public

Tag
St MaxOcc
No
Counter


Tag = Segment/Group Tag
St = Status (M=Mandatory, C=Conditional, R=Required, O=Optional, A=Advised, D=Dependent)
MaxOcc = Maximum occurrence of the segment/group
No = Consecutive segment number
Counter = Counter of segment/group within the standard



DSV public

Tag
St MaxOcc
No
Counter


Tag = Segment/Group Tag
St = Status (M=Mandatory, C=Conditional, R=Required, O=Optional, A=Advised, D=Dependent)
MaxOcc = Maximum occurrence of the segment/group
No = Consecutive segment number
Counter = Counter of segment/group within the standard



DSV public

Tag
St MaxOcc
No
Counter


Tag = Segment/Group Tag
St = Status (M=Mandatory, C=Conditional, R=Required, O=Optional, A=Advised, D=Dependent)
MaxOcc = Maximum occurrence of the segment/group
No = Consecutive segment number
Counter = Counter of segment/group within the standard



DSV public

Tag
St MaxOcc
No
Counter


Tag = Segment/Group Tag
St = Status (M=Mandatory, C=Conditional, R=Required, O=Optional, A=Advised, D=Dependent)
MaxOcc = Maximum occurrence of the segment/group
No = Consecutive segment number
Counter = Counter of segment/group within the standard



DSV public

Tag
St MaxOcc
No
Counter


Tag = Segment/Group Tag
St = Status (M=Mandatory, C=Conditional, R=Required, O=Optional, A=Advised, D=Dependent)
MaxOcc = Maximum occurrence of the segment/group
No = Consecutive segment number
Counter = Counter of segment/group within the standard



DSV public

Tag
St MaxOcc
No
Counter


Tag = Segment/Group Tag
St = Status (M=Mandatory, C=Conditional, R=Required, O=Optional, A=Advised, D=Dependent)
MaxOcc = Maximum occurrence of the segment/group
No = Consecutive segment number
Counter = Counter of segment/group within the standard



DSV public

Tag	
St	MaxOcc
No	
Counter	


Tag = Segment/Group Tag
St = Status (M=Mandatory, C=Conditional, R=Required, O=Optional, A=Advised, D=Dependent)
MaxOcc = Maximum occurrence of the segment/group
No = Consecutive segment number
Counter = Counter of segment/group within the standard



DSV public

Tag
St MaxOcc
No
Counter

Tag = Segment/Group Tag
St = Status (M=Mandatory, C=Conditional, R=Required, O=Optional, A=Advised, D=Dependent)
MaxOcc = Maximum occurrence of the segment/group
No = Consecutive segment number
Counter = Counter of segment/group within the standard



DSV public

Tag
St MaxOcc
No
Counter

Tag = Segment/Group Tag
St = Status (M=Mandatory, C=Conditional, R=Required, O=Optional, A=Advised, D=Dependent)
MaxOcc = Maximum occurrence of the segment/group
No = Consecutive segment number
Counter = Counter of segment/group within the standard



Segments

Counter	No	Tag	St	MaxOcc	Level	Name
---------	----	-----	----	--------	-------	------

0000	1	UNA	C	1	0	Service string advice
------	---	------------	---	---	---	-----------------------

Standard			Implementation	
Tag	Name	St Format	St Format	Usage / Remark
UNA				
UNA1	Component data element separator	M an1	M an1	General Notes : Component data element separator
UNA2	Data element separator	M an1	M an1	General Notes + Data element separator
UNA3	Decimal mark	M an1	M an1	General Notes . Decimal notation
UNA4	Release character	M an1	M an1	General Notes ? Release indicator
UNA5	Repetition separator	M an1	M an1	General Notes Reserved for future use
UNA6	Segment terminator	M an1	M an1	General Notes ' Segment terminator

Segment Remarks:

General Notes

Changelog:

ver1.1 2020-01-07: SG27 EQD enabled.

ver1.2 2020-01-22: SG1 RFF updated for RFF+OI, PQ.

ver1.3 2020-04-30: SG31 RFF updated. Multiple RFF+CU can be present in each INVOIC.

ver1.4 2021-05-18: 1nd occurrence of SG54 TAX is for Invoice currency. 2nd occurrence of SG54 TAX is for Home/Local currency.

ver1.5 2021-09-28: Enabled SG2 FII/C088.3436 for Bank name

ver1.6 2023-05-09: Enabled UNB.3035 for testindicator.

ver1.7 2023-11-16: Enabled FTX+AAA in SG27.

Example:

UNA: + . ? ' '

No = Consecutive segment number
MaxOcc = Maximum occurrence of the segment/group
Counter = Counter of segment/group within the standard

DSV public

EDIFACT: M=Mandatory, C=Conditional
User specific: R=Required, O=Optional, D=Dependent,
A=Advised, N=Not used



Counter	No	Tag	St	MaxOcc	Level	Name
---------	----	-----	----	--------	-------	------

0000	2	UNB	M	1	0	Interchange header
------	---	------------	---	---	---	--------------------

Standard			Implementation	
Tag	Name	St Format	St Format	Usage / Remark
UNB				
S001	Syntax identifier	M	M	
0001	Syntax identifier	M a4	M a4	List of valid codes UNOC UN/ECE level C
0002	Syntax version number	M an1	M an1	List of valid codes 4 Version 4
0080	Service code list directory version number	C an..6	N	
0133	Character encoding, coded	C an..3	N	
0076	Syntax release number	C an2	N	
S002	Interchange sender	M	M	
0004	Interchange sender identification	M an..35	M an..35	General Notes Name or Coded ID of the Sender of the Interchange: This will be agreed between the interchange parties and may be specified in element 0007
0007	Identification code qualifier	C an..4	C an..4	General Notes All valid Codes are used and refer to an organisation ID as in ISO 6523 List of valid codes ZZZ Mutually defined
0008	Interchange sender internal identification	C an..35	N	
0042	Interchange sender internal sub-identification	C an..35	N	
S003	Interchange recipient	M	M	
0010	Interchange recipient identification	M an..35	M an..35	General Notes Name or Coded ID of the Receiver of the Interchange: This will be agreed between the interchange parties and may be specified in element 0007
0007	Identification code qualifier	C an..4	C an..4	General Notes All valid Codes are used and refer to an organisation ID as in ISO 6523
0014	Interchange recipient internal identification	C an..35	N	
0046	Interchange recipient internal sub-identification	C an..35	N	
S004	Date and time of preparation	M	M	
0017	Date	M n8	M n8	General Notes Local Date when Interchange prepared in format 'yymmdd'
0019	Time	M n4	M n4	General Notes

No = Consecutive segment number
 MaxOcc = Maximum occurrence of the segment/group
 Counter = Counter of segment/group within the standard

DSV public
 Status
 EDIFACT: M=Mandatory, C=Conditional
 User specific: R=Required, O=Optional, D=Dependent,
 A=Advised, N=Not used



Standard			Implementation	
Tag	Name	St Format	St Format	Usage / Remark
				Local Time when Interchange prepared in format 'hhmm' as 24 hour clock
0020	Interchange control reference	M an..14	M an..14	General Notes Unique Reference assigned by the Sender for the Interchange
S005	Recipient reference/password details	C	N	
0022	Recipient reference/password	M an..14	N	
0025	Recipient reference/password qualifier	C an2	N	
0026	Application reference	C an..14	N	
0029	Processing priority code	C a1	N	
0031	Acknowledgement request	C n1	N	
0032	Interchange agreement identifier	C an..35	N	
0035	Test indicator	C n1	C n1	List of valid codes 1 Interchange is a test

Segment Remarks:**General Notes**

Message examples:

UNB+UNOC:4+5790000834129:ZZZ:+PartnerId:ZZZ:+20221220:1500+00000000012345'

Example:

UNB+UNOC:4+5790000834129:ZZZ+PartnerId:zzz+20221220:1500+00000000012345+++++1'

No = Consecutive segment number
 MaxOcc = Maximum occurrence of the segment/group
 Counter = Counter of segment/group within the standard

DSV public
 Status
 EDIFACT: M=Mandatory, C=Conditional
 User specific: R=Required, O=Optional, D=Dependent,
 A=Advised, N=Not used



Counter	No	Tag	St	MaxOcc	Level	Name
---------	----	-----	----	--------	-------	------

0010	3	UNH	M	1	0	Message header
------	---	------------	---	---	---	----------------

Standard			Implementation	
Tag	Name	St Format	St Format	Usage / Remark
UNH				
0062	Message reference number	M an..14	M an..14	
S009	Message identifier	M	M	
0065	Message type	M an..6	M an..6	List of valid codes INVOIC Invoice message
0052	Message version number	M an..3	M an..3	List of valid codes D Draft version/UN/EDIFACT Directory
0054	Message release number	M an..3	M an..3	List of valid codes 10B Release 2010 - B
0051	Controlling agency, coded	M an..3	M an..3	List of valid codes UN UN/CEFACT
0057	Association assigned code	C an..6	N	
0110	Code list directory version number	C an..6	N	
0113	Message type sub-function identification	C an..6	N	
0068	Common access reference	C an..35	N	
S010	Status of the transfer	C	N	
0070	Sequence of transfers	M n..2	N	
0073	First and last transfer	C a1	N	
S016	Message subset identification	C	N	
0115	Message subset identification	M an..14	N	
0116	Message subset version number	C an..3	N	
0118	Message subset release number	C an..3	N	
0051	Controlling agency, coded	C an..3	N	
S017	Message implementation guideline identification	C	N	
0121	Message implementation guideline identification	M an..14	N	
0122	Message implementation guideline version number	C an..3	N	
0124	Message implementation guideline release number	C an..3	N	
0051	Controlling agency, coded	C an..3	N	
S018	Scenario identification	C	N	
0127	Scenario identification	M an..14	N	
0128	Scenario version number	C an..3	N	
0130	Scenario release number	C an..3	N	

No = Consecutive segment number
 MaxOcc = Maximum occurrence of the segment/group
 Counter = Counter of segment/group within the standard

DSV public
 Status
 EDIFACT: M=Mandatory, C=Conditional
 User specific: R=Required, O=Optional, D=Dependent,
 A=Advised, N=Not used



Standard			Implementation	
Tag	Name	St Format	St Format	Usage / Remark
0051	Controlling agency, coded	C an..3	N	

Segment Remarks:

GeneralNotes

Message examples:

UNH+123456+INVOIC:D:10B:UN'

Example:

UNH+123456+INVOIC:D:10B:UN'

No = Consecutive segment number
MaxOcc = Maximum occurrence of the segment/group
Counter = Counter of segment/group within the standard

DSV public
S= Status
EDIFACT: M=Mandatory, C=Conditional
User specific: R=Required, O=Optional, D=Dependent,
A=Advised, N=Not used



Counter	No	Tag	St	MaxOcc	Level	Name
---------	----	-----	----	--------	-------	------

0020 4 **BGM** M 1 0 Beginning of message

Standard			Implementation	
Tag	Name	St Format	St Format	Usage / Remark
BGM				
C002	Document/message name	C	C	
1001	Document name code	C an..3	C an..3	List of valid codes 380 Commercial invoice 381 Credit note
1131	Code list identification code	C an..17	N	
3055	Code list responsible agency code	C an..3	N	
1000	Document name	C an..35	N	
C106	Document/message identification	C	C	
1004	Document identifier	C an..70	C an..70	
1056	Version identifier	C an..9	N	
1060	Revision identifier	C an..6	N	
1225	Message function code	C an..3	C an..3	List of valid codes 9 Original
4343	Response type code	C an..3	N	

Segment Remarks:**General Notes**

Message examples:

BGM+380+DK456654+9'

BGM+381+DK456654+9'

Example:

BGM+380+DK456654+9'

No = Consecutive segment number
 MaxOcc = Maximum occurrence of the segment/group
 Counter = Counter of segment/group within the standard

DSV public

St = Status
 EDIFACT: M=Mandatory, C=Conditional
 User specific: R=Required, O=Optional, D=Dependent,
 A=Advised, N=Not used



Counter	No	Tag	St	MaxOcc	Level	Name
---------	----	-----	----	--------	-------	------

0030 5 **DTM** M 35 1 Date/time/period

Standard			Implementation	
Tag	Name	St Format	St Format	Usage / Remark
DTM				
C507	Date/time/period	M	M	
2005	Date or time or period function code qualifier	M an..3	M an..3	List of valid codes 137 Document issue date time
2380	Date or time or period text	C an..35	C an..35	
2379	Date or time or period format code	C an..3	C an..3	List of valid codes 203 CCYYMMDDHHMM

Segment Remarks:**General Notes**

Message examples:

DTM+137:202211182100:203'

Example:

DTM+137:201804040800:203'

No = Consecutive segment number
 MaxOcc = Maximum occurrence of the segment/group
 Counter = Counter of segment/group within the standard

DSV public

EDIFACT: M=Mandatory, C=Conditional
 User specific: R=Required, O=Optional, D=Dependent,
 A=Advised, N=Not used



Counter	No	Tag	St	MaxOcc	Level	Name
---------	----	-----	----	--------	-------	------

0030 6 **DTM** M 35 1 Date/time/period

Standard			Implementation	
Tag	Name	St Format	St Format	Usage / Remark
DTM				
C507	Date/time/period	M	M	
2005	Date or time or period function code qualifier	M an..3	M an..3	List of valid codes 3 Invoice document issue date time
2380	Date or time or period text	C an..35	C an..35	
2379	Date or time or period format code	C an..3	C an..3	List of valid codes 203 CCYYMMDDHHMM

Segment Remarks:**General Notes**

Message examples:

DTM+3:202211012100:203'

Example:

DTM+3:201804121600:203'

No = Consecutive segment number
 MaxOcc = Maximum occurrence of the segment/group
 Counter = Counter of segment/group within the standard

DSV public

EDIFACT: M=Mandatory, C=Conditional
 User specific: R=Required, O=Optional, D=Dependent,
 A=Advised, N=Not used



Counter	No	Tag	St	MaxOcc	Level	Name
0070	7	FTX	C	99	1	Free text

Standard			Implementation	
Tag	Name	St Format	St Format	Usage / Remark
FTX				
4451	Text subject code qualifier	M an..3	M an..3	List of valid codes ADU Note
4453	Free text function code	C an..3	N	
C107	Text reference	C	N	
4441	Free text description code	M an..17	N	
1131	Code list identification code	C an..17	N	
3055	Code list responsible agency code	C an..3	N	
C108	Text literal	C	C	
4440	Free text	M an..512	M an..512	
4440	Free text	C an..512	N	
4440	Free text	C an..512	N	
4440	Free text	C an..512	N	
4440	Free text	C an..512	N	
3453	Language name code	C an..3	N	
4447	Free text format code	C an..3	N	

Segment Remarks:

General Notes

Message examples:
FTX+ADU+++Note'

Example:

FTX+ADU+++Note '

No = Consecutive segment number
MaxOcc = Maximum occurrence of the segment/group
Counter = Counter of segment/group within the standard

DSV public
Status
EDIFACT: M=Mandatory, C=Conditional
User specific: R=Required, O=Optional, D=Dependent,
A=Advised, N=Not used



Counter	No	Tag	St	MaxOcc	Level	Name
---------	----	-----	----	--------	-------	------

0070 8 **FTX** C 99 1 Free text

Standard			Implementation	
Tag	Name	St Format	St Format	Usage / Remark
FTX				
4451	Text subject code qualifier	M an..3	M an..3	List of valid codes DCL Document issuer declaration
4453	Free text function code	C an..3	N	
C107	Text reference	C	N	
4441	Free text description code	M an..17	N	
1131	Code list identification code	C an..17	N	
3055	Code list responsible agency code	C an..3	N	
C108	Text literal	C	C	
4440	Free text	M an..512	M an..512	General Notes If length from FTX/C108.4440 in inputfile is more than 512 chars, then rest of it will be put in next /FTX/C108.4440[2-5]. If more than 5x512 chars a new FTX will be created.
4440	Free text	C an..512	C an..512	
4440	Free text	C an..512	C an..512	
4440	Free text	C an..512	C an..512	
4440	Free text	C an..512	C an..512	
3453	Language name code	C an..3	N	
4447	Free text format code	C an..3	N	

Segment Remarks:

General Notes

General Notes

Message examples:

FTX+DCL+++Document issuer declaration'

If length from FTX/C108.4440 in inputfile is more than 512 chars, then rest of it will be put in next /FTX/C108.4440[2-5]. If more than 5x512 chars a new FTX will be created.

Example:

FTX+DCL+++Document issuer declaration:X:X:X:X'

No = Consecutive segment number
 MaxOcc = Maximum occurrence of the segment/group
 Counter = Counter of segment/group within the standard

DSV public
 Status
 EDIFACT: M=Mandatory, C=Conditional
 User specific: R=Required, O=Optional, D=Dependent,
 A=Advised, N=Not used



Counter	No	Tag	St	MaxOcc	Level	Name
---------	----	-----	----	--------	-------	------

0080 9 **LOC** C 10 1 Place/location identification

Standard			Implementation	
Tag	Name	St Format	St Format	Usage / Remark
LOC				
3227	Location function code qualifier	M an..3	M an..3	
				List of valid codes
				183 Place of business
C517	Location identification	C	C	
3225	Location identifier	C an..35	C an..35	
1131	Code list identification code	C an..17	N	
3055	Code list responsible agency code	C an..3	N	
3224	Location name	C an..256	C an..256	
C519	Related location one identification	C	N	
3223	First related location identifier	C an..35	N	
1131	Code list identification code	C an..17	N	
3055	Code list responsible agency code	C an..3	N	
3222	First related location name	C an..70	N	
C553	Related location two identification	C	N	
3233	Second related location identifier	C an..35	N	
1131	Code list identification code	C an..17	N	
3055	Code list responsible agency code	C an..3	N	
3232	Second related location name	C an..70	N	
5479	Relation code	C an..3	N	

Segment Remarks:**General Notes**

Message examples:

LOC+183+I382:::DKHOR'

Example:

LOC+183+I382:::DKHOR'

No = Consecutive segment number
 MaxOcc = Maximum occurrence of the segment/group
 Counter = Counter of segment/group within the standard

DSV public
 Status
 EDIFACT: M=Mandatory, C=Conditional
 User specific: R=Required, O=Optional, D=Dependent,
 A=Advised, N=Not used



Counter	No	Tag	St	MaxOcc	Level	Name
0120		SG1	C	99999	1	RFF
0130	10	RFF	M	1	1	Reference

Standard			Implementation	
Tag	Name	St Format	St Format	Usage / Remark
RFF				
C506	Reference	M	M	
1153	Reference code qualifier	M an..3	M an..3	
				List of valid codes
				AAM Waybill number
				AAO Consignment identifier, consignee assigned
				AAS Transport contract document identifier
				ABE Declarant's reference number
				AFB Cargo manifest number
				AFL Associated invoices
				BH House bill of lading number
				CRN Transport means journey identifier
				MB Master bill of lading number
				SRN Shipment reference number
				TIN Transport instruction number
				ZCU Customer reference
				PQ Payment reference
				OH Current invoice number
				OI Previous invoice number
				OR General order number
1154	Reference identifier	C an..70	C an..70	
1156	Document line identifier	C an..6	N	
1056	Version identifier	C an..9	N	
1060	Revision identifier	C an..6	N	

Segment Remarks:**General Notes**

Message examples:

RFF+AAS:6982842384'

RFF+AAM:310651'

RFF+AFB:DSV-12345'

RFF+BH:DSV1234567'

RFF+CRN:321654'

RFF+MB:310651'

RFF+OI:DK456654'

RFF+SRN:69828423841234567'

Example:

RFF+AAM:1223559'

No = Consecutive segment number
 MaxOcc = Maximum occurrence of the segment/group
 Counter = Counter of segment/group within the standard

DSV public
 Status
 EDIFACT: M=Mandatory, C=Conditional
 User specific: R=Required, O=Optional, D=Dependent,
 A=Advised, N=Not used



Counter	No	Tag	St	MaxOcc	Level	Name
0120		SG1	C	99999	1	RFF
		Sea Notes				

0130	11	RFF	M	1	1	Reference
------	----	------------	---	---	---	------------------

Standard			Implementation	
Tag	Name	St Format	St Format	Usage / Remark
RFF				
C506	Reference	M	M	
1153	Reference code qualifier	M an..3	M an..3	List of valid codes CU Consignment identifier, consignor assigned
1154	Reference identifier	C an..70	C an..70	
1156	Document line identifier	C an..6	N	
1056	Version identifier	C an..9	N	
1060	Revision identifier	C an..6	N	

Segment Remarks:
General Notes
Message examples:
RFF+CU:12345'

Example:
RFF+CU:1223559'

No = Consecutive segment number
MaxOcc = Maximum occurrence of the segment/group
Counter = Counter of segment/group within the standard

DSV public
Status
EDIFACT: M=Mandatory, C=Conditional
User specific: R=Required, O=Optional, D=Dependent,
A=Advised, N=Not used



Counter	No	Tag	St	MaxOcc	Level	Name
0120		SG1	C	99999	1	RFF
0130	12	RFF	M	1	1	Reference

Standard			Implementation	
Tag	Name	St Format	St Format	Usage / Remark
RFF				
C506	Reference	M	M	
1153	Reference code qualifier	M an..3	M an..3	
				List of valid codes
				PQ Payment reference
1154	Reference identifier	C an..70	C an..70	
1156	Document line identifier	C an..6	N	
1056	Version identifier	C an..9	N	
1060	Revision identifier	C an..6	N	

Segment Remarks:**General Notes**

Message examples:

RFF+PQ:309863385000006298123'

Example:

RFF+PQ:309863385000006298123'

No = Consecutive segment number
 MaxOcc = Maximum occurrence of the segment/group
 Counter = Counter of segment/group within the standard

DSV public
 Status
 EDIFACT: M=Mandatory, C=Conditional
 User specific: R=Required, O=Optional, D=Dependent,
 A=Advised, N=Not used



Counter	No	Tag	St	MaxOcc	Level	Name
0220		SG2	C	99	1	NAD-FII-SG3-SG4-SG5
0230	13	NAD	M	1	1	Name and address

Standard			Implementation	
Tag	Name	St Format	St Format	Usage / Remark
NAD				
3035	Party function code qualifier	M an..3	M an..3	
				List of valid codes
				II Invoice issuer
C082	Party identification details	C	C	
3039	Party identifier	M an..35	M an..35	
1131	Code list identification code	C an..17	N	
3055	Code list responsible agency code	C an..3	C an..3	
				List of valid codes
				9 GS1
C058	Name and address	C	N	
3124	Name and address description	M an..35	N	
3124	Name and address description	C an..35	N	
3124	Name and address description	C an..35	N	
3124	Name and address description	C an..35	N	
3124	Name and address description	C an..35	N	
C080	Party name	C	C	
3036	Party name	M an..70	M an..70	
3036	Party name	C an..70	N	
3036	Party name	C an..70	N	
3036	Party name	C an..70	N	
3036	Party name	C an..70	N	
3045	Party name format code	C an..3	N	
C059	Street	C	C	
3042	Street and number or post office box identifier	M an..35	M an..35	
3042	Street and number or post office box identifier	C an..35	C an..35	
3042	Street and number or post office box identifier	C an..35	C an..35	
3042	Street and number or post office box identifier	C an..35	N	
3164	City name	C an..35	C an..35	
C819	Country subdivision details	C	C	
3229	Country subdivision identifier	C an..9	C an..9	
1131	Code list identification code	C an..17	N	
3055	Code list responsible agency code	C an..3	N	
3228	Country subdivision name	C an..70	N	
3251	Postal identification code	C an..17	C an..17	
3207	Country identifier	C an..3	C an..3	

Segment Remarks:

No = Consecutive segment number
 MaxOcc = Maximum occurrence of the segment/group
 Counter = Counter of segment/group within the standard

DSV public
 Status
 EDIFACT: M=Mandatory, C=Conditional
 User specific: R=Required, O=Optional, D=Dependent,
 A=Advised, N=Not used



General Notes

Message examples:

NAD+II+123456789::91++Invoice issuer+West street 10+CITY++134408+XX'

Example:

NAD+II+987654321::9++Invoice issuer+East street 20:2nd address:X+HEDEHUSENE++2630+DK'

No = Consecutive segment number
MaxOcc = Maximum occurrence of the segment/group
Counter = Counter of segment/group within the standard

DSV public
SYN Status
EDIFACT: M=Mandatory, C=Conditional
User specific: R=Required, O=Optional, D=Dependent,
A=Advised, N=Not used



Counter	No	Tag	St	MaxOcc	Level	Name
0220		SG2	C	99	1	NAD-FII-SG3-SG4-SG5
0250	14	FII	C	5	2	Financial institution information

Standard			Implementation	
Tag	Name	St Format	St Format	Usage / Remark
FII				
3035	Party function code qualifier	M an..3	M an..3	List of valid codes II Invoice issuer
C078	Account holder identification	C	C	
3194	Account holder identifier	C an..35	C an..35	
3192	Account holder name	C an..35	C an..35	
3192	Account holder name	C an..35	N	
6345	Currency identification code	C an..3	N	
C088	Institution identification	C	C	
3433	Institution name code	C an..11	C an..11	
1131	Code list identification code	C an..17	N	
3055	Code list responsible agency code	C an..3	C an..3	List of valid codes 17 S.W.I.F.T.
3434	Institution branch identifier	C an..17	C an..17	
1131	Code list identification code	C an..17	N	
3055	Code list responsible agency code	C an..3	N	
3432	Institution name	C an..70	C an..70	
3436	Institution branch location name	C an..70	C an..70	
3207	Country identifier	C an..3	N	

Segment Remarks:**General Notes**

Message examples:

FII+II+SE 19 9500 0099 6034 0872 0708:DSV Air & Sea AB:NDEASESS::17:3408720708::9960:NORDEA BANK AB'

Example:

FII+II+SE 19 9500 0099 6034 0872 0708:DSV Air & Sea AB+NDEASESS::17:3408720708::9960:NORDEA BANK AB'

No = Consecutive segment number
 MaxOcc = Maximum occurrence of the segment/group
 Counter = Counter of segment/group within the standard

DSV public

EDIFACT: M=Mandatory, C=Conditional
 User specific: R=Required, O=Optional, D=Dependent,
 A=Advised, N=Not used



Counter	No	Tag	St	MaxOcc	Level	Name
0270		SG3	C	9999	2	RFF
0280	15	RFF	M	1	2	Reference

Standard			Implementation	
Tag	Name	St Format	St Format	Usage / Remark
RFF				
C506	Reference	M	M	
1153	Reference code qualifier	M an..3	M an..3	
				List of valid codes
				VA VAT registration number
1154	Reference identifier	C an..70	C an..70	
1156	Document line identifier	C an..6	N	
1056	Version identifier	C an..9	N	
1060	Revision identifier	C an..6	N	

Segment Remarks:**General Notes**

Message examples:

RFF+VA:DK1234567890'

Example:

RFF+VA:VATNumber '

No = Consecutive segment number
 MaxOcc = Maximum occurrence of the segment/group
 Counter = Counter of segment/group within the standard

DSV public
 Status
 EDIFACT: M=Mandatory, C=Conditional
 User specific: R=Required, O=Optional, D=Dependent,
 A=Advised, N=Not used



Counter	No	Tag	St	MaxOcc	Level	Name
0300		SG4	C	5	2	DOC
0310	16	DOC	M	1	2	Document/message details

Standard			Implementation	
Tag	Name	St Format	St Format	Usage / Remark
DOC				
C002	Document/message name	M	M	
1001	Document name code	C an..3	C an..3	
				List of valid codes
				385 Consolidated invoice
				395 Consignment invoice
1131	Code list identification code	C an..17	N	
3055	Code list responsible agency code	C an..3	N	
1000	Document name	C an..35	N	
C503	Document/message details	C	N	
1004	Document identifier	C an..70	N	
1373	Document status code	C an..3	N	
1366	Document source description	C an..70	N	
3453	Language name code	C an..3	N	
1056	Version identifier	C an..9	N	
1060	Revision identifier	C an..6	N	
3153	Communication medium type code	C an..3	N	
1220	Document copies required quantity	C n..2	N	
1218	Document originals required quantity	C n..2	N	

Segment Remarks:**General Notes**

Composite / Single Invoice Flag.

When reading NAD type "II"

If Consolidated Invoice then this defined as 385

If single Invoice defined as Consignment Invoice (Including Transports) as 395

Message examples:

DOC+385'

DOC+395'

Example:

DOC+385'

No = Consecutive segment number
 MaxOcc = Maximum occurrence of the segment/group
 Counter = Counter of segment/group within the standard

DSV public

St = Status
 EDIFACT: M=Mandatory, C=Conditional
 User specific: R=Required, O=Optional, D=Dependent,
 A=Advised, N=Not used



Counter	No	Tag	St	MaxOcc	Level	Name
0330		SG5	C	5	2	CTA-COM
0340	17	CTA	M	1	2	Contact information

Standard			Implementation	
Tag	Name	St Format	St Format	Usage / Remark
CTA				
3139	Contact function code	C an..3	C an..3	List of valid codes AR Accounts receivable contact
C056	Contact details	C	C	
3413	Contact identifier	C an..17	N	
3412	Contact name	C an..256	C an..256	

Segment Remarks:
General Notes
Message examples:
CTA+AR+:Invoice issuer'

Example:
CTA+AR+:Invoice issuer'

No = Consecutive segment number
MaxOcc = Maximum occurrence of the segment/group
Counter = Counter of segment/group within the standard

DSV public
Status
EDIFACT: M=Mandatory, C=Conditional
User specific: R=Required, O=Optional, D=Dependent,
A=Advised, N=Not used



Counter	No	Tag	St	MaxOcc	Level	Name
0330		SG5	C	5	2	CTA-COM
0350	18	COM	C	5	3	Communication contact

Standard			Implementation	
Tag	Name	St Format	St Format	Usage / Remark
COM				
C076	Communication contact	M	M	
3148	Communication address identifier	M an..512	M an..512	
3155	Communication means type code	M an..3	M an..3	
				List of valid codes
				TE Telephone

Segment Remarks:**General Notes**

Methods of contact - - Repeated for both Email and Telephone

Message examples:

COM+010-99999999:TE'

COM+contact@email.com'

Example:

COM+010-4455663388:TE'

No = Consecutive segment number
 MaxOcc = Maximum occurrence of the segment/group
 Counter = Counter of segment/group within the standard

DSV public
 Status
 EDIFACT: M=Mandatory, C=Conditional
 User specific: R=Required, O=Optional, D=Dependent,
 A=Advised, N=Not used



Counter	No	Tag	St	MaxOcc	Level	Name
0330		SG5	C	5	2	CTA-COM
0350	19	COM	C	5	3	Communication contact

Standard			Implementation	
Tag	Name	St Format	St Format	Usage / Remark
COM				
C076	Communication contact	M	M	
3148	Communication address identifier	M an..512	M an..512	
3155	Communication means type code	M an..3	M an..3	
				List of valid codes
				EM Electronic mail

Segment Remarks:**General Notes**

Methods of contact - - Repeated for both Email and Telephone

Message examples:

COM+010-99999999:TE'

COM+contact@email.com'

Example:

COM+abc@xx.dsv.com:EM'

No = Consecutive segment number
 MaxOcc = Maximum occurrence of the segment/group
 Counter = Counter of segment/group within the standard

DSV public
 Status
 EDIFACT: M=Mandatory, C=Conditional
 User specific: R=Required, O=Optional, D=Dependent,
 A=Advised, N=Not used



Counter	No	Tag	St	MaxOcc	Level	Name
0220		SG2	C	99	1	NAD-SG3-SG5
0230	20	NAD	M	1	1	Name and address

Standard			Implementation	
Tag	Name	St Format	St Format	Usage / Remark
NAD				
3035	Party function code qualifier	M an..3	M an..3	List of valid codes IV Invoicee
C082	Party identification details	C	C	
3039	Party identifier	M an..35	M an..35	
1131	Code list identification code	C an..17	N	
3055	Code list responsible agency code	C an..3	C an..3	
				List of valid codes 9 GS1
C058	Name and address	C	N	
3124	Name and address description	M an..35	N	
3124	Name and address description	C an..35	N	
3124	Name and address description	C an..35	N	
3124	Name and address description	C an..35	N	
3124	Name and address description	C an..35	N	
C080	Party name	C	C	
3036	Party name	M an..70	M an..70	
3036	Party name	C an..70	N	
3036	Party name	C an..70	N	
3036	Party name	C an..70	N	
3036	Party name	C an..70	N	
3045	Party name format code	C an..3	N	
C059	Street	C	C	
3042	Street and number or post office box identifier	M an..35	M an..35	
3042	Street and number or post office box identifier	C an..35	C an..35	
3042	Street and number or post office box identifier	C an..35	C an..35	
3042	Street and number or post office box identifier	C an..35	N	
3164	City name	C an..35	C an..35	
C819	Country subdivision details	C	C	
3229	Country subdivision identifier	C an..9	C an..9	
1131	Code list identification code	C an..17	N	
3055	Code list responsible agency code	C an..3	N	
3228	Country subdivision name	C an..70	N	
3251	Postal identification code	C an..17	C an..17	
3207	Country identifier	C an..3	C an..3	

Segment Remarks:

No = Consecutive segment number
MaxOcc = Maximum occurrence of the segment/group
Counter = Counter of segment/group within the standard

DSV public
Status
EDIFACT: M=Mandatory, C=Conditional
User specific: R=Required, O=Optional, D=Dependent,
A=Advised, N=Not used



General Notes

Message examples:
NAD+IV+987654321::87++Invoicee+East street 5+CITY++12345+XX'

Example:

NAD+IV+123456789::9++Company +West street 12B:Warehouse 8:150+COPENHAGEN++1610+DK'

No = Consecutive segment number
MaxOcc = Maximum occurrence of the segment/group
Counter = Counter of segment/group within the standard

DSV public
SYN Status
EDIFACT: M=Mandatory, C=Conditional
User specific: R=Required, O=Optional, D=Dependent,
A=Advised, N=Not used



Counter	No	Tag	St	MaxOcc	Level	Name
0270		SG3	C	9999	2	RFF
0280	21	RFF	M	1	2	Reference

Standard			Implementation	
Tag	Name	St Format	St Format	Usage / Remark
RFF				
C506	Reference	M	M	
1153	Reference code qualifier	M an..3	M an..3	
				List of valid codes
				VA VAT registration number
1154	Reference identifier	C an..70	C an..70	
1156	Document line identifier	C an..6	N	
1056	Version identifier	C an..9	N	
1060	Revision identifier	C an..6	N	

Segment Remarks:

General Notes

Message examples:

RFF+VA:DK1234567890'

Example:

RFF+VA:VATNumber '

No = Consecutive segment number
MaxOcc = Maximum occurrence of the segment/group
Counter = Counter of segment/group within the standard

DSV public
Status
EDIFACT: M=Mandatory, C=Conditional
User specific: R=Required, O=Optional, D=Dependent,
A=Advised, N=Not used



Counter	No	Tag	St	MaxOcc	Level	Name
0330		SG5	C	5	2	CTA-COM
0340	22	CTA	M	1	2	Contact information

Standard			Implementation	
Tag	Name	St Format	St Format	Usage / Remark
CTA				
3139	Contact function code	C an..3	C an..3	List of valid codes AP Accounts payable contact
C056	Contact details	C	C	
3413	Contact identifier	C an..17	N	
3412	Contact name	C an..256	C an..256	

Segment Remarks:

General Notes

Message examples:
CTA+AP+:Invoicee'

Example:

CTA+AP+:Invoicee'

No = Consecutive segment number
MaxOcc = Maximum occurrence of the segment/group
Counter = Counter of segment/group within the standard

DSV public
Status
EDIFACT: M=Mandatory, C=Conditional
User specific: R=Required, O=Optional, D=Dependent,
A=Advised, N=Not used



Counter	No	Tag	St	MaxOcc	Level	Name
0330		SG5	C	5	2	CTA-COM
0350	23	COM	C	5	3	Communication contact

Standard			Implementation	
Tag	Name	St Format	St Format	Usage / Remark
COM				
C076	Communication contact	M	M	
3148	Communication address identifier	M an..512	M an..512	
3155	Communication means type code	M an..3	M an..3	
				List of valid codes
				TE Telephone

Segment Remarks:**General Notes**

Methods of contact - - Repeated for both Email and Telephone

Message examples:

COM+010-99999999:TE'

COM+contact@email.com'

Example:

COM+010-4455663388:TE'

No = Consecutive segment number
 MaxOcc = Maximum occurrence of the segment/group
 Counter = Counter of segment/group within the standard

DSV public
 Status
 EDIFACT: M=Mandatory, C=Conditional
 User specific: R=Required, O=Optional, D=Dependent,
 A=Advised, N=Not used



Counter	No	Tag	St	MaxOcc	Level	Name
0330		SG5	C	5	2	CTA-COM
0350	24	COM	C	5	3	Communication contact

Standard			Implementation	
Tag	Name	St Format	St Format	Usage / Remark
COM				
C076	Communication contact	M	M	
3148	Communication address identifier	M an..512	M an..512	
3155	Communication means type code	M an..3	M an..3	
				List of valid codes
				EM Electronic mail

Segment Remarks:**General Notes**

Methods of contact - - Repeated for both Email and Telephone

Message examples:

COM+010-99999999:TE'

COM+contact@email.com'

Example:

COM+abc@xx.dsv.com:EM'

No = Consecutive segment number
 MaxOcc = Maximum occurrence of the segment/group
 Counter = Counter of segment/group within the standard

DSV public
 Status
 EDIFACT: M=Mandatory, C=Conditional
 User specific: R=Required, O=Optional, D=Dependent,
 A=Advised, N=Not used



Counter	No	Tag	St	MaxOcc	Level	Name
0400		SG7	C	99	1	CUX-DTM
0410	25	CUX	M	1	1	Currencies

Standard			Implementation	
Tag	Name	St Format	St Format	Usage / Remark
CUX				
C504	Currency details	C	C	
6347	Currency usage code qualifier	M an..3	M an..3	List of valid codes 2 Reference currency
6345	Currency identification code	C an..3	C an..3	
6343	Currency type code qualifier	C an..3	C an..3	List of valid codes 10 Pricing currency
6348	Currency rate	C n..4	N	
C504	Currency details	C	C	
6347	Currency usage code qualifier	M an..3	M an..3	List of valid codes 3 Target currency
6345	Currency identification code	C an..3	C an..3	General Notes All currencies allowed using ISO4217 three alpha character code
6343	Currency type code qualifier	C an..3	C an..3	List of valid codes 11 Payment currency
6348	Currency rate	C n..4	N	
5402	Currency exchange rate	C n..12	C n..12	General Notes Rate of exchange between the currencies. In case of several exchange rates, the last one will be visible. Details of each exchange rate can be found in SG43/CUX.5402
6341	Exchange rate currency market identifier	C an..3	N	

Segment Remarks:**General Notes**

If Single Invoice and 1 currency Rate then this segment is used for Rate of Exchange

Message examples:

CUX+2:DKK:10+3:EUR:11+0.75'

Example:

CUX+2:DKK:10+3:EUR:11+1'

No = Consecutive segment number
 MaxOcc = Maximum occurrence of the segment/group
 Counter = Counter of segment/group within the standard

DSV public
 Status
 EDIFACT: M=Mandatory, C=Conditional
 User specific: R=Required, O=Optional, D=Dependent,
 A=Advised, N=Not used



Counter	No	Tag	St	MaxOcc	Level	Name
0400		SG7	C	99	1	CUX-DTM
0420	26	DTM	C	5	2	Date/time/period

Standard			Implementation	
Tag	Name	St Format	St Format	Usage / Remark
DTM				
C507	Date/time/period	M	M	
2005	Date or time or period function code qualifier	M an..3	M an..3	General Notes If Currency same then this segment not required List of valid codes 134 Rate of exchange date/time
2380	Date or time or period text	C an..35	C an..35	
2379	Date or time or period format code	C an..3	C an..3	List of valid codes 102 CCYYMMDD

Segment Remarks:**Example:**

DTM+134:20181102:102'

No = Consecutive segment number
 MaxOcc = Maximum occurrence of the segment/group
 Counter = Counter of segment/group within the standard

DSV public

St = Status
 EDIFACT: M=Mandatory, C=Conditional
 User specific: R=Required, O=Optional, D=Dependent,
 A=Advised, N=Not used



Counter	No	Tag	St	MaxOcc	Level	Name
0430		SG8	C	10	1	PYT-DTM
0440	27	PYT	M	1	1	Payment terms

Standard			Implementation	
Tag	Name	St Format	St Format	Usage / Remark
PYT				
4279	Payment terms type code qualifier	M an..3	M an..3	List of valid codes 3 Fixed date 2 End of month 18 Previously agreed upon 45 Contract basis 47 Dating given
C019	Payment terms	C	C	
4277	Payment terms description identifier	C an..17	N	
1131	Code list identification code	C an..17	N	
3055	Code list responsible agency code	C an..3	N	
4276	Payment terms description	C an..35	C an..35	
2475	Event time reference code	C an..3	N	
2009	Terms time relation code	C an..3	N	
2151	Period type code	C an..3	C an..3	List of valid codes M Month D Day
2152	Period count quantity	C n..3	C n..3	

Segment Remarks:**General Notes**

Terms of Payment

Message examples:

PYT+3+:::Desc.of terms+++D+45'

Example:

PYT+3+:::Desc. of terms+++D+45'

No = Consecutive segment number
 MaxOcc = Maximum occurrence of the segment/group
 Counter = Counter of segment/group within the standard

DSV public

EDIFACT: M=Mandatory, C=Conditional
 User specific: R=Required, O=Optional, D=Dependent,
 A=Advised, N=Not used



Counter	No	Tag	St	MaxOcc	Level	Name
0430		SG8	C	10	1	PYT-DTM
0450	28	DTM	C	5	2	Date/time/period

Standard			Implementation	
Tag	Name	St Format	St Format	Usage / Remark
DTM				
C507	Date/time/period	M	M	
2005	Date or time or period function code qualifier	M an..3	M an..3	List of valid codes 13 Terms net due date
2380	Date or time or period text	C an..35	C an..35	
2379	Date or time or period format code	C an..3	C an..3	List of valid codes 102 CCYYMMDD

Segment Remarks:

General Notes

Date of Invoice Payment required

Message examples:

DTM+13:20221220:102'

Example:

DTM+13:20180531:102'

No = Consecutive segment number
MaxOcc = Maximum occurrence of the segment/group
Counter = Counter of segment/group within the standard

DSV public
Status
EDIFACT: M=Mandatory, C=Conditional
User specific: R=Required, O=Optional, D=Dependent,
A=Advised, N=Not used



Counter	No	Tag	St	MaxOcc	Level	Name
0500		SG9	C	10	1	TDT-TSR-SG10-SG11
0510	29	TDT	M	1	1	Transport information

Standard			Implementation	
Tag	Name	St Format	St Format	Usage / Remark
TDT				
8051	Transport stage code qualifier	M an..3	M an..3	List of valid codes 15 Main carriage - fourth carrier 16 Main carriage - fifth carrier 20 Main-carriage transport 21 Main carriage - first carrier 22 Main carriage - second carrier 23 Main carriage - third carrier
8028	Means of transport journey identifier	C an..17	C an..17	
C220	Mode of transport	C	C	
8067	Transport mode name code	C an..3	C an..3	List of valid codes 1 Maritime transport 3 Road transport 4 Air transport
8066	Transport mode name	C an..17	N	
C001	Transport means	C	C	
8179	Transport means description code	C an..8	N	
1131	Code list identification code	C an..17	N	
3055	Code list responsible agency code	C an..3	N	
8178	Transport means description	C an..17	C an..17	
C040	Carrier	C	C	
3127	Carrier identifier	C an..17	C an..17	
1131	Code list identification code	C an..17	N	
3055	Code list responsible agency code	C an..3	N	
3126	Carrier name	C an..35	C an..35	
8101	Transit direction indicator code	C an..3	N	
C401	Excess transportation information	C	N	
8457	Excess transportation reason code	M an..3	N	
8459	Excess transportation responsibility code	M an..3	N	
7130	Customer shipment authorisation identifier	C an..17	N	
C222	Transport identification	C	C	
8213	Transport means identification name identifier	C an..35	N	
1131	Code list identification code	C an..17	N	

No = Consecutive segment number
MaxOcc = Maximum occurrence of the segment/group
Counter = Counter of segment/group within the standard

DSV public
Status
EDIFACT: M=Mandatory, C=Conditional
User specific: R=Required, O=Optional, D=Dependent,
A=Advised, N=Not used



Standard			Implementation	
Tag	Name	St Format	St Format	Usage / Remark
3055	Code list responsible agency code	C an..3	N	
8212	Transport means identification name	C an..70	C an..70	
8453	Transport means nationality code	C an..3	N	
8281	Transport means ownership indicator code	C an..3	N	

Segment Remarks:

General Notes

Message examples:

TDT+20+Sea+1+:::LH320+:::Shipping line+++:::Vessel:US'

TDT+20++2'

TDT+20++3'

TDT+20+Air+4+:::014W+:::Airline'

Example:

TDT+20+Air+1+:::LH320+6403864782:::LUFTHANSA+++:::LUFTHANSA '

No = Consecutive segment number
MaxOcc = Maximum occurrence of the segment/group
Counter = Counter of segment/group within the standard

DSV public
SYN Status
EDIFACT: M=Mandatory, C=Conditional
User specific: R=Required, O=Optional, D=Dependent,
A=Advised, N=Not used



Counter	No	Tag	St	MaxOcc	Level	Name
0500		SG9	C	10	1	TDT-TSR-SG10-SG11
0520	30	TSR	C	1	2	Transport service requirements

Standard			Implementation	
Tag	Name	St Format	St Format	Usage / Remark
TSR				
C536	Contract and carriage condition	C	N	
4065	Contract and carriage condition code	M an..3	N	
1131	Code list identification code	C an..17	N	
3055	Code list responsible agency code	C an..3	N	
C233	Service	C	C	
7273	Service requirement code	M an..3	M an..3	List of valid codes 2 Full loads 3 Less than full loads B07 Express 07:00 (DSV specific code) B10 Express 10:00 (DSV specific code) B12 Express 12:00 (DSV specific code) B16 Express 16:00 (DSV specific code) CRN Crane required loading or unloading or both (DSV specific code) EPL EPLT - E-service pallet (DSV specific code) EPR EPRC - E-service colli (DSV specific code) HAZ Hazardous goods (DSV specific code) ING INGT - InNight product (DSV specific code) LIF LIFT - Tail lift (DSV specific code) NTF NTFY - Notify (DSV specific code) OEX Omex service goods (DSV specific code) PAD PADV - Pre-advice (DSV specific code) PDS PDS - Personal delivery service (DSV specific code)
1131	Code list identification code	C an..17	N	
3055	Code list responsible agency code	C an..3	N	
7273	Service requirement code	C an..3	N	
1131	Code list identification code	C an..17	N	
3055	Code list responsible agency code	C an..3	N	
C537	Transport priority	C	C	
4219	Transport service priority code	M an..3	M an..3	List of valid codes 1 Express 2 High speed 3 Normal speed 4 Post service
1131	Code list identification code	C an..17	N	
3055	Code list responsible agency code	C an..3	N	

No = Consecutive segment number
MaxOcc = Maximum occurrence of the segment/group
Counter = Counter of segment/group within the standard

DSV public
Status
EDIFACT: M=Mandatory, C=Conditional
User specific: R=Required, O=Optional, D=Dependent,
A=Advised, N=Not used



Standard			Implementation	
Tag	Name	St Format	St Format	Usage / Remark
	code			
C703	Nature of cargo	C	N	
7085	Cargo type classification code	M an..3	N	
1131	Code list identification code	C an..17	N	
3055	Code list responsible agency code	C an..3	N	

Segment Remarks:**General Notes**

Type of Service TSR

Message examples:

TSR++3+3' (Road LTL, Normal speed)

TSR++2+3' (Road FTL, Normal speed)

TSR++B07' (Road DSV Express 07:00)

TSR++B10' (Road DSV Express 10:00)

TSR++B12' (Road DSV Express 12:00)

TSR++B16' (Road DSV Express 16:00)

TSR++CRN' (DSV Crane required loading or unloading or both)

TSR++EPL' (DSV EPLT - E-service pallet)

TSR++EPR' (DSV EPRC- E-service collie)

TSR++HAZ' (DSV Hazardous goods)

TSR++ING' (DSV INGT - InNight product)

TSR++LIF' (DSV LIFT-Tail lift)

TSR++NTF' (DSV NTFY - Notify)

Example:

TSR++2+1 '

No = Consecutive segment number
 MaxOcc = Maximum occurrence of the segment/group
 Counter = Counter of segment/group within the standard

DSV public

EDIFACT: M=Mandatory, C=Conditional
 User specific: R=Required, O=Optional, D=Dependent,
 A=Advised, N=Not used



Counter	No	Tag	St	MaxOcc	Level	Name
0530		SG10	C	10	2	LOC-DTM
0540	31	LOC	M	1	2	Place/location identification

Standard			Implementation	
Tag	Name	St Format	St Format	Usage / Remark
LOC				
3227	Location function code qualifier	M an..3	M an..3	
				List of valid codes
				9 Place of loading
C517	Location identification	C	C	
3225	Location identifier	C an..35	C an..35	
1131	Code list identification code	C an..17	N	
3055	Code list responsible agency code	C an..3	N	
3224	Location name	C an..256	C an..256	
C519	Related location one identification	C	C	
3223	First related location identifier	C an..35	C an..35	
1131	Code list identification code	C an..17	C an..17	
3055	Code list responsible agency code	C an..3	C an..3	
				List of valid codes
				3 IATA (International Air Transport Association)
3222	First related location name	C an..70	N	
C553	Related location two identification	C	C	
3233	Second related location identifier	C an..35	C an..35	
1131	Code list identification code	C an..17	N	
3055	Code list responsible agency code	C an..3	N	
3232	Second related location name	C an..70	N	
5479	Relation code	C an..3	N	

Segment Remarks:**General Notes**

Place of Loading

Message examples:

LOC+9+KHKOS::6:SIHANOUKVILLE+KOS::3+40958::112'

Example:

LOC+9+DEFRA:::Frankfurt am Main+X::3+X'

No = Consecutive segment number
 MaxOcc = Maximum occurrence of the segment/group
 Counter = Counter of segment/group within the standard

DSV public

St = Status
 EDIFACT: M=Mandatory, C=Conditional
 User specific: R=Required, O=Optional, D=Dependent,
 A=Advised, N=Not used



Counter	No	Tag	St	MaxOcc	Level	Name
0530		SG10	C	10	2	LOC-DTM
0550	32	DTM	C	5	3	Date/time/period

Standard			Implementation	
Tag	Name	St Format	St Format	Usage / Remark
DTM				
C507	Date/time/period	M	M	
2005	Date or time or period function code qualifier	M an..3	M an..3	List of valid codes 757 Departure date/time from place of loading 186 Transport means departure date/time, actual
2380	Date or time or period text	C an..35	C an..35	
2379	Date or time or period format code	C an..3	C an..3	List of valid codes 203 CCYYMMDDHHMM

Segment Remarks:**General Notes**

Message examples:

DTM+186:202210071549:204'

DTM+757:202210051600:204'

Example:

DTM+186:201812131000:203'

No = Consecutive segment number
 MaxOcc = Maximum occurrence of the segment/group
 Counter = Counter of segment/group within the standard

DSV public
 Status
 EDIFACT: M=Mandatory, C=Conditional
 User specific: R=Required, O=Optional, D=Dependent,
 A=Advised, N=Not used



Counter	No	Tag	St	MaxOcc	Level	Name
0530		SG10	C	10	2	LOC-DTM
0540	33	LOC	M	1	2	Place/location identification

Standard			Implementation	
Tag	Name	St Format	St Format	Usage / Remark
LOC				
3227	Location function code qualifier	M an..3	M an..3	
				List of valid codes
				8 Place of destination
C517	Location identification	C	C	
3225	Location identifier	C an..35	C an..35	
1131	Code list identification code	C an..17	N	
3055	Code list responsible agency code	C an..3	N	
3224	Location name	C an..256	C an..256	
C519	Related location one identification	C	N	
3223	First related location identifier	C an..35	N	
1131	Code list identification code	C an..17	N	
3055	Code list responsible agency code	C an..3	N	
3222	First related location name	C an..70	N	
C553	Related location two identification	C	N	
3233	Second related location identifier	C an..35	N	
1131	Code list identification code	C an..17	N	
3055	Code list responsible agency code	C an..3	N	
3232	Second related location name	C an..70	N	
5479	Relation code	C an..3	N	

Segment Remarks:**General Notes**

Place of Destination

Message examples:

LOC+8+USLAX::6'

LOC+8+LAX:145:3:LOS ANGELES'

Example:

LOC+8+DEFRA:::Frankfurt am Main'

No = Consecutive segment number
 MaxOcc = Maximum occurrence of the segment/group
 Counter = Counter of segment/group within the standard

DSV public
 Status
 EDIFACT: M=Mandatory, C=Conditional
 User specific: R=Required, O=Optional, D=Dependent,
 A=Advised, N=Not used



Counter	No	Tag	St	MaxOcc	Level	Name
0530		SG10	C	10	2	LOC-DTM
0550	34	DTM	C	5	3	Date/time/period

Standard			Implementation	
Tag	Name	St Format	St Format	Usage / Remark
DTM				
C507	Date/time/period	M	M	
2005	Date or time or period function code qualifier	M an..3	M an..3	
				List of valid codes
				132 Transport means arrival date time, estimated
				178 Transport means arrival date time, actual
2380	Date or time or period text	C an..35	C an..35	
2379	Date or time or period format code	C an..3	C an..3	
				List of valid codes
				203 CCYYMMDDHHMM

Segment Remarks:**General Notes**

Message examples:

DTM+132:202210071549:204'

DTM+178:202210051600:204'

Example:

DTM+132:201812131000:203'

No = Consecutive segment number
 MaxOcc = Maximum occurrence of the segment/group
 Counter = Counter of segment/group within the standard

DSV public

St = Status
 EDIFACT: M=Mandatory, C=Conditional
 User specific: R=Required, O=Optional, D=Dependent,
 A=Advised, N=Not used



Counter	No	Tag	St	MaxOcc	Level	Name
0530		SG10	C	10	2	LOC-DTM
0540	35	LOC	M	1	2	Place/location identification

Standard			Implementation	
Tag	Name	St Format	St Format	Usage / Remark
LOC				
3227	Location function code qualifier	M an..3	M an..3	List of valid codes 5 Place of departure
C517	Location identification	C	C	
3225	Location identifier	C an..35	C an..35	
1131	Code list identification code	C an..17	N	
3055	Code list responsible agency code	C an..3	N	
3224	Location name	C an..256	C an..256	
C519	Related location one identification	C	N	
3223	First related location identifier	C an..35	N	
1131	Code list identification code	C an..17	N	
3055	Code list responsible agency code	C an..3	N	
3222	First related location name	C an..70	N	
C553	Related location two identification	C	N	
3233	Second related location identifier	C an..35	N	
1131	Code list identification code	C an..17	N	
3055	Code list responsible agency code	C an..3	N	
3232	Second related location name	C an..70	N	
5479	Relation code	C an..3	N	

Segment Remarks:**General Notes**

Place of Departure

Message examples:

LOC+5+DKBLL::6'

Example:

LOC+5+DEFRA:::Frankfurt am Main'

No = Consecutive segment number
 MaxOcc = Maximum occurrence of the segment/group
 Counter = Counter of segment/group within the standard

DSV public

St = Status
 EDIFACT: M=Mandatory, C=Conditional
 User specific: R=Required, O=Optional, D=Dependent,
 A=Advised, N=Not used



Counter	No	Tag	St	MaxOcc	Level	Name
0530		SG10	C	10	2	LOC-DTM
0550	36	DTM	C	5	3	Date/time/period

Standard			Implementation	
Tag	Name	St Format	St Format	Usage / Remark
DTM				
C507	Date/time/period	M	M	
2005	Date or time or period function code qualifier	M an..3	M an..3	List of valid codes 136 Transport means departure date time, actual 189 Transport means departure date/time, scheduled
2380	Date or time or period text	C an..35	C an..35	
2379	Date or time or period format code	C an..3	C an..3	List of valid codes 203 CCYYMMDDHHMM

Segment Remarks:**General Notes**

Message examples:

DTM+136:202210071549:204'

DTM+189:202210051600:204'

Example:

DTM+136:201812131000:203'

No = Consecutive segment number
MaxOcc = Maximum occurrence of the segment/group
Counter = Counter of segment/group within the standard

DSV public

St = Status
EDIFACT: M=Mandatory, C=Conditional
User specific: R=Required, O=Optional, D=Dependent,
A=Advised, N=Not used



Counter	No	Tag	St	MaxOcc	Level	Name
0530		SG10	C	10	2	LOC-DTM
0540	37	LOC	M	1	2	Place/location identification

Standard			Implementation	
Tag	Name	St Format	St Format	Usage / Remark
LOC				
3227	Location function code qualifier	M an..3	M an..3	List of valid codes 11 Place of discharge
C517	Location identification	C	C	
3225	Location identifier	C an..35	C an..35	
1131	Code list identification code	C an..17	N	
3055	Code list responsible agency code	C an..3	N	
3224	Location name	C an..256	C an..256	
C519	Related location one identification	C	C	
3223	First related location identifier	C an..35	C an..35	
1131	Code list identification code	C an..17	N	
3055	Code list responsible agency code	C an..3	C an..3	
3222	First related location name	C an..70	N	
C553	Related location two identification	C	C	
3233	Second related location identifier	C an..35	C an..35	
1131	Code list identification code	C an..17	N	
3055	Code list responsible agency code	C an..3	N	
3232	Second related location name	C an..70	N	
5479	Relation code	C an..3	N	

Segment Remarks:**General Notes**

Place of Unloading/Discharge

Message examples:

LOC+11+SGSIN:::SINGAPORE'

Example:

LOC+11+DEFRA:::Frankfurt am Main+X+X'

No = Consecutive segment number
 MaxOcc = Maximum occurrence of the segment/group
 Counter = Counter of segment/group within the standard

DSV public

St = Status
 EDIFACT: M=Mandatory, C=Conditional
 User specific: R=Required, O=Optional, D=Dependent,
 A=Advised, N=Not used



Counter	No	Tag	St	MaxOcc	Level	Name
0530		SG10	C	10	2	LOC-DTM
0550	38	DTM	C	5	3	Date/time/period

Standard			Implementation	
Tag	Name	St Format	St Format	Usage / Remark
DTM				
C507	Date/time/period	M	M	
2005	Date or time or period function code qualifier	M an..3	M an..3	List of valid codes 232 Transport means arrival date/time, scheduled
2380	Date or time or period text	C an..35	C an..35	
2379	Date or time or period format code	C an..3	C an..3	List of valid codes 203 CCYYMMDDHHMM

Segment Remarks:**General Notes**

Message examples:

DTM+232:202210071549:204'

Example:

DTM+232:201812131000:203'

No = Consecutive segment number
 MaxOcc = Maximum occurrence of the segment/group
 Counter = Counter of segment/group within the standard

DSV public

St = Status
 EDIFACT: M=Mandatory, C=Conditional
 User specific: R=Required, O=Optional, D=Dependent,
 A=Advised, N=Not used



Counter	No	Tag	St	MaxOcc	Level	Name
0560		SG11	C	9999	2	RFF
0570	39	RFF	M	1	2	Reference

Standard			Implementation	
Tag	Name	St Format	St Format	Usage / Remark
RFF				
C506	Reference	M	M	
1153	Reference code qualifier	M an..3	M an..3	
				List of valid codes
				AAZ Standard Carrier Alpha Code (SCAC) number
				AFB Cargo manifest number
				MB Master bill of lading number
				TF Transfer number
				TIN Transport instruction number
				VM Vessel identifier
1154	Reference identifier	C an..70	C an..70	
1156	Document line identifier	C an..6	N	
1056	Version identifier	C an..9	N	
1060	Revision identifier	C an..6	N	

Segment Remarks:**General Notes**

Message examples:

RFF+AAZ:123456789'

RFF+AFB:DSV-12345'

RFF+MB:310651'

RFF+TIN:DKHOR-12345'

Example:

RFF+MB:123456789'

No = Consecutive segment number
 MaxOcc = Maximum occurrence of the segment/group
 Counter = Counter of segment/group within the standard

DSV public
 Status
 EDIFACT: M=Mandatory, C=Conditional
 User specific: R=Required, O=Optional, D=Dependent,
 A=Advised, N=Not used



Counter	No	Tag	St	MaxOcc	Level	Name
0590		SG12	C	5	1	TOD-LOC
0600	40	TOD	M	1	1	Terms of delivery or transport

Standard			Implementation	
Tag	Name	St Format	St Format	Usage / Remark
TOD				
4055	Delivery or transport terms function code	C an..3	C an..3	List of valid codes 6 Delivery condition
4215	Transport charges payment method code	C an..3	N	
C100	Terms of delivery or transport	C	C	
4053	Delivery or transport terms description code	C an..3	C an..3	
1131	Code list identification code	C an..17	C an..17	
3055	Code list responsible agency code	C an..3	N	
4052	Delivery or transport terms description	C an..70	N	
4052	Delivery or transport terms description	C an..70	N	

Segment Remarks:**General Notes**

Message examples:

TOD+++EXW'

TOD+++022:ZCT'

Example:

TOD+6++EXW:INCOTERMS'

No = Consecutive segment number
 MaxOcc = Maximum occurrence of the segment/group
 Counter = Counter of segment/group within the standard

DSV public
 Status
 EDIFACT: M=Mandatory, C=Conditional
 User specific: R=Required, O=Optional, D=Dependent,
 A=Advised, N=Not used



Counter	No	Tag	St	MaxOcc	Level	Name
0590		SG12	C	5	1	TOD-LOC
0610	41	LOC	C	2	2	Place/location identification

Standard			Implementation	
Tag	Name	St Format	St Format	Usage / Remark
LOC				
3227	Location function code qualifier	M an..3	M an..3	
				List of valid codes
				1 Place of terms of delivery
C517	Location identification	C	C	
3225	Location identifier	C an..35	N	
1131	Code list identification code	C an..17	N	
3055	Code list responsible agency code	C an..3	N	
3224	Location name	C an..256	C an..256	
C519	Related location one identification	C	N	
3223	First related location identifier	C an..35	N	
1131	Code list identification code	C an..17	N	
3055	Code list responsible agency code	C an..3	N	
3222	First related location name	C an..70	N	
C553	Related location two identification	C	N	
3233	Second related location identifier	C an..35	N	
1131	Code list identification code	C an..17	N	
3055	Code list responsible agency code	C an..3	N	
3232	Second related location name	C an..70	N	
5479	Relation code	C an..3	N	

Segment Remarks:**General Notes**

Message examples:

LOC+1+DKHOR::6:Horsens'

Example:

LOC+1+:::Frankfurt am Main'

No = Consecutive segment number
 MaxOcc = Maximum occurrence of the segment/group
 Counter = Counter of segment/group within the standard

DSV public
 Status
 EDIFACT: M=Mandatory, C=Conditional
 User specific: R=Required, O=Optional, D=Dependent,
 A=Advised, N=Not used



Counter	No	Tag	St	MaxOcc	Level	Name
0620		SG13	C	99	1	EQD-SEL
0630	42	EQD	M	1	1	Equipment details

Standard			Implementation	
Tag	Name	St Format	St Format	Usage / Remark
EQD				
8053	Equipment type code qualifier	M an..3	M an..3	List of valid codes CN Container
C237	Equipment identification	C	C	
8260	Equipment identifier	C an..17	C an..17	
1131	Code list identification code	C an..17	N	
3055	Code list responsible agency code	C an..3	N	
3207	Country identifier	C an..3	N	
C224	Equipment size and type	C	C	
8155	Equipment size and type description code	C an..10	C an..10	
1131	Code list identification code	C an..17	N	
3055	Code list responsible agency code	C an..3	N	
8154	Equipment size and type description	C an..35	C an..35	
8077	Equipment supplier code	C an..3	N	
8249	Equipment status code	C an..3	N	
8169	Full or empty indicator code	C an..3	C an..3	List of valid codes 7 Full, mixed consignment 8 Full, single consignment
4233	Marking instructions code	C an..3	N	

Segment Remarks:**General Notes**

Message examples:

EQD+CN++20GP'

EQD+CN+CAXU7290380+20GP'

EQD+CN+CAXU7290380+20GP:22G0:5'

Example:

EQD+CN+TCLU229803+40HC:::45GO+++8'

No = Consecutive segment number
 MaxOcc = Maximum occurrence of the segment/group
 Counter = Counter of segment/group within the standard

DSV public

St = Status
 EDIFACT: M=Mandatory, C=Conditional
 User specific: R=Required, O=Optional, D=Dependent,
 A=Advised, N=Not used



Counter	No	Tag	St	MaxOcc	Level	Name
0620		SG13	C	99	1	EQD-SEL
0640	43	SEL	C	9	2	Seal number

Standard			Implementation	
Tag	Name	St Format	St Format	Usage / Remark
SEL				
9308	Transport unit seal identifier	C an..35	C an..35	
C215	Seal issuer	C	N	
9303	Sealing party name code	C an..3	N	
1131	Code list identification code	C an..17	N	
3055	Code list responsible agency code	C an..3	N	
9302	Sealing party name	C an..35	N	
4517	Seal condition code	C an..3	N	
C208	Identity number range	C	N	
7402	Object identifier	M an..35	N	
7402	Object identifier	C an..35	N	
4525	Seal type code	C an..3	N	

Segment Remarks:

General Notes

Message example:

SEL+Z12800+SH'

Example:

SEL+DSV123'

No = Consecutive segment number
MaxOcc = Maximum occurrence of the segment/group
Counter = Counter of segment/group within the standard

DSV public
Status
EDIFACT: M=Mandatory, C=Conditional
User specific: R=Required, O=Optional, D=Dependent,
A=Advised, N=Not used



Counter	No	Tag	St	MaxOcc	Level	Name
1160		SG27	C	9999999	1	LIN-IMD-MEA-QTY-DTM-EQD-FTX-SG28-SG31-SG32-SG34-SG35-SG36-SG40-SG46-SG48
1170	44	LIN	M	1	1	Line item

Standard			Implementation	
Tag	Name	St Format	St Format	Usage / Remark
LIN				
1082	Line item identifier	C an..6	C an..6	
1229	Action code	C an..3	N	
C212	Item number identification	C	C	
7140	Item identifier	C an..35	C an..35	
7143	Item type identification code	C an..3	N	
1131	Code list identification code	C an..17	N	
3055	Code list responsible agency code	C an..3	N	
C829	Sub-line information	C	N	
5495	Sub-line indicator code	C an..3	N	
1082	Line item identifier	C an..6	N	
1222	Configuration level number	C n..2	N	
7083	Configuration operation code	C an..3	N	

Segment Remarks:

General Notes

Message examples:

LIN+1++BOG0-Z3362'

Example:

LIN+1++BOG03-Z3362 '

No = Consecutive segment number
MaxOcc = Maximum occurrence of the segment/group
Counter = Counter of segment/group within the standard

DSV public
Status
EDIFACT: M=Mandatory, C=Conditional
User specific: R=Required, O=Optional, D=Dependent,
A=Advised, N=Not used



Counter	No	Tag	St	MaxOcc	Level	Name
1160		SG27	C	9999999	1	LIN-IMD-MEA-QTY-DTM-EQD-FTX-SG28-SG31-SG32-SG34-SG35-SG36-SG40-SG46-SG48
1200	45	IMD	C	99	2	Item description

Standard			Implementation	
Tag	Name	St Format	St Format	Usage / Remark
IMD				
7077	Description format code	C an..3	C an..3	List of valid codes X Semi-structured (code + text)
C272	Item characteristic	C	C	
7081	Item characteristic code	C an..3	C an..3	
1131	Code list identification code	C an..17	N	
3055	Code list responsible agency code	C an..3	N	
C273	Item description	C	C	
7009	Item description code	C an..17	C an..17	
1131	Code list identification code	C an..17	N	
3055	Code list responsible agency code	C an..3	N	
7008	Item description	C an..256	C an..256	
7008	Item description	C an..256	N	
3453	Language name code	C an..3	N	
7383	Surface or layer code	C an..3	N	

Segment Remarks:

General Notes

Message examples:

IMD+X+1+:::Freight'

Example:

IMD+X+1+:::Freight'

No = Consecutive segment number
MaxOcc = Maximum occurrence of the segment/group
Counter = Counter of segment/group within the standard

DSV public
Status
EDIFACT: M=Mandatory, C=Conditional
User specific: R=Required, O=Optional, D=Dependent,
A=Advised, N=Not used



Counter	No	Tag	St	MaxOcc	Level	Name
1160		SG27	C	9999999	1	LIN-IMD-MEA-QTY-DTM-EQD-FTX-SG28-SG31-SG32-SG34-SG35-SG36-SG40-SG46-SG48
1210	46	MEA	C	5	2	Measurements

Standard			Implementation	
Tag	Name	St Format	St Format	Usage / Remark
MEA				
6311	Measurement purpose code qualifier	M an..3	M an..3	List of valid codes WT Weights
C502	Measurement details	C	C	
6313	Measured attribute code	C an..3	C an..3	List of valid codes AAD Consignment gross weight
6321	Measurement significance code	C an..3	N	
6155	Non-discrete measurement name code	C an..17	N	
6154	Non-discrete measurement name	C an..70	N	
C174	Value/range	C	C	
6411	Measurement unit code	M an..8	M an..8	List of valid codes KGM kilogram
6314	Measure	C an..18	C an..18	
6162	Range minimum quantity	C n..18	N	
6152	Range maximum quantity	C n..18	N	
6432	Significant digits quantity	C n..2	N	
7383	Surface or layer code	C an..3	N	

Segment Remarks:**General Notes**

Consignment Gross weight

Message examples:

MEA+WT+AAD+KGM:259'

Example:

MEA+WT+AAD+KGM:100'

No = Consecutive segment number
 MaxOcc = Maximum occurrence of the segment/group
 Counter = Counter of segment/group within the standard

DSV public
 Status
 EDIFACT: M=Mandatory, C=Conditional
 User specific: R=Required, O=Optional, D=Dependent,
 A=Advised, N=Not used



Counter	No	Tag	St	MaxOcc	Level	Name
1160		SG27	C	9999999	1	LIN-IMD-MEA-QTY-DTM-EQD-FTX-SG28-SG31-SG32-SG34-SG35-SG36-SG40-SG46-SG48
1210	47	MEA	C	5	2	Measurements

Standard			Implementation	
Tag	Name	St Format	St Format	Usage / Remark
MEA				
6311	Measurement purpose code qualifier	M an..3	M an..3	List of valid codes WT Weights
C502	Measurement details	C	C	
6313	Measured attribute code	C an..3	C an..3	List of valid codes ACG Chargeable weight
6321	Measurement significance code	C an..3	N	
6155	Non-discrete measurement name code	C an..17	N	
6154	Non-discrete measurement name	C an..70	N	
C174	Value/range	C	C	
6411	Measurement unit code	M an..8	M an..8	List of valid codes KGM kilogram
6314	Measure	C an..18	C an..18	
6162	Range minimum quantity	C n..18	N	
6152	Range maximum quantity	C n..18	N	
6432	Significant digits quantity	C n..2	N	
7383	Surface or layer code	C an..3	N	

Segment Remarks:**General Notes**

Chargeable weight

Message examples:

MEA+WT+ACG+KGM:240'

Example:

MEA+WT+ACG+KGM:100'

No = Consecutive segment number
 MaxOcc = Maximum occurrence of the segment/group
 Counter = Counter of segment/group within the standard

DSV public
 Status
 EDIFACT: M=Mandatory, C=Conditional
 User specific: R=Required, O=Optional, D=Dependent,
 A=Advised, N=Not used



Counter	No	Tag	St	MaxOcc	Level	Name
1160		SG27	C	9999999	1	LIN-IMD-MEA-QTY-DTM-EQD-FTX-SG28-SG31-SG32-SG34-SG35-SG36-SG40-SG46-SG48
1210	48	MEA	C	5	2	Measurements

Standard			Implementation	
Tag	Name	St Format	St Format	Usage / Remark
MEA				
6311	Measurement purpose code qualifier	M an..3	M an..3	List of valid codes VOL Volume
C502	Measurement details	C	N	
6313	Measured attribute code	C an..3	N	
6321	Measurement significance code	C an..3	N	
6155	Non-discrete measurement name code	C an..17	N	
6154	Non-discrete measurement name	C an..70	N	
C174	Value/range	C	C	
6411	Measurement unit code	M an..8	M an..8	List of valid codes MTQ cubic metre
6314	Measure	C an..18	C an..18	
6162	Range minimum quantity	C n..18	N	
6152	Range maximum quantity	C n..18	N	
6432	Significant digits quantity	C n..2	N	
7383	Surface or layer code	C an..3	N	

Segment Remarks:**General Notes**

Volume

Message examples:

MEA+VOL++MTQ:12.096'

Example:

MEA+VOL++MTQ: 23 '

No = Consecutive segment number
 MaxOcc = Maximum occurrence of the segment/group
 Counter = Counter of segment/group within the standard

DSV public
 Status
 EDIFACT: M=Mandatory, C=Conditional
 User specific: R=Required, O=Optional, D=Dependent,
 A=Advised, N=Not used



Counter	No	Tag	St	MaxOcc	Level	Name
1160		SG27	C	9999999	1	LIN-IMD-MEA-QTY-DTM-EQD-FTX-SG28-SG31-SG32-SG34-SG35-SG36-SG40-SG46-SG48
1210	49	MEA	C	5	2	Measurements

Standard			Implementation	
Tag	Name	St Format	St Format	Usage / Remark
MEA				
6311	Measurement purpose code qualifier	M an..3	M an..3	List of valid codes LMT Loading meters
C502	Measurement details	C	N	
6313	Measured attribute code	C an..3	N	
6321	Measurement significance code	C an..3	N	
6155	Non-discrete measurement name code	C an..17	N	
6154	Non-discrete measurement name	C an..70	N	
C174	Value/range	C	C	
6411	Measurement unit code	M an..8	M an..8	List of valid codes MTR metre
6314	Measure	C an..18	C an..18	
6162	Range minimum quantity	C n..18	N	
6152	Range maximum quantity	C n..18	N	
6432	Significant digits quantity	C n..2	N	
7383	Surface or layer code	C an..3	N	

Segment Remarks:**General Notes**

Loading meters

Message examples:

MEA+LMT++MTR:4.8'

Example:

MEA+LMT++MTR:2'

No = Consecutive segment number
 MaxOcc = Maximum occurrence of the segment/group
 Counter = Counter of segment/group within the standard

DSV public
 Status
 EDIFACT: M=Mandatory, C=Conditional
 User specific: R=Required, O=Optional, D=Dependent,
 A=Advised, N=Not used



Counter	No	Tag	St	MaxOcc	Level	Name
1160		SG27	C	9999999	1	LIN-IMD-MEA-QTY-DTM-EQD-FTX-SG28-SG31-SG32-SG34-SG35-SG36-SG40-SG46-SG48
1220	50	QTY	C	5	2	Quantity

Standard			Implementation	
Tag	Name	St Format	St Format	Usage / Remark
QTY				
C186	Quantity details	M	M	
6063	Quantity type code qualifier	M an..3	M an..3	
				List of valid codes
				106 Chargeable number of packages
6060	Quantity	M an..35	M an..35	
6411	Measurement unit code	C an..8	C an..8	
				List of valid codes
				PCE Pieces
				CLL Colli
				CTN Carton
				PLL Pallet

Segment Remarks:

Example:

QTY+106:1:PCE'

No = Consecutive segment number
MaxOcc = Maximum occurrence of the segment/group
Counter = Counter of segment/group within the standard

DSV public

EDIFACT: M=Mandatory, C=Conditional
User specific: R=Required, O=Optional, D=Dependent,
A=Advised, N=Not used



Counter	No	Tag	St	MaxOcc	Level	Name
1160		SG27	C	9999999	1	LIN-IMD-MEA-QTY-DTM-EQD-FTX-SG28-SG31-SG32-SG34-SG35-SG36-SG40-SG46-SG48
1250	51	DTM	C	35	2	Date/time/period

Standard			Implementation	
Tag	Name	St Format	St Format	Usage / Remark
DTM				
C507	Date/time/period	M	M	
2005	Date or time or period function code qualifier	M an..3	M an..3	List of valid codes 2 Delivery date/time, requested 10 Shipment date/time, requested 17 Delivery date/time, estimated 35 Delivery date/time, actual 65 Delivery date/time, 1st schedule 133 Transport means departure date/time, estimated 178 Transport means arrival date time, actual 186 Transport means departure date/time, actual 189 Transport means departure date/time, scheduled 232 Transport means arrival date/time, scheduled 234 Collection date/time, earliest 235 Collection date/time, latest 342 Consignment loading date time 478 Start date or time, scheduled 479 Completion date or time, scheduled 200 Cargo pick-up date / time
2380	Date or time or period text	C an..35	C an..35	
2379	Date or time or period format code	C an..3	C an..3	List of valid codes 203 CCYYMMDDHHMM

Segment Remarks:**General Notes**

Message examples:

DTM+2:202209301500:203'
 DTM+10:202209301500:203'
 DTM+17:202209301500:203'
 DTM+35:202209301500:203'
 DTM+65:202209301500:203'
 DTM+178:202209301500:203'
 DTM+186:202209301500:203'

Example:

DTM+2:201804041000:203'

No = Consecutive segment number
 MaxOcc = Maximum occurrence of the segment/group
 Counter = Counter of segment/group within the standard

DSV public

St = Status
 EDIFACT: M=Mandatory, C=Conditional
 User specific: R=Required, O=Optional, D=Dependent,
 A=Advised, N=Not used



Counter	No	Tag	St	MaxOcc	Level	Name
1160		SG27	C	9999999	1	LIN-IMD-MEA-QTY-DTM-EQD-FTX-SG28-SG31-SG32-SG34-SG35-SG36-SG40-SG46-SG48
1290	52	EQD	C	1	2	Equipment details

Standard			Implementation	
Tag	Name	St Format	St Format	Usage / Remark
EQD				
8053	Equipment type code qualifier	M an..3	M an..3	List of valid codes TE Trailer CN Container
C237	Equipment identification	C	C	
8260	Equipment identifier	C an..17	C an..17	
1131	Code list identification code	C an..17	N	
3055	Code list responsible agency code	C an..3	N	
3207	Country identifier	C an..3	N	
C224	Equipment size and type	C	C	
8155	Equipment size and type description code	C an..10	C an..10	List of valid codes 14 Trailer
1131	Code list identification code	C an..17	N	
3055	Code list responsible agency code	C an..3	C an..3	List of valid codes 5 ISO (International Organization for Standardization)
8154	Equipment size and type description	C an..35	C an..35	
8077	Equipment supplier code	C an..3	N	
8249	Equipment status code	C an..3	N	
8169	Full or empty indicator code	C an..3	C an..3	
4233	Marking instructions code	C an..3	N	

Segment Remarks:**General Notes**

Message examples:

EQD+CN++20GP'

EQD+CN+CAXU7290380+20GP'

EQD+CN+CAXU7290380+20GP:22G0:5'

Example:

EQD+CN+TCLU8092315+40HC::5:LF40+++8'

No = Consecutive segment number
MaxOcc = Maximum occurrence of the segment/group
Counter = Counter of segment/group within the standard

DSV public
Status
EDIFACT: M=Mandatory, C=Conditional
User specific: R=Required, O=Optional, D=Dependent,
A=Advised, N=Not used



Counter	No	Tag	St	MaxOcc	Level	Name
1160		SG27	C	9999999	1	LIN-IMD-MEA-QTY-DTM-EQD-FTX-SG28-SG31-SG32-SG34-SG35-SG36-SG40-SG46-SG48
1300	53	FTX	C	99	2	Free text

Standard			Implementation	
Tag	Name	St Format	St Format	Usage / Remark
FTX				
4451	Text subject code qualifier	M an..3	M an..3	List of valid codes AUY Service characteristic OSI Other service information
4453	Free text function code	C an..3	N	
C107	Text reference	C	N	
4441	Free text description code	M an..17	M N	
1131	Code list identification code	C an..17	N	
3055	Code list responsible agency code	C an..3	N	
C108	Text literal	C	C	
4440	Free text	M an..512	M an..512	
4440	Free text	C an..512	C an..512	
4440	Free text	C an..512	N	
4440	Free text	C an..512	N	
3453	Language name code	C an..3	N	
4447	Free text format code	C an..3	N	

Segment Remarks:**Example:**

FTX+AUY+++Service information:X'

No = Consecutive segment number
 MaxOcc = Maximum occurrence of the segment/group
 Counter = Counter of segment/group within the standard

DSV public
 Status
 EDIFACT: M=Mandatory, C=Conditional
 User specific: R=Required, O=Optional, D=Dependent,
 A=Advised, N=Not used



Counter	No	Tag	St	MaxOcc	Level	Name
1160		SG27	C	9999999	1	LIN-IMD-MEA-QTY-DTM-EQD-FTX-SG28-SG31-SG32-SG34-SG35-SG36-SG40-SG46-SG48
1300	54	FTX	C	99	2	Free text

Standard			Implementation	
Tag	Name	St Format	St Format	Usage / Remark
FTX				
4451	Text subject code qualifier	M an..3	M an..3	List of valid codes AAA Goods item description
4453	Free text function code	C an..3	N	
C107	Text reference	C	N	
4441	Free text description code	M an..17	M N	
1131	Code list identification code	C an..17	N	
3055	Code list responsible agency code	C an..3	N	
C108	Text literal	C	C	
4440	Free text	M an..512	M an..512	General Notes If length from FTX/C1018.4440 in inputfile is more than 512 chars, then rest of it will be put in next /FTX/C108.4440[2-5]. If more than 5x512 chars a new FTX will be created.
4440	Free text	C an..512	C an..512	
4440	Free text	C an..512	C an..512	
4440	Free text	C an..512	C an..512	
4440	Free text	C an..512	C an..512	
3453	Language name code	C an..3	N	
4447	Free text format code	C an..3	N	

Segment Remarks:**General Notes****General Notes**

2023-11-16: New occurrence of FTX+AAA for GoodsDescription has been added. Only available for Single invoice.

If length from FTX/C1018.4440 in inputfile is more than 512 chars, then rest of it will be put in next /FTX/C108.4440[2-5]. If more than 5x512 chars a new FTX will be created.

Example:

FTX+AAA+++Goods description:X:X:X:X'

No = Consecutive segment number
 MaxOcc = Maximum occurrence of the segment/group
 Counter = Counter of segment/group within the standard

DSV public

St = Status
 EDIFACT: M=Mandatory, C=Conditional
 User specific: R=Required, O=Optional, D=Dependent,
 A=Advised, N=Not used



Counter	No	Tag	St	MaxOcc	Level	Name
1320		SG28	C	99	2	MOA
1330	55	MOA	M	1	2	Monetary amount

Standard			Implementation	
Tag	Name	St Format	St Format	Usage / Remark
MOA				
C516	Monetary amount	M	M	
5025	Monetary amount type code qualifier	M an..3	M an..3	
				List of valid codes
				203 Line item amount
5004	Monetary amount	C n..35	C n..35	
6345	Currency identification code	C an..3	C an..3	
6343	Currency type code qualifier	C an..3	C an..3	
				List of valid codes
				4 Invoicing currency
4405	Status description code	C an..3	N	

Segment Remarks:**General Notes**

Total Amounts of Line before ALC in invoicing currency

Message examples:

MOA+203:500:EUR:4'

Example:

MOA+203:9:EUR:4'

No = Consecutive segment number
 MaxOcc = Maximum occurrence of the segment/group
 Counter = Counter of segment/group within the standard

DSV public

St = Status
 EDIFACT: M=Mandatory, C=Conditional
 User specific: R=Required, O=Optional, D=Dependent,
 A=Advised, N=Not used



Counter	No	Tag	St	MaxOcc	Level	Name
1460		SG31	C	10	2	RFF
1470	56	RFF	M	1	2	Reference

Standard			Implementation	
Tag	Name	St Format	St Format	Usage / Remark
RFF				
C506	Reference	M	M	
1153	Reference code qualifier	M an..3	M an..3	
				List of valid codes
				AAM Waybill number
				AAO Consignment identifier, consignee assigned
				AAS Transport contract document identifier
				ABE Declarant's reference number
				AFB Cargo manifest number
				AGE Agent's reference
				AWH Category of work reference
				AWM Service category reference
				BH House bill of lading number
				CG Consignee's order number
				CR Customer reference number
				CRN Transport means journey identifier
				EXT Customers External Reference Number
				MB Master bill of lading number
				OH Current invoice number
				OR General order number
				SRN Shipment reference number
				TIN Transport instruction number
				ZEX DSV Exchange Rate
				ZLA DSV Language Code
				ZUS DSV USD to EUR Exchange Rate
1154	Reference identifier	C an..70	C an..70	
1156	Document line identifier	C an..6	N	
1056	Version identifier	C an..9	N	
1060	Revision identifier	C an..6	N	

Segment Remarks:**General Notes**

Message examples:

RFF+AAS:6982842384'

RFF+AAM:310651'

RFF+AFB:DSV-12345'

RFF+BH:DSV1234567'

RFF+CRN:321654'

RFF+MB:310651'

RFF+SRN:69828423841234567'

Example:

RFF+SRN:123456789'

No = Consecutive segment number
 MaxOcc = Maximum occurrence of the segment/group
 Counter = Counter of segment/group within the standard

DSV public

EDIFACT: M=Mandatory, C=Conditional
 User specific: R=Required, O=Optional, D=Dependent,
 A=Advised, N=Not used



Counter	No	Tag	St	MaxOcc	Level	Name
1460		SG31	C	10	2	RFF
1470	57	RFF	M	1	2	Reference

Standard			Implementation	
Tag	Name	St Format	St Format	Usage / Remark
RFF				
C506	Reference	M	M	
1153	Reference code qualifier	M an..3	M an..3	
				List of valid codes
				CU Consignment identifier, consignor assigned
				ZCU DSV Order reference
1154	Reference identifier	C an..70	C an..70	
1156	Document line identifier	C an..6	N	
1056	Version identifier	C an..9	N	
1060	Revision identifier	C an..6	N	

Segment Remarks:**General Notes**

Message examples:

RFF+CU:1234567'

Example:

RFF+CU:123456789'

No = Consecutive segment number
 MaxOcc = Maximum occurrence of the segment/group
 Counter = Counter of segment/group within the standard

DSV public
 Status
 EDIFACT: M=Mandatory, C=Conditional
 User specific: R=Required, O=Optional, D=Dependent,
 A=Advised, N=Not used



Counter	No	Tag	St	MaxOcc	Level	Name
1490		SG32	C	10	2	PAC-SG33
1500	58	PAC	M	1	2	Package

Standard			Implementation	
Tag	Name	St Format	St Format	Usage / Remark
PAC				
7224	Package quantity	C n..8	C n..8	
C531	Packaging details	C	N	
7075	Packaging level code	C an..3	N	
7233	Packaging related description code	C an..3	N	
7073	Packaging terms and conditions code	C an..3	N	
C202	Package type	C	C	
7065	Package type description code	C an..17	C an..17	
1131	Code list identification code	C an..17	N	
3055	Code list responsible agency code	C an..3	N	
7064	Type of packages	C an..35	N	
C402	Package type identification	C	N	
7077	Description format code	M an..3	N	
7064	Type of packages	M an..35	N	
7143	Item type identification code	C an..3	N	
7064	Type of packages	C an..35	N	
7143	Item type identification code	C an..3	N	
C532	Returnable package details	C	N	
8395	Returnable package freight payment responsibility code	C an..3	N	
8393	Returnable package load contents code	C an..3	N	

Segment Remarks:**General Notes**

Message examples:

PAC+9++PCE'

Example:

PAC+9++PCE'

No = Consecutive segment number
 MaxOcc = Maximum occurrence of the segment/group
 Counter = Counter of segment/group within the standard

DSV public

St = Status
 EDIFACT: M=Mandatory, C=Conditional
 User specific: R=Required, O=Optional, D=Dependent,
 A=Advised, N=Not used



Counter	No	Tag	St	MaxOcc	Level	Name
1530		SG33	C	10	3	PCI
1540	59	PCI	M	1	3	Package identification

Standard			Implementation	
Tag	Name	St Format	St Format	Usage / Remark
PCI				
4233	Marking instructions code	C an..3	C an..3	List of valid codes 24 Shipper assigned
C210	Marks & labels	C	C	
7102	Shipping marks description	M an..35	M an..35	
7102	Shipping marks description	C an..35	N	
7102	Shipping marks description	C an..35	N	
7102	Shipping marks description	C an..35	N	
7102	Shipping marks description	C an..35	N	
7102	Shipping marks description	C an..35	N	
7102	Shipping marks description	C an..35	N	
7102	Shipping marks description	C an..35	N	
7102	Shipping marks description	C an..35	N	
8169	Full or empty indicator code	C an..3	N	
C827	Type of marking	C	N	
7511	Marking type code	M an..3	N	
1131	Code list identification code	C an..17	N	
3055	Code list responsible agency code	C an..3	N	

Segment Remarks:

General Notes

Message examples:

PCI+24+ref1:ref2:ref3:ref4:ref5:ref6:ref7:ref8:ref9:ref10'

PCI+24+ref1:ref2:ref3'

Example:

PCI+24+123456789'

No = Consecutive segment number
MaxOcc = Maximum occurrence of the segment/group
Counter = Counter of segment/group within the standard

DSV public
Status
EDIFACT: M=Mandatory, C=Conditional
User specific: R=Required, O=Optional, D=Dependent,
A=Advised, N=Not used



Counter	No	Tag	St	MaxOcc	Level	Name
1580		SG34	C	9999	2	LOC
1590	60	LOC	M	1	2	Place/location identification

Standard			Implementation	
Tag	Name	St Format	St Format	Usage / Remark
LOC				
3227	Location function code qualifier	M an..3	M an..3	
				List of valid codes
				8 Place of destination
C517	Location identification	C	C	
3225	Location identifier	C an..35	C an..35	
1131	Code list identification code	C an..17	N	
3055	Code list responsible agency code	C an..3	C an..3	
				List of valid codes
				3 IATA (International Air Transport Association)
				6 UN/ECE (United Nations - Economic Commission for Europe)
3224	Location name	C an..256	C an..256	
C519	Related location one identification	C	N	
3223	First related location identifier	C an..35	N	
1131	Code list identification code	C an..17	N	
3055	Code list responsible agency code	C an..3	N	
3222	First related location name	C an..70	N	
C553	Related location two identification	C	N	
3233	Second related location identifier	C an..35	N	
1131	Code list identification code	C an..17	N	
3055	Code list responsible agency code	C an..3	N	
3232	Second related location name	C an..70	N	
5479	Relation code	C an..3	N	

Segment Remarks:**General Notes**

Place of Destination

Message examples:

LOC+8+USLAX::6'

LOC+8+LAX:145:3:LOS ANGELES'

Example:

LOC+8+FMRS::6:MARSEILLE'

No = Consecutive segment number
 MaxOcc = Maximum occurrence of the segment/group
 Counter = Counter of segment/group within the standard

DSV public
 Status
 EDIFACT: M=Mandatory, C=Conditional
 User specific: R=Required, O=Optional, D=Dependent,
 A=Advised, N=Not used



Counter	No	Tag	St	MaxOcc	Level	Name
1580		SG34	C	9999	2	LOC
1590	61	LOC	M	1	2	Place/location identification

Standard			Implementation	
Tag	Name	St Format	St Format	Usage / Remark
LOC				
3227	Location function code qualifier	M an..3	M an..3	
				List of valid codes
				5 Place of departure
C517	Location identification	C	C	
3225	Location identifier	C an..35	C an..35	
1131	Code list identification code	C an..17	N	
3055	Code list responsible agency code	C an..3	C an..3	
				List of valid codes
				3 IATA (International Air Transport Association)
				6 UN/ECE (United Nations - Economic Commission for Europe)
3224	Location name	C an..256	C an..256	
C519	Related location one identification	C	N	
3223	First related location identifier	C an..35	N	
1131	Code list identification code	C an..17	N	
3055	Code list responsible agency code	C an..3	N	
3222	First related location name	C an..70	N	
C553	Related location two identification	C	N	
3233	Second related location identifier	C an..35	N	
1131	Code list identification code	C an..17	N	
3055	Code list responsible agency code	C an..3	N	
3232	Second related location name	C an..70	N	
5479	Relation code	C an..3	N	

Segment Remarks:**General Notes**

Place of Departure

Message examples:

LOC+5+DKBLL::6'

Example:

LOC+5+DKCPH:::COPENHAGEN'

No = Consecutive segment number
 MaxOcc = Maximum occurrence of the segment/group
 Counter = Counter of segment/group within the standard

DSV public

EDIFACT: M=Mandatory, C=Conditional
 User specific: R=Required, O=Optional, D=Dependent,
 A=Advised, N=Not used



Counter	No	Tag	St	MaxOcc	Level	Name
1580		SG34	C	9999	2	LOC
1590	62	LOC	M	1	2	Place/location identification

Standard			Implementation	
Tag	Name	St Format	St Format	Usage / Remark
LOC				
3227	Location function code qualifier	M an..3	M an..3	
				List of valid codes
				9 Place of loading
C517	Location identification	C	C	
3225	Location identifier	C an..35	C an..35	
1131	Code list identification code	C an..17	N	
3055	Code list responsible agency code	C an..3	C an..3	
				List of valid codes
				3 IATA (International Air Transport Association)
				6 UN/ECE (United Nations - Economic Commission for Europe)
3224	Location name	C an..256	C an..256	
C519	Related location one identification	C	C	
3223	First related location identifier	C an..35	C an..35	
1131	Code list identification code	C an..17	N	
3055	Code list responsible agency code	C an..3	C an..3	
3222	First related location name	C an..70	N	
C553	Related location two identification	C	C	
3233	Second related location identifier	C an..35	C an..35	
1131	Code list identification code	C an..17	N	
3055	Code list responsible agency code	C an..3	N	
3232	Second related location name	C an..70	N	
5479	Relation code	C an..3	N	

Segment Remarks:**General Notes**

Place of Loading

Message examples:

LOC+9+KHKOS::6:SIHANOUKVILLE+KOS::3+40958::112'

Example:

LOC+9+DKHOR:::HORSENS+HOR:::3+40914'

No = Consecutive segment number
 MaxOcc = Maximum occurrence of the segment/group
 Counter = Counter of segment/group within the standard

DSV public

EDIFACT: M=Mandatory, C=Conditional
 User specific: R=Required, O=Optional, D=Dependent,
 A=Advised, N=Not used



Counter	No	Tag	St	MaxOcc	Level	Name
1580		SG34	C	9999	2	LOC
1590	63	LOC	M	1	2	Place/location identification

Standard			Implementation	
Tag	Name	St Format	St Format	Usage / Remark
LOC				
3227	Location function code qualifier	M an..3	M an..3	
				List of valid codes
				11 Place of discharge
C517	Location identification	C	C	
3225	Location identifier	C an..35	C an..35	
1131	Code list identification code	C an..17	N	
3055	Code list responsible agency code	C an..3	C an..3	
				List of valid codes
				3 IATA (International Air Transport Association)
				6 UN/ECE (United Nations - Economic Commission for Europe)
3224	Location name	C an..256	C an..256	
C519	Related location one identification	C	C	
3223	First related location identifier	C an..35	C an..35	
1131	Code list identification code	C an..17	N	
3055	Code list responsible agency code	C an..3	C an..3	
3222	First related location name	C an..70	N	
C553	Related location two identification	C	C	
3233	Second related location identifier	C an..35	C an..35	
1131	Code list identification code	C an..17	N	
3055	Code list responsible agency code	C an..3	N	
3232	Second related location name	C an..70	N	
5479	Relation code	C an..3	N	

Segment Remarks:**General Notes**

Place of Unloading/Discharge

Message examples:

LOC+11+SGSIN::SINGAPORE'

Example:

LOC+11+FRMRS::MARSEILLE+MRS::3+42782'

No = Consecutive segment number
 MaxOcc = Maximum occurrence of the segment/group
 Counter = Counter of segment/group within the standard

DSV public

EDIFACT: M=Mandatory, C=Conditional
 User specific: R=Required, O=Optional, D=Dependent,
 A=Advised, N=Not used



Counter	No	Tag	St	MaxOcc	Level	Name
1620		SG35	C	99	2	TAX-MOA
1630	64	TAX	M	1	2	Duty/tax/fee details

Standard			Implementation	
Tag	Name	St Format	St Format	Usage / Remark
TAX				
5283	Duty or tax or fee function code qualifier	M an..3	M an..3	List of valid codes 7 Tax
C241	Duty/tax/fee type	C	C	
5153	Duty or tax or fee type name code	C an..3	C an..3	General Notes Maybe all taxes can be used by Air / Sea List of valid codes VAT Value added tax
1131	Code list identification code	C an..17	N	
3055	Code list responsible agency code	C an..3	N	
5152	Duty or tax or fee type name	C an..35	N	
C533	Duty/tax/fee account detail	C	N	
5289	Duty or tax or fee account code	M an..6	N	
1131	Code list identification code	C an..17	N	
3055	Code list responsible agency code	C an..3	N	
5286	Duty or tax or fee assessment basis quantity	C an..15	N	
C243	Duty/tax/fee detail	C	C	
5279	Duty or tax or fee rate code	C an..7	N	
1131	Code list identification code	C an..17	N	
3055	Code list responsible agency code	C an..3	N	
5278	Duty or tax or fee rate	C an..17	C an..17	
5273	Duty or tax or fee rate basis code	C an..12	N	
1131	Code list identification code	C an..17	N	
3055	Code list responsible agency code	C an..3	N	
5305	Duty or tax or fee category code	C an..3	C an..3	List of valid codes E Exempt from tax S Standard rate Z Zero rated goods
3446	Party tax identifier	C an..20	N	
1227	Calculation sequence code	C an..3	N	
5307	Tax or duty or fee payment due date code	C an..3	N	

No = Consecutive segment number
 MaxOcc = Maximum occurrence of the segment/group
 Counter = Counter of segment/group within the standard

DSV public
 Status
 EDIFACT: M=Mandatory, C=Conditional
 User specific: R=Required, O=Optional, D=Dependent,
 A=Advised, N=Not used



Segment Remarks:

General Notes

Message examples:

TAX+7+VAT+++:::25.00+S'

Example:

TAX+7+VAT+++:::25.00+S'

No = Consecutive segment number
MaxOcc = Maximum occurrence of the segment/group
Counter = Counter of segment/group within the standard

DSV public
SYN Status
EDIFACT: M=Mandatory, C=Conditional
User specific: R=Required, O=Optional, D=Dependent,
A=Advised, N=Not used



Counter	No	Tag	St	MaxOcc	Level	Name
1620		SG35	C	99	2	TAX-MOA
1640	65	MOA	C	2	3	Monetary amount

Standard			Implementation	
Tag	Name	St Format	St Format	Usage / Remark
MOA				
C516	Monetary amount	M	M	
5025	Monetary amount type code qualifier	M an..3	M an..3	
				List of valid codes
				124 Tax amount
5004	Monetary amount	C n..35	C n..35	
6345	Currency identification code	C an..3	C an..3	
6343	Currency type code qualifier	C an..3	C an..3	
				List of valid codes
				4 Invoicing currency
4405	Status description code	C an..3	N	

Segment Remarks:**General Notes**

LineTaxAmount in invoicing currency

Message examples:

MOA+124:500:EUR:4'

Example:

MOA+124:99.99:EUR:4'

No = Consecutive segment number
 MaxOcc = Maximum occurrence of the segment/group
 Counter = Counter of segment/group within the standard

DSV public
 Status
 EDIFACT: M=Mandatory, C=Conditional
 User specific: R=Required, O=Optional, D=Dependent,
 A=Advised, N=Not used



Counter	No	Tag	St	MaxOcc	Level	Name
1660		SG36	C	99	2	NAD
1670	66	NAD	M	1	2	Name and address

Standard			Implementation	
Tag	Name	St Format	St Format	Usage / Remark
NAD				
3035	Party function code qualifier	M an..3	M an..3	List of valid codes CN Consignee CZ Consignor DP Delivery party PW Despatch party
C082	Party identification details	C	C	
3039	Party identifier	M an..35	M an..35	
1131	Code list identification code	C an..17	N	
3055	Code list responsible agency code	C an..3	N	
C058	Name and address	C	N	
3124	Name and address description	M an..35	N	
3124	Name and address description	C an..35	N	
3124	Name and address description	C an..35	N	
3124	Name and address description	C an..35	N	
3124	Name and address description	C an..35	N	
C080	Party name	C	C	
3036	Party name	M an..70	M an..70	
3036	Party name	C an..70	N	
3036	Party name	C an..70	N	
3036	Party name	C an..70	N	
3036	Party name	C an..70	N	
3045	Party name format code	C an..3	N	
C059	Street	C	C	
3042	Street and number or post office box identifier	M an..35	M an..35	
3042	Street and number or post office box identifier	C an..35	C an..35	
3042	Street and number or post office box identifier	C an..35	C an..35	
3042	Street and number or post office box identifier	C an..35	N	
3164	City name	C an..35	C an..35	
C819	Country subdivision details	C	C	
3229	Country subdivision identifier	C an..9	C an..9	
1131	Code list identification code	C an..17	N	
3055	Code list responsible agency code	C an..3	N	
3228	Country subdivision name	C an..70	N	
3251	Postal identification code	C an..17	C an..17	
3207	Country identifier	C an..3	C an..3	

Segment Remarks:

General Notes

No = Consecutive segment number
 MaxOcc = Maximum occurrence of the segment/group
 Counter = Counter of segment/group within the standard

DSV public
 Status
 EDIFACT: M=Mandatory, C=Conditional
 User specific: R=Required, O=Optional, D=Dependent,
 A=Advised, N=Not used



Message examples:

NAD+CN+123456789::91++Consignee+West street 10+CITY++134408+XX'
NAD+CZ+987654321::87++Consignor+East street 5+CITY++12345+XX'
NAD+DP+123456789::91++Delivery party+North street 4+CITY++134408+XX'
NAD+PW+987654321::87++Pickup party+South street 2+CITY++12345+XX'

Example:

NAD+CN+123456789++Consignor+North street:Warehouse 2+PARIS+SP+8260+FR'

No = Consecutive segment number
MaxOcc = Maximum occurrence of the segment/group
Counter = Counter of segment/group within the standard

DSV public
S1 = Status
EDIFACT: M=Mandatory, C=Conditional
User specific: R=Required, O=Optional, D=Dependent,
A=Advised, N=Not used



Counter	No	Tag	St	MaxOcc	Level	Name
1790		SG40	C	30	2	ALC-SG43-SG44-SG45
1800	67	ALC	M	1	2	Allowance or charge

Standard			Implementation	
Tag	Name	St Format	St Format	Usage / Remark
ALC				
5463	Allowance or charge code qualifier	M an..3	M an..3	List of valid codes A Allowance C Charge
C552	Allowance/charge information	C	C	
1230	Allowance or charge identifier	C an..35	C an..35	
5189	Allowance or charge identification code	C an..3	N	
4471	Settlement means code	C an..3	N	
1227	Calculation sequence code	C an..3	N	
C214	Special services identification	C	C	
7161	Special service description code	C an..3	C an..3	
1131	Code list identification code	C an..17	N	
3055	Code list responsible agency code	C an..3	N	
7160	Special service description	C an..35	C an..35	
7160	Special service description	C an..35	N	

Segment Remarks:**General Notes**

Message examples:

ALC+A+0112:+++FRT:::Freight'

ALC+C+0112:+++FRT:::Freight'

Example:

ALC+A+0112+++FRT:::Freight'

No = Consecutive segment number
 MaxOcc = Maximum occurrence of the segment/group
 Counter = Counter of segment/group within the standard

DSV public

St = Status
 EDIFACT: M=Mandatory, C=Conditional
 User specific: R=Required, O=Optional, D=Dependent,
 A=Advised, N=Not used



Counter	No	Tag	St	MaxOcc	Level	Name
1900		SG43	C	2	3	MOA-CUX
1910	68	MOA	M	1	3	Monetary amount

Standard			Implementation	
Tag	Name	St Format	St Format	Usage / Remark
MOA				
C516	Monetary amount	M	M	
5025	Monetary amount type code qualifier	M an..3	M an..3	
				List of valid codes
				8 Allowance or charge amount
5004	Monetary amount	C n..35	C n..35	
6345	Currency identification code	C an..3	C an..3	
6343	Currency type code qualifier	C an..3	C an..3	
				List of valid codes
				4 Invoicing currency
4405	Status description code	C an..3	N	

Segment Remarks:

General Notes

Amount excl tax in invoicing currency.

Message examples:

MOA+8:500:EUR:4'

Example:

MOA+8:1000:EUR:4'

No = Consecutive segment number
MaxOcc = Maximum occurrence of the segment/group
Counter = Counter of segment/group within the standard

DSV public
St = Status
EDIFACT: M=Mandatory, C=Conditional
User specific: R=Required, O=Optional, D=Dependent,
A=Advised, N=Not used



Counter	No	Tag	St	MaxOcc	Level	Name
1900		SG43	C	2	3	MOA-CUX
1930	69	CUX	C	1	4	Currencies

Standard			Implementation	
Tag	Name	St Format	St Format	Usage / Remark
CUX				
C504	Currency details	C	C	
6347	Currency usage code qualifier	M an..3	M an..3	List of valid codes 2 Reference currency
6345	Currency identification code	C an..3	C an..3	
6343	Currency type code qualifier	C an..3	C an..3	List of valid codes 4 Invoicing currency
6348	Currency rate	C n..4	N	
C504	Currency details	C	C	
6347	Currency usage code qualifier	M an..3	M an..3	List of valid codes 3 Target currency
6345	Currency identification code	C an..3	C an..3	
6343	Currency type code qualifier	C an..3	C an..3	List of valid codes 3 Home currency
6348	Currency rate	C n..4	N	
5402	Currency exchange rate	C n..12	C n..12	
6341	Exchange rate currency market identifier	C an..3	N	

Segment Remarks:**General Notes**

Message examples:

CUX+2:DKK:10+3:EUR:11+0.75'

Example:

CUX+2:EUR:4+3:SEK:3+0.80'

No = Consecutive segment number
 MaxOcc = Maximum occurrence of the segment/group
 Counter = Counter of segment/group within the standard

DSV public

St = Status

EDIFACT: M=Mandatory, C=Conditional

User specific: R=Required, O=Optional, D=Dependent,

A=Advised, N=Not used



Counter	No	Tag	St	MaxOcc	Level	Name
1900		SG43	C	2	3	MOA-CUX
1910	70	MOA	M	1	3	Monetary amount

Standard			Implementation	
Tag	Name	St Format	St Format	Usage / Remark
MOA				
C516	Monetary amount	M	M	
5025	Monetary amount type code qualifier	M an..3	M an..3	
				List of valid codes
				10 Amount in charge currency
5004	Monetary amount	C n..35	C n..35	
6345	Currency identification code	C an..3	C an..3	
6343	Currency type code qualifier	C an..3	C an..3	
				List of valid codes
				17 Charge calculation currency
4405	Status description code	C an..3	N	

Segment Remarks:

General Notes

Amount excl tax in charge/original currency.

Message examples:

MOA+10:500:EUR:4'

Example:

MOA+10:1000:EUR:17'

No = Consecutive segment number
MaxOcc = Maximum occurrence of the segment/group
Counter = Counter of segment/group within the standard

DSV public
St = Status
EDIFACT: M=Mandatory, C=Conditional
User specific: R=Required, O=Optional, D=Dependent,
A=Advised, N=Not used



Counter	No	Tag	St	MaxOcc	Level	Name
1900		SG43	C	2	3	MOA-CUX
1930	71	CUX	C	1	4	Currencies

Standard			Implementation	
Tag	Name	St Format	St Format	Usage / Remark
CUX				
C504	Currency details	C	C	
6347	Currency usage code qualifier	M an..3	M an..3	List of valid codes 2 Reference currency
6345	Currency identification code	C an..3	C an..3	
6343	Currency type code qualifier	C an..3	C an..3	List of valid codes 4 Invoicing currency
6348	Currency rate	C n..4	N	
C504	Currency details	C	C	
6347	Currency usage code qualifier	M an..3	M an..3	List of valid codes 3 Target currency
6345	Currency identification code	C an..3	C an..3	
6343	Currency type code qualifier	C an..3	C an..3	List of valid codes 17 Charge calculation currency
6348	Currency rate	C n..4	N	
5402	Currency exchange rate	C n..12	C n..12	
6341	Exchange rate currency market identifier	C an..3	N	

Segment Remarks:**General Notes**

Message examples:

CUX+2:DKK:4+3:EUR:17+0.75'

Example:

CUX+2:EUR:4+3:DKK:17+0.80'

No = Consecutive segment number
 MaxOcc = Maximum occurrence of the segment/group
 Counter = Counter of segment/group within the standard

DSV public

St = Status
 EDIFACT: M=Mandatory, C=Conditional
 User specific: R=Required, O=Optional, D=Dependent,
 A=Advised, N=Not used



Counter	No	Tag	St	MaxOcc	Level	Name
1900		SG43	C	2	3	MOA-CUX
1910	72	MOA	M	1	3	Monetary amount

Standard			Implementation	
Tag	Name	St Format	St Format	Usage / Remark
MOA				
C516	Monetary amount	M	M	
5025	Monetary amount type code qualifier	M an..3	M an..3	
				List of valid codes
				27 Charges in destination currency
5004	Monetary amount	C n..35	C n..35	
6345	Currency identification code	C an..3	C an..3	
6343	Currency type code qualifier	C an..3	C an..3	
				List of valid codes
				3 Home currency
4405	Status description code	C an..3	N	

Segment Remarks:

General Notes

Local amount excl tax in home currency.

Message examples:

MOA+27:500:EUR:4'

Example:

MOA+27:1000:EUR:3'

No = Consecutive segment number
MaxOcc = Maximum occurrence of the segment/group
Counter = Counter of segment/group within the standard

DSV public
St = Status
EDIFACT: M=Mandatory, C=Conditional
User specific: R=Required, O=Optional, D=Dependent,
A=Advised, N=Not used



Counter	No	Tag	St	MaxOcc	Level	Name
1900		SG43	C	2	3	MOA-CUX
1930	73	CUX	C	1	4	Currencies

Standard			Implementation	
Tag	Name	St Format	St Format	Usage / Remark
CUX				
C504	Currency details	C	C	
6347	Currency usage code qualifier	M an..3	M an..3	List of valid codes 2 Reference currency
6345	Currency identification code	C an..3	C an..3	
6343	Currency type code qualifier	C an..3	C an..3	List of valid codes 4 Invoicing currency
6348	Currency rate	C n..4	N	
C504	Currency details	C	C	
6347	Currency usage code qualifier	M an..3	M an..3	List of valid codes 3 Target currency
6345	Currency identification code	C an..3	C an..3	
6343	Currency type code qualifier	C an..3	C an..3	List of valid codes 3 Home currency
6348	Currency rate	C n..4	N	
5402	Currency exchange rate	C n..12	C n..12	
6341	Exchange rate currency market identifier	C an..3	N	

Segment Remarks:**General Notes**

Message examples:

CUX+2:DKK:10+3:EUR:11+0.75'

Example:

CUX+2:EUR:4+3:SEK:3+0.80'

No = Consecutive segment number
 MaxOcc = Maximum occurrence of the segment/group
 Counter = Counter of segment/group within the standard

DSV public

St = Status

EDIFACT: M=Mandatory, C=Conditional

User specific: R=Required, O=Optional, D=Dependent,

A=Advised, N=Not used



Counter	No	Tag	St	MaxOcc	Level	Name
1950		SG44	C	1	3	RTE
1960	74	RTE	M	1	3	Rate details

Standard			Implementation	
Tag	Name	St Format	St Format	Usage / Remark
RTE				
C128	Rate details	M	M	
5419	Rate type code qualifier	M an..3	M an..3	
				List of valid codes
				ZSX SystemExchangeRate (DSV defined code)
5420	Unit price basis rate	M n..15	M n..15	
5284	Unit price basis quantity	C n..9	N	
6411	Measurement unit code	C an..8	N	
4405	Status description code	C an..3	N	

Segment Remarks:

General Notes

SystemExchange rate

Message examples:

RTE+ZSX:0.8'

Example:

RTE+ZSX:0.8'

No = Consecutive segment number
MaxOcc = Maximum occurrence of the segment/group
Counter = Counter of segment/group within the standard

DSV public
St = Status
EDIFACT: M=Mandatory, C=Conditional
User specific: R=Required, O=Optional, D=Dependent,
A=Advised, N=Not used



Counter	No	Tag	St	MaxOcc	Level	Name
1980		SG45	C	5	3	TAX-MOA
1990	75	TAX	M	1	3	Duty/tax/fee details

Standard			Implementation	
Tag	Name	St Format	St Format	Usage / Remark
TAX				
5283	Duty or tax or fee function code qualifier	M an..3	M an..3	
				List of valid codes
				7 Tax
				9 Tax related information
C241	Duty/tax/fee type	C	C	
5153	Duty or tax or fee type name code	C an..3	C an..3	
				List of valid codes
				VAT Value added tax
1131	Code list identification code	C an..17	N	
3055	Code list responsible agency code	C an..3	N	
5152	Duty or tax or fee type name	C an..35	C an..35	
C533	Duty/tax/fee account detail	C	N	
5289	Duty or tax or fee account code	M an..6	N	
1131	Code list identification code	C an..17	N	
3055	Code list responsible agency code	C an..3	N	
5286	Duty or tax or fee assessment basis quantity	C an..15	C an..15	
C243	Duty/tax/fee detail	C	C	
5279	Duty or tax or fee rate code	C an..7	C an..7	
1131	Code list identification code	C an..17	N	
3055	Code list responsible agency code	C an..3	N	
5278	Duty or tax or fee rate	C an..17	C an..17	
5273	Duty or tax or fee rate basis code	C an..12	N	
1131	Code list identification code	C an..17	N	
3055	Code list responsible agency code	C an..3	N	
5305	Duty or tax or fee category code	C an..3	C an..3	
				List of valid codes
				S Standard rate
				Z Zero rated goods
3446	Party tax identifier	C an..20	N	
1227	Calculation sequence code	C an..3	N	
5307	Tax or duty or fee payment due date code	C an..3	N	

No = Consecutive segment number
 MaxOcc = Maximum occurrence of the segment/group
 Counter = Counter of segment/group within the standard

DSV public
 Status
 EDIFACT: M=Mandatory, C=Conditional
 User specific: R=Required, O=Optional, D=Dependent,
 A=Advised, N=Not used



Segment Remarks:

General Notes

Message examples:

TAX+7+VAT+++:::25.00+S'

Example:

TAX+7+VAT:::250++DICH.INT+X:::25+S'

No = Consecutive segment number
MaxOcc = Maximum occurrence of the segment/group
Counter = Counter of segment/group within the standard

DSV public
SYN Status
EDIFACT: M=Mandatory, C=Conditional
User specific: R=Required, O=Optional, D=Dependent,
A=Advised, N=Not used



Counter	No	Tag	St	MaxOcc	Level	Name
1980		SG45	C	5	3	TAX-MOA
2000	76	MOA	C	2	4	Monetary amount

Standard			Implementation	
Tag	Name	St Format	St Format	Usage / Remark
MOA				
C516	Monetary amount	M	M	
5025	Monetary amount type code qualifier	M an..3	M an..3	
				List of valid codes
				124 Tax amount
5004	Monetary amount	C n..35	C n..35	
6345	Currency identification code	C an..3	C an..3	
6343	Currency type code qualifier	C an..3	C an..3	
				List of valid codes
				4 Invoicing currency
4405	Status description code	C an..3	N	

Segment Remarks:

General Notes

TaxAmount in invoicing currency.

Message examples:

MOA+124:500:EUR:4'

Example:

MOA+124:250:EUR:4'

No = Consecutive segment number
MaxOcc = Maximum occurrence of the segment/group
Counter = Counter of segment/group within the standard

DSV public
St = Status
EDIFACT: M=Mandatory, C=Conditional
User specific: R=Required, O=Optional, D=Dependent,
A=Advised, N=Not used



Counter	No	Tag	St	MaxOcc	Level	Name
1980		SG45	C	5	3	TAX-MOA
2000	77	MOA	C	2	4	Monetary amount

Standard			Implementation	
Tag	Name	St Format	St Format	Usage / Remark
MOA				
C516	Monetary amount	M	M	
5025	Monetary amount type code qualifier	M an..3	M an..3	
				List of valid codes
				124 Tax amount
5004	Monetary amount	C n..35	C n..35	
6345	Currency identification code	C an..3	C an..3	
6343	Currency type code qualifier	C an..3	C an..3	
				List of valid codes
				17 Charge calculation currency
4405	Status description code	C an..3	N	

Segment Remarks:**General Notes**

TaxAmount in charge/original currency.

Message examples:

MOA+124:500:EUR:17'

Example:

MOA+124:250:EUR:17'

No = Consecutive segment number
 MaxOcc = Maximum occurrence of the segment/group
 Counter = Counter of segment/group within the standard

DSV public
 Status
 EDIFACT: M=Mandatory, C=Conditional
 User specific: R=Required, O=Optional, D=Dependent,
 A=Advised, N=Not used



Counter	No	Tag	St	MaxOcc	Level	Name
1980		SG45	C	5	3	TAX-MOA
2000	78	MOA	C	2	4	Monetary amount

Standard			Implementation	
Tag	Name	St Format	St Format	Usage / Remark
MOA				
C516	Monetary amount	M	M	
5025	Monetary amount type code qualifier	M an..3	M an..3	
				List of valid codes
				124 Tax amount
5004	Monetary amount	C n..35	C n..35	
6345	Currency identification code	C an..3	C an..3	
6343	Currency type code qualifier	C an..3	C an..3	
				List of valid codes
				3 Home currency
4405	Status description code	C an..3	N	

Segment Remarks:**General Notes**

TaxAmount in home currency.

Message examples:

MOA+124:500:EUR:3'

Example:

MOA+124:250:EUR:3'

No = Consecutive segment number
 MaxOcc = Maximum occurrence of the segment/group
 Counter = Counter of segment/group within the standard

DSV public
 Status
 EDIFACT: M=Mandatory, C=Conditional
 User specific: R=Required, O=Optional, D=Dependent,
 A=Advised, N=Not used



Counter	No	Tag	St	MaxOcc	Level	Name
2010		SG46	C	10	2	TDT-SG47
2020	79	TDT	M	1	2	Transport information

Standard			Implementation	
Tag	Name	St Format	St Format	Usage / Remark
TDT				
8051	Transport stage code qualifier	M an..3	M an..3	List of valid codes 20 Main-carriage transport
8028	Means of transport journey identifier	C an..17	C an..17	
C220	Mode of transport	C	C	
8067	Transport mode name code	C an..3	C an..3	List of valid codes 1 Maritime transport 3 Road transport 4 Air transport
8066	Transport mode name	C an..17	N	
C001	Transport means	C	C	
8179	Transport means description code	C an..8	N	
1131	Code list identification code	C an..17	N	
3055	Code list responsible agency code	C an..3	N	
8178	Transport means description	C an..17	C an..17	
C040	Carrier	C	C	
3127	Carrier identifier	C an..17	C an..17	
1131	Code list identification code	C an..17	N	
3055	Code list responsible agency code	C an..3	N	
3126	Carrier name	C an..35	C an..35	
8101	Transit direction indicator code	C an..3	N	
C401	Excess transportation information	C	N	
8457	Excess transportation reason code	M an..3	N	
8459	Excess transportation responsibility code	M an..3	N	
7130	Customer shipment authorisation identifier	C an..17	N	
C222	Transport identification	C	C	
8213	Transport means identification name identifier	C an..35	N	
1131	Code list identification code	C an..17	N	
3055	Code list responsible agency code	C an..3	N	
8212	Transport means identification name	C an..70	C an..70	
8453	Transport means nationality	C an..3	N	

No = Consecutive segment number
MaxOcc = Maximum occurrence of the segment/group
Counter = Counter of segment/group within the standard

DSV public
Status
EDIFACT: M=Mandatory, C=Conditional
User specific: R=Required, O=Optional, D=Dependent,
A=Advised, N=Not used



Standard			Implementation	
Tag	Name	St Format	St Format	Usage / Remark
	code			
8281	Transport means ownership indicator code	C an..3	N	

Segment Remarks:

General Notes

Message examples:

TDT+20+Sea+1+:::LH320+:::Shipping line+++:::Vessel:US'

TDT+20++3'

TDT+20+Air+4+:::014W+:::Airline'

Example:

TDT+20+Air+4+:::LH320+LFH:::LUFTHANSA+++:::LUFTHANSA'

No = Consecutive segment number
MaxOcc = Maximum occurrence of the segment/group
Counter = Counter of segment/group within the standard

DSV public
Status
EDIFACT: M=Mandatory, C=Conditional
User specific: R=Required, O=Optional, D=Dependent,
A=Advised, N=Not used



Counter	No	Tag	St	MaxOcc	Level	Name
2030		SG47	C	10	3	LOC
2040	80	LOC	M	1	3	Place/location identification

Standard			Implementation	
Tag	Name	St Format	St Format	Usage / Remark
LOC				
3227	Location function code qualifier	M an..3	M an..3	List of valid codes 8 Place of destination
C517	Location identification	C	C	
3225	Location identifier	C an..35	C an..35	List of valid codes 3 IATA (International Air Transport Association) 6 UN/ECE (United Nations - Economic Commission for Europe)
1131	Code list identification code	C an..17	N	
3055	Code list responsible agency code	C an..3	C an..3	
3224	Location name	C an..256	C an..256	
C519	Related location one identification	C	N	
3223	First related location identifier	C an..35	N	
1131	Code list identification code	C an..17	N	
3055	Code list responsible agency code	C an..3	N	
3222	First related location name	C an..70	N	
C553	Related location two identification	C	N	
3233	Second related location identifier	C an..35	N	
1131	Code list identification code	C an..17	N	
3055	Code list responsible agency code	C an..3	N	
3232	Second related location name	C an..70	N	
5479	Relation code	C an..3	N	

Segment Remarks:**General Notes**

Place of Destination

Message examples:

LOC+8+USLAX::6'

LOC+8+LAX:145:3:LOS ANGELES'

Example:

LOC+8+FMRS::6:MARSEILLE'

No = Consecutive segment number
 MaxOcc = Maximum occurrence of the segment/group
 Counter = Counter of segment/group within the standard

DSV public

EDIFACT: M=Mandatory, C=Conditional
 User specific: R=Required, O=Optional, D=Dependent,
 A=Advised, N=Not used



Counter	No	Tag	St	MaxOcc	Level	Name
2030		SG47	C	10	3	LOC
2040	81	LOC	M	1	3	Place/location identification

Standard			Implementation	
Tag	Name	St Format	St Format	Usage / Remark
LOC				
3227	Location function code qualifier	M an..3	M an..3	
				List of valid codes
				9 Place of loading
C517	Location identification	C	C	
3225	Location identifier	C an..35	C an..35	
1131	Code list identification code	C an..17	N	
3055	Code list responsible agency code	C an..3	C an..3	
				List of valid codes
				3 IATA (International Air Transport Association)
				6 UN/ECE (United Nations - Economic Commission for Europe)
3224	Location name	C an..256	C an..256	
C519	Related location one identification	C	N	
3223	First related location identifier	C an..35	N	
1131	Code list identification code	C an..17	N	
3055	Code list responsible agency code	C an..3	N	
3222	First related location name	C an..70	N	
C553	Related location two identification	C	N	
3233	Second related location identifier	C an..35	N	
1131	Code list identification code	C an..17	N	
3055	Code list responsible agency code	C an..3	N	
3232	Second related location name	C an..70	N	
5479	Relation code	C an..3	N	

Segment Remarks:**General Notes**

Place of Loading

Message examples:

LOC+9+KHKOS::6:SIHANOUKVILLE+KOS::3+40958::112'

Example:

LOC+9+DKCPH:::COPENHAGEN'

No = Consecutive segment number
 MaxOcc = Maximum occurrence of the segment/group
 Counter = Counter of segment/group within the standard

DSV public

EDIFACT: M=Mandatory, C=Conditional
 User specific: R=Required, O=Optional, D=Dependent,
 A=Advised, N=Not used



Counter	No	Tag	St	MaxOcc	Level	Name
2030		SG47	C	10	3	LOC
2040	82	LOC	M	1	3	Place/location identification

Standard			Implementation	
Tag	Name	St Format	St Format	Usage / Remark
LOC				
3227	Location function code qualifier	M an..3	M an..3	
				List of valid codes
				5 Place of departure
C517	Location identification	C	C	
3225	Location identifier	C an..35	C an..35	
1131	Code list identification code	C an..17	N	
3055	Code list responsible agency code	C an..3	C an..3	
				List of valid codes
				3 IATA (International Air Transport Association)
				6 UN/ECE (United Nations - Economic Commission for Europe)
3224	Location name	C an..256	C an..256	
C519	Related location one identification	C	N	
3223	First related location identifier	C an..35	N	
1131	Code list identification code	C an..17	N	
3055	Code list responsible agency code	C an..3	N	
3222	First related location name	C an..70	N	
C553	Related location two identification	C	N	
3233	Second related location identifier	C an..35	N	
1131	Code list identification code	C an..17	N	
3055	Code list responsible agency code	C an..3	N	
3232	Second related location name	C an..70	N	
5479	Relation code	C an..3	N	

Segment Remarks:**General Notes**

Place of Departure

Message examples:

LOC+5+DKBLL::6'

LOC+5+DKCPH:::COPENHAGEN'

Example:

LOC+5+DKCPH:::COPENHAGEN'

No = Consecutive segment number
 MaxOcc = Maximum occurrence of the segment/group
 Counter = Counter of segment/group within the standard

DSV public

Status

EDIFACT: M=Mandatory, C=Conditional

User specific: R=Required, O=Optional, D=Dependent,

A=Advised, N=Not used



Counter	No	Tag	St	MaxOcc	Level	Name
2030		SG47	C	10	3	LOC
2040	83	LOC	M	1	3	Place/location identification

Standard			Implementation	
Tag	Name	St Format	St Format	Usage / Remark
LOC				
3227	Location function code qualifier	M an..3	M an..3	List of valid codes 11 Place of discharge
C517	Location identification	C	C	
3225	Location identifier	C an..35	C an..35	
1131	Code list identification code	C an..17	N	
3055	Code list responsible agency code	C an..3	C an..3	List of valid codes 3 IATA (International Air Transport Association) 6 UN/ECE (United Nations - Economic Commission for Europe)
3224	Location name	C an..256	C an..256	
C519	Related location one identification	C	C	
3223	First related location identifier	C an..35	C an..35	
1131	Code list identification code	C an..17	N	
3055	Code list responsible agency code	C an..3	C an..3	
3222	First related location name	C an..70	N	
C553	Related location two identification	C	C	
3233	Second related location identifier	C an..35	C an..35	
1131	Code list identification code	C an..17	N	
3055	Code list responsible agency code	C an..3	N	
3232	Second related location name	C an..70	N	
5479	Relation code	C an..3	N	

Segment Remarks:**General Notes**

Place of Unloading/Discharge

Message examples:

LOC+11+SGSIN::SINGAPORE'

Example:

LOC+11+FRMRS::MARSEILLE+MRS::3+42782'

No = Consecutive segment number
 MaxOcc = Maximum occurrence of the segment/group
 Counter = Counter of segment/group within the standard

DSV public

EDIFACT: M=Mandatory, C=Conditional
 User specific: R=Required, O=Optional, D=Dependent,
 A=Advised, N=Not used



Counter	No	Tag	St	MaxOcc	Level	Name
2060		SG48	C	5	2	TOD-LOC
2070	84	TOD	M	1	2	Terms of delivery or transport

Standard			Implementation	
Tag	Name	St Format	St Format	Usage / Remark
TOD				
4055	Delivery or transport terms function code	C an..3	C an..3	List of valid codes 6 Delivery condition
4215	Transport charges payment method code	C an..3	C an..3	
C100	Terms of delivery or transport	C	C	
4053	Delivery or transport terms description code	C an..3	C an..3	
1131	Code list identification code	C an..17	C an..17	
3055	Code list responsible agency code	C an..3	N	
4052	Delivery or transport terms description	C an..70	N	
4052	Delivery or transport terms description	C an..70	N	

Segment Remarks:**General Notes**

Message examples:

TOD+++EXW'

TOD+++022:ZCT'

Example:

TOD+6++EXW:INCOTERMS'

No = Consecutive segment number
 MaxOcc = Maximum occurrence of the segment/group
 Counter = Counter of segment/group within the standard

DSV public

St = Status
 EDIFACT: M=Mandatory, C=Conditional
 User specific: R=Required, O=Optional, D=Dependent,
 A=Advised, N=Not used



Counter	No	Tag	St	MaxOcc	Level	Name
2060		SG48	C	5	2	TOD-LOC
2080	85	LOC	C	2	3	Place/location identification

Standard			Implementation	
Tag	Name	St Format	St Format	Usage / Remark
LOC				
3227	Location function code qualifier	M an..3	M an..3	
				List of valid codes
				1 Place of terms of delivery
C517	Location identification	C	C	
3225	Location identifier	C an..35	N	
1131	Code list identification code	C an..17	N	
3055	Code list responsible agency code	C an..3	N	
3224	Location name	C an..256	C an..256	
C519	Related location one identification	C	N	
3223	First related location identifier	C an..35	N	
1131	Code list identification code	C an..17	N	
3055	Code list responsible agency code	C an..3	N	
3222	First related location name	C an..70	N	
C553	Related location two identification	C	N	
3233	Second related location identifier	C an..35	N	
1131	Code list identification code	C an..17	N	
3055	Code list responsible agency code	C an..3	N	
3232	Second related location name	C an..70	N	
5479	Relation code	C an..3	N	

Segment Remarks:**General Notes**

Message examples:

LOC+1+DKHOR::6:Horsens'

Example:

LOC+1+:::Frankfurt am Main'

No = Consecutive segment number
 MaxOcc = Maximum occurrence of the segment/group
 Counter = Counter of segment/group within the standard

DSV public
 Status
 EDIFACT: M=Mandatory, C=Conditional
 User specific: R=Required, O=Optional, D=Dependent,
 A=Advised, N=Not used



Counter	No	Tag	St	MaxOcc	Level	Name
2320	86	UNS	M	1	0	Section control

Standard			Implementation	
Tag	Name	St Format	St Format	Usage / Remark
UNS				
0081	Section identification	M a1	M a1	

Segment Remarks:

General Notes

Message examples:
UNS+S'

Example:

UNS+S'

No = Consecutive segment number
MaxOcc = Maximum occurrence of the segment/group
Counter = Counter of segment/group within the standard

DSV public

St = Status
EDIFACT: M=Mandatory, C=Conditional
User specific: R=Required, O=Optional, D=Dependent,
A=Advised, N=Not used



Counter	No	Tag	St	MaxOcc	Level	Name
2340		SG52	M	100	1	MOA
2350	87	MOA	M	1	1	Monetary amount

Standard			Implementation	
Tag	Name	St Format	St Format	Usage / Remark
MOA				
C516	Monetary amount	M	M	
5025	Monetary amount type code qualifier	M an..3	M an..3	
				List of valid codes
				128 Total amount
5004	Monetary amount	C n..35	C n..35	
6345	Currency identification code	C an..3	C an..3	
6343	Currency type code qualifier	C an..3	C an..3	
				List of valid codes
				4 Invoicing currency
4405	Status description code	C an..3	N	

Segment Remarks:**General Notes**

Total amount incl tax in invoicing currency.

Message examples:

MOA+128:500:EUR:4'

Example:

MOA+128:2000:EUR:4'

No = Consecutive segment number
 MaxOcc = Maximum occurrence of the segment/group
 Counter = Counter of segment/group within the standard

DSV public

St = Status
 EDIFACT: M=Mandatory, C=Conditional
 User specific: R=Required, O=Optional, D=Dependent,
 A=Advised, N=Not used



Counter	No	Tag	St	MaxOcc	Level	Name
2340		SG52	M	100	1	MOA
2350	88	MOA	M	1	1	Monetary amount

Standard			Implementation	
Tag	Name	St Format	St Format	Usage / Remark
MOA				
C516	Monetary amount	M	M	
5025	Monetary amount type code qualifier	M an..3	M an..3	
				List of valid codes
				128 Total amount
5004	Monetary amount	C n..35	C n..35	
6345	Currency identification code	C an..3	C an..3	
6343	Currency type code qualifier	C an..3	C an..3	
				List of valid codes
				3 Home currency
4405	Status description code	C an..3	N	

Segment Remarks:

General Notes

Total amount incl tax in home currency.

Message examples:

MOA+124:500:EUR:3'

Example:

MOA+128:2000:EUR:3'

No = Consecutive segment number
MaxOcc = Maximum occurrence of the segment/group
Counter = Counter of segment/group within the standard

DSV public
St = Status
EDIFACT: M=Mandatory, C=Conditional
User specific: R=Required, O=Optional, D=Dependent,
A=Advised, N=Not used



Counter	No	Tag	St	MaxOcc	Level	Name
2340		SG52	M	100	1	MOA
2350	89	MOA	M	1	1	Monetary amount

Standard			Implementation	
Tag	Name	St Format	St Format	Usage / Remark
MOA				
C516	Monetary amount	M	M	
5025	Monetary amount type code qualifier	M an..3	M an..3	
				List of valid codes
				125 Taxable amount
5004	Monetary amount	C n..35	C n..35	
6345	Currency identification code	C an..3	C an..3	
6343	Currency type code qualifier	C an..3	C an..3	
				List of valid codes
				4 Invoicing currency
4405	Status description code	C an..3	N	

Segment Remarks:**General Notes**

Total amount excl tax in invoicing currency.

Message examples:

MOA+125:500:EUR:4'

Example:

MOA+125:1250:EUR:4'

No = Consecutive segment number
 MaxOcc = Maximum occurrence of the segment/group
 Counter = Counter of segment/group within the standard

DSV public
 St = Status
 EDIFACT: M=Mandatory, C=Conditional
 User specific: R=Required, O=Optional, D=Dependent,
 A=Advised, N=Not used



Counter	No	Tag	St	MaxOcc	Level	Name
2340		SG52	M	100	1	MOA
2350	90	MOA	M	1	1	Monetary amount

Standard			Implementation	
Tag	Name	St Format	St Format	Usage / Remark
MOA				
C516	Monetary amount	M	M	
5025	Monetary amount type code qualifier	M an..3	M an..3	
				List of valid codes
				125 Taxable amount
5004	Monetary amount	C n..35	C n..35	
6345	Currency identification code	C an..3	C an..3	
6343	Currency type code qualifier	C an..3	C an..3	
				List of valid codes
				3 Home currency
4405	Status description code	C an..3	N	

Segment Remarks:**General Notes**

Total amount excl tax in home currency.

Message examples:

MOA+125:500:EUR:3'

Example:

MOA+125:1250:EUR:3'

No = Consecutive segment number
 MaxOcc = Maximum occurrence of the segment/group
 Counter = Counter of segment/group within the standard

DSV public

St = Status
 EDIFACT: M=Mandatory, C=Conditional
 User specific: R=Required, O=Optional, D=Dependent,
 A=Advised, N=Not used



Counter	No	Tag	St	MaxOcc	Level	Name
2340		SG52	M	100	1	MOA
2350	91	MOA	M	1	1	Monetary amount

Standard			Implementation	
Tag	Name	St Format	St Format	Usage / Remark
MOA				
C516	Monetary amount	M	M	
5025	Monetary amount type code qualifier	M an..3	M an..3	
				List of valid codes
				176 Message total duty/tax/fee amount
5004	Monetary amount	C n..35	C n..35	
6345	Currency identification code	C an..3	C an..3	
6343	Currency type code qualifier	C an..3	C an..3	
				List of valid codes
				4 Invoicing currency
4405	Status description code	C an..3	N	

Segment Remarks:

General Notes

Total tax amount in invoicing currency.

Message examples:

MOA+176:500:EUR:4'

Example:

MOA+176:5000:EUR:4'

No = Consecutive segment number
MaxOcc = Maximum occurrence of the segment/group
Counter = Counter of segment/group within the standard

DSV public
St = Status
EDIFACT: M=Mandatory, C=Conditional
User specific: R=Required, O=Optional, D=Dependent,
A=Advised, N=Not used



Counter	No	Tag	St	MaxOcc	Level	Name
2340		SG52	M	100	1	MOA
2350	92	MOA	M	1	1	Monetary amount

Standard			Implementation	
Tag	Name	St Format	St Format	Usage / Remark
MOA				
C516	Monetary amount	M	M	
5025	Monetary amount type code qualifier	M an..3	M an..3	
				List of valid codes
				176 Message total duty/tax/fee amount
5004	Monetary amount	C n..35	C n..35	
6345	Currency identification code	C an..3	C an..3	
6343	Currency type code qualifier	C an..3	C an..3	
				List of valid codes
				3 Home currency
4405	Status description code	C an..3	N	

Segment Remarks:

General Notes

Total tax amount in home currency.

Message examples:

MOA+176:500:EUR:3'

Example:

MOA+176:5000:EUR:3'

No = Consecutive segment number
MaxOcc = Maximum occurrence of the segment/group
Counter = Counter of segment/group within the standard

DSV public
St = Status
EDIFACT: M=Mandatory, C=Conditional
User specific: R=Required, O=Optional, D=Dependent,
A=Advised, N=Not used



Counter	No	Tag	St	MaxOcc	Level	Name
2390		SG54	C	10	1	TAX-MOA
		General Notes v1.4 1st occurrence of SG54 TAX is for Invoice currency				
2400	93	TAX	M	1	1	Duty/tax/fee details

Standard			Implementation	
Tag	Name	St Format	St Format	Usage / Remark
TAX				
5283	Duty or tax or fee function code qualifier	M an..3	M an..3	List of valid codes 7 Tax
C241	Duty/tax/fee type	C	C	
5153	Duty or tax or fee type name code	C an..3	C an..3	List of valid codes VAT Value added tax
1131	Code list identification code	C an..17	N	
3055	Code list responsible agency code	C an..3	N	
5152	Duty or tax or fee type name	C an..35	N	
C533	Duty/tax/fee account detail	C	N	
5289	Duty or tax or fee account code	M an..6	N	
1131	Code list identification code	C an..17	N	
3055	Code list responsible agency code	C an..3	N	
5286	Duty or tax or fee assessment basis quantity	C an..15	N	
C243	Duty/tax/fee detail	C	C	
5279	Duty or tax or fee rate code	C an..7	N	
1131	Code list identification code	C an..17	N	
3055	Code list responsible agency code	C an..3	N	
5278	Duty or tax or fee rate	C an..17	C an..17	
5273	Duty or tax or fee rate basis code	C an..12	N	
1131	Code list identification code	C an..17	N	
3055	Code list responsible agency code	C an..3	N	
5305	Duty or tax or fee category code	C an..3	C an..3	List of valid codes A Mixed tax rate AE VAT Reverse Charge E Exempt from tax S Standard rate

No = Consecutive segment number
MaxOcc = Maximum occurrence of the segment/group
Counter = Counter of segment/group within the standard

DSV public

St = Status
EDIFACT: M=Mandatory, C=Conditional
User specific: R=Required, O=Optional, D=Dependent,
A=Advised, N=Not used



Standard			Implementation	
Tag	Name	St Format	St Format	Usage / Remark
3446	Party tax identifier	C an..20	N	
1227	Calculation sequence code	C an..3	N	
5307	Tax or duty or fee payment due date code	C an..3	N	

Segment Remarks:

General Notes

Message examples:

TAX+7+VAT+++:::25.00+S'

Example:

TAX+7+VAT+++:::25+S'

No = Consecutive segment number
MaxOcc = Maximum occurrence of the segment/group
Counter = Counter of segment/group within the standard

DSV public

SV-Status
EDIFACT: M=Mandatory, C=Conditional
User specific: R=Required, O=Optional, D=Dependent,
A=Advised, N=Not used



Counter	No	Tag	St	MaxOcc	Level	Name
2390		SG54	C	10	1	TAX-MOA
		General Notes v1.4 1st occurrence of SG54 TAX is for Invoice currency				
2410	94	MOA	C	9	2	Monetary amount

Standard			Implementation	
Tag	Name	St Format	St Format	Usage / Remark
MOA				
C516	Monetary amount	M	M	
5025	Monetary amount type code qualifier	M an..3	M an..3	
				List of valid codes 176 Message total duty/tax/fee amount
5004	Monetary amount	C n..35	C n..35	
6345	Currency identification code	C an..3	C an..3	
6343	Currency type code qualifier	C an..3	C an..3	
				List of valid codes 4 Invoicing currency
4405	Status description code	C an..3	N	

Segment Remarks:**General Notes**

Accumulated total taxamount in invoicing currency.

Message examples:

MOA+176:500:EUR:4'

Example:

MOA+176:5000:EUR:4'

No = Consecutive segment number
MaxOcc = Maximum occurrence of the segment/group
Counter = Counter of segment/group within the standard

DSV public

St = Status
EDIFACT: M=Mandatory, C=Conditional
User specific: R=Required, O=Optional, D=Dependent,
A=Advised, N=Not used



Counter	No	Tag	St	MaxOcc	Level	Name
2390		SG54	C	10	1	TAX-MOA
		General Notes v1.4 1st occurrence of SG54 TAX is for Invoice currency				
2410	95	MOA	C	9	2	Monetary amount

Standard			Implementation	
Tag	Name	St Format	St Format	Usage / Remark
MOA				
C516	Monetary amount	M	M	
5025	Monetary amount type code qualifier	M an..3	M an..3	
				List of valid codes 125 Taxable amount
5004	Monetary amount	C n..35	C n..35	
6345	Currency identification code	C an..3	C an..3	
6343	Currency type code qualifier	C an..3	C an..3	
				List of valid codes 4 Invoicing currency
4405	Status description code	C an..3	N	

Segment Remarks:**General Notes**

Accumulated total taxable amount in invoicing currency.

Message examples:

MOA+125:500:EUR:4'

Example:

MOA+125:5000:EUR:4'

No = Consecutive segment number
MaxOcc = Maximum occurrence of the segment/group
Counter = Counter of segment/group within the standard

DSV public

St = Status
EDIFACT: M=Mandatory, C=Conditional
User specific: R=Required, O=Optional, D=Dependent,
A=Advised, N=Not used



Counter	No	Tag	St	MaxOcc	Level	Name
2390		SG54	C	10	1	TAX-MOA
		General Notes v1.4 2nd occurrence of SG54 TAX is for Home/Local currency				
2400	96	TAX	M	1	1	Duty/tax/fee details

Standard			Implementation	
Tag	Name	St Format	St Format	Usage / Remark
TAX				
5283	Duty or tax or fee function code qualifier	M an..3	M an..3	List of valid codes 9 Tax related information
C241	Duty/tax/fee type	C	C	
5153	Duty or tax or fee type name code	C an..3	C an..3	List of valid codes VAT Value added tax
1131	Code list identification code	C an..17	N	
3055	Code list responsible agency code	C an..3	N	
5152	Duty or tax or fee type name	C an..35	N	
C533	Duty/tax/fee account detail	C	N	
5289	Duty or tax or fee account code	M an..6	N	
1131	Code list identification code	C an..17	N	
3055	Code list responsible agency code	C an..3	N	
5286	Duty or tax or fee assessment basis quantity	C an..15	N	
C243	Duty/tax/fee detail	C	C	
5279	Duty or tax or fee rate code	C an..7	N	
1131	Code list identification code	C an..17	N	
3055	Code list responsible agency code	C an..3	N	
5278	Duty or tax or fee rate	C an..17	C an..17	
5273	Duty or tax or fee rate basis code	C an..12	N	
1131	Code list identification code	C an..17	N	
3055	Code list responsible agency code	C an..3	N	
5305	Duty or tax or fee category code	C an..3	C an..3	List of valid codes A Mixed tax rate AE VAT Reverse Charge E Exempt from tax S Standard rate

No = Consecutive segment number
MaxOcc = Maximum occurrence of the segment/group
Counter = Counter of segment/group within the standard

DSV public

EDIFACT: M=Mandatory, C=Conditional
User specific: R=Required, O=Optional, D=Dependent,
A=Advised, N=Not used



Standard			Implementation	
Tag	Name	St Format	St Format	Usage / Remark
3446	Party tax identifier	C an..20	N	
1227	Calculation sequence code	C an..3	N	
5307	Tax or duty or fee payment due date code	C an..3	N	

Segment Remarks:

General Notes

Message examples:

TAX+9+VAT+++:::25.00+S'

Example:

TAX+9+VAT+++:::25+S'

No = Consecutive segment number
MaxOcc = Maximum occurrence of the segment/group
Counter = Counter of segment/group within the standard

DSV public
S = Status
EDIFACT: M=Mandatory, C=Conditional
User specific: R=Required, O=Optional, D=Dependent,
A=Advised, N=Not used



Counter	No	Tag	St	MaxOcc	Level	Name
2390		SG54	C	10	1	TAX-MOA
		General Notes v1.4 2nd occurrence of SG54 TAX is for Home/Local currency				
2410	97	MOA	C	9	2	Monetary amount

Standard			Implementation	
Tag	Name	St Format	St Format	Usage / Remark
MOA				
C516	Monetary amount	M	M	
5025	Monetary amount type code qualifier	M an..3	M an..3	
				List of valid codes 176 Message total duty/tax/fee amount
5004	Monetary amount	C n..35	C n..35	
6345	Currency identification code	C an..3	C an..3	
6343	Currency type code qualifier	C an..3	C an..3	
				List of valid codes 3 Home currency
4405	Status description code	C an..3	N	

Segment Remarks:**General Notes**

Accumulated total tax amount in home currency.

Message examples:

MOA+176:500:EUR:3'

Example:

MOA+176:5000:EUR:3'

No = Consecutive segment number
MaxOcc = Maximum occurrence of the segment/group
Counter = Counter of segment/group within the standard

DSV public
St = Status
EDIFACT: M=Mandatory, C=Conditional
User specific: R=Required, O=Optional, D=Dependent,
A=Advised, N=Not used



Counter	No	Tag	St	MaxOcc	Level	Name
2390		SG54	C	10	1	TAX-MOA
		General Notes v1.4 2nd occurrence of SG54 TAX is for Home/Local currency				
2410	98	MOA	C	9	2	Monetary amount

Standard			Implementation	
Tag	Name	St Format	St Format	Usage / Remark
MOA				
C516	Monetary amount	M	M	
5025	Monetary amount type code qualifier	M an..3	M an..3	
				List of valid codes 125 Taxable amount
5004	Monetary amount	C n..35	C n..35	
6345	Currency identification code	C an..3	C an..3	
6343	Currency type code qualifier	C an..3	C an..3	
				List of valid codes 3 Home currency
4405	Status description code	C an..3	N	

Segment Remarks:**General Notes**

Accumulated total taxable amount in home currency.

Message examples:

MOA+125:500:EUR:3'

Example:

MOA+125:5000:EUR:3'

No = Consecutive segment number
MaxOcc = Maximum occurrence of the segment/group
Counter = Counter of segment/group within the standard

DSV public
St = Status
EDIFACT: M=Mandatory, C=Conditional
User specific: R=Required, O=Optional, D=Dependent,
A=Advised, N=Not used



Counter	No	Tag	St	MaxOcc	Level	Name
2470	99	UNT	M	1	0	Message trailer

Standard			Implementation	
Tag	Name	St Format	St Format	Usage / Remark
UNT				
0074	Number of segments in a message	M n..10	M n..10	
0062	Message reference number	M an..14	M an..14	

Segment Remarks:

General Notes

Message examples:
UNT+91+123456'

Example:

UNT+91+123456'

No = Consecutive segment number
MaxOcc = Maximum occurrence of the segment/group
Counter = Counter of segment/group within the standard

DSV public
Status
EDIFACT: M=Mandatory, C=Conditional
User specific: R=Required, O=Optional, D=Dependent,
A=Advised, N=Not used



Example Message

No	Tag	Example
01	UNA	UNA:+.? '
02	UNB	UNB+UNOC:4+5790000834129:ZZZ+PartnerId:ZZZ+20221220:1500+00000000012345+++++1'
03	UNH	UNH+123456+INVOIC:D:10B:UN'
04	BGM	BGM+380+DK456654+9'
05	DTM	DTM+137:201804040800:203'
06	DTM	DTM+3:201804121600:203'
07	FTX	FTX+ADU+++Note'
08	FTX	FTX+DCL+++Document issuer declaration:X:X:X:X'
09	LOC	LOC+183+I382:::DKHOR'
	SG1	
10	RFF	RFF+AAM:1223559'
	SG1	
11	RFF	RFF+CU:1223559'
	SG1	
12	RFF	RFF+PQ:309863385000006298123'
	SG2	
13	NAD	NAD+II+987654321::9++Invoice issuer+East street 20:2nd address:X+HEDEH USENE++2630+DK'
14	FII	FII+II+SE 19 9500 0099 6034 0872 0708:DSV Air & Sea AB+NDEASESS::17:3408720708:::9960:NORDEA BANK AB'
	SG3	
15	RFF	RFF+VA:VATNumber'
	SG4	
16	DOC	DOC+385'
	SG5	
17	CTA	CTA+AR+:Invoice issuer'
18	COM	COM+010-4455663388:TE'
19	COM	COM+abc@xx.dsv.com:EM'
	SG2	
20	NAD	NAD+IV+123456789::9++Company +West street 12B:Warehouse 8:150+COPENHAG EN++1610+DK'
	SG3	
21	RFF	RFF+VA:VATNumber'
	SG5	
22	CTA	CTA+AP+:Invoicee'
23	COM	COM+010-4455663388:TE'

No = Consecutive segment number

DSV public



No	Tag	Example
24	COM	COM+abc@xx.dsv.com:EM'
	SG7	
25	CUX	CUX+2:DKK:10+3:EUR:11+1'
26	DTM	DTM+134:20181102:102'
	SG8	
27	PYT	PYT+3+:::Desc. of terms+++D+45'
28	DTM	DTM+13:20180531:102'
	SG9	
29	TDT	TDT+20+Air+1+:::LH320+6403864782:::LUFTHANSA+++:::LUFTHANSA'
30	TSR	TSR++2+1'
	SG10	
31	LOC	LOC+9+DEFRA:::Frankfurt am Main+X::3+X'
32	DTM	DTM+186:201812131000:203'
	SG10	
33	LOC	LOC+8+DEFRA:::Frankfurt am Main'
34	DTM	DTM+132:201812131000:203'
	SG10	
35	LOC	LOC+5+DEFRA:::Frankfurt am Main'
36	DTM	DTM+136:201812131000:203'
	SG10	
37	LOC	LOC+11+DEFRA:::Frankfurt am Main+X+X'
38	DTM	DTM+232:201812131000:203'
	SG11	
39	RFF	RFF+MB:123456789'
	SG12	
40	TOD	TOD+6++EXW:INCOTERMS'
41	LOC	LOC+1+:::Frankfurt am Main'
	SG13	
42	EQD	EQD+CN+TCLU229803+40HC:::45GO+++8'
43	SEL	SEL+DSV123'
	SG27	
44	LIN	LIN+1++BOGO3-Z3362'
45	IMD	IMD+X+1+:::Freight'
46	MEA	MEA+WT+AAD+KGM:100'
47	MEA	MEA+WT+ACG+KGM:100'
48	MEA	MEA+VOL++MTQ:23'
49	MEA	MEA+LMT++MTR:2'

No = Consecutive segment number

DSV public



No	Tag	Example
50	QTY	QTY+106:1:PCE'
51	DTM	DTM+2:201804041000:203'
52	EQD	EQD+CN+TCLU8092315+40HC::5:LF40+++8'
53	FTX	FTX+AUY+++Service information:X'
54	FTX	FTX+AAA+++Goods description:X:X:X:X'
	SG28	
55	MOA	MOA+203:9:EUR:4'
	SG31	
56	RFF	RFF+SRN:123456789'
	SG31	
57	RFF	RFF+CU:123456789'
	SG32	
58	PAC	PAC+9++PCE'
	SG33	
59	PCI	PCI+24+123456789'
	SG34	
60	LOC	LOC+8+FRMRS::6:MARSEILLE'
	SG34	
61	LOC	LOC+5+DKCPH:::COPENHAGEN'
	SG34	
62	LOC	LOC+9+DKHOR:::HORSENS+HOR::3+40914'
	SG34	
63	LOC	LOC+11+FRMRS:::MARSEILLE+MRS::3+42782'
	SG35	
64	TAX	TAX+7+VAT+++:::25.00+S'
65	MOA	MOA+124:99.99:EUR:4'
	SG36	
66	NAD	NAD+CN+123456789++Consignor+North street:Warehouse 2+PARIS+SP+8260+FR'
	SG40	
67	ALC	ALC+A+0112+++FRT:::Freight'
	SG43	
68	MOA	MOA+8:1000:EUR:4'
69	CUX	CUX+2:EUR:4+3:SEK:3+0.80'
	SG43	
70	MOA	MOA+10:1000:EUR:17'
71	CUX	CUX+2:EUR:4+3:DKK:17+0.80'
	SG43	

No = Consecutive segment number

DSV public



No	Tag	Example
72	MOA	MOA+27:1000:EUR:3'
73	CUX	CUX+2:EUR:4+3:SEK:3+0.80'
	SG44	
74	RTE	RTE+ZSX:0.8'
	SG45	
75	TAX	TAX+7+VAT:::250++DICH.INT+X:::25+S'
76	MOA	MOA+124:250:EUR:4'
77	MOA	MOA+124:250:EUR:17'
78	MOA	MOA+124:250:EUR:3'
	SG46	
79	TDT	TDT+20+Air+4+:::LH320+LFH:::LUFTHANSA+++:::LUFTHANSA'
	SG47	
80	LOC	LOC+8+FRMRS:::6:MARSEILLE'
	SG47	
81	LOC	LOC+9+DKCPH:::COPENHAGEN'
	SG47	
82	LOC	LOC+5+DKCPH:::COPENHAGEN'
	SG47	
83	LOC	LOC+11+FRMRS:::MARSEILLE+MRS:::3+42782'
	SG48	
84	TOD	TOD+6++EXW:INCOTERMS'
85	LOC	LOC+1+:::Frankfurt am Main'
86	UNS	UNS+S'
	SG52	
87	MOA	MOA+128:2000:EUR:4'
	SG52	
88	MOA	MOA+128:2000:EUR:3'
	SG52	
89	MOA	MOA+125:1250:EUR:4'
	SG52	
90	MOA	MOA+125:1250:EUR:3'
	SG52	
91	MOA	MOA+176:5000:EUR:4'
	SG52	
92	MOA	MOA+176:5000:EUR:3'
	SG54	
93	TAX	TAX+7+VAT+++:::25+S'

No = Consecutive segment number

DSV public



No	Tag	Example
94	MOA	MOA+176:5000:EUR:4'
95	MOA	MOA+125:5000:EUR:4'
SG54		
96	TAX	TAX+9+VAT+++:::25+S'
97	MOA	MOA+176:5000:EUR:3'
98	MOA	MOA+125:5000:EUR:3'
99	UNT	UNT+91+123456'